
ADVISORY BASE FLOOD ELEVATION MAP PANEL INDEX

NORTH REGION

DATE OF MAP: DECEMBER 2012



Peekskill NW
Peekskill NE
Peekskill SW
Peekskill SE
Haverstraw NW
Haverstraw NE
Ossining NW
Haverstraw SE
Ossining SW
Nyack NE
White Plains NW
Nyack SE
White Plains SW
Glenville SE
Yonkers NE
Mamaroneck NW
Mamaroneck NE
Hackensack SE
Yonkers SW
Yonkers SE
Mount Vernon SW
Mount Vernon SE
Mamaroneck SW
Weehawken NW
Weehawken NE
Central Park NW
Central Park NE
Flushing NW
Flushing NE
Orange SE
Weehawken SW
Weehawken SE
Central Park SW
Central Park SE
Flushing SW
Flushing SE
Sea Cliff SW
Elizabeth NW
Elizabeth NE
Jersey City NW
Jersey City NE
Brooklyn NW
Brooklyn NE
Jamaica NW
Roselle SE
Elizabeth SW
Elizabeth SE
Jersey City SW
Jersey City SE
Brooklyn SW
Brooklyn SE
Jamaica SW
Jamaica SE
Lynbrook SW
Perth Amboy NE
Arthur Kill NW
Arthur Kill NE
The Narrows NW
The Narrows NE
Coney Island NW
Coney Island NE
Far Rockaway NW
Far Rockaway NE
Lawrence NW
Perth Amboy SW
Perth Amboy SE
Arthur Kill SW
Arthur Kill SE
The Narrows SW
Coney Island SW
Coney Island SE

New York
Westchester County
New Jersey
Bergen County
Essex County
Hudson County
New York County
Union County
Richmond County
Middlesex County
Bronx County
Queens County
Nassau County
Kings County

This panel index map shows Advisory Base Flood Elevations (ABFEs) developed by FEMA for areas impacted by Hurricane Sandy in New York and New Jersey. Use the QR code to the right, or navigate to http://www.region2coastal.com/ for more information on how they were determined.

LEGEND

- State Boundary
- County Boundary
- Panel Name — Advisory Map Grid
- Path of Hurricane Sandy


0 5 10 15 20 Miles

ADVISORY BASE FLOOD ELEVATION MAP
NEW YORK-KINGS-HUDSON COUNTIES
NEW JERSEY AND NEW YORK

MAP ID: JERSEY CITY NE

DATE OF MAP: DECEMBER 7, 2012

JOINS PANEL WEEHAWKEN SE



bing © 2012 Microsoft Corporation

ADVISORY BASE FLOOD ELEVATIONS

This map shows Advisory Base Flood Elevations (ABFEs) developed by FEMA. Use the QR code to the right, or navigate to http://www.region2coastal.com/ for more information on how they were determined.

These ABFEs can serve as a guide to understanding current coastal flood hazard risk and the elevations that communities should build to in order to protect themselves from future flood events. As part of the long term recovery effort, the ABFEs are a tool for Federal, State, and local officials, building officials, builders and architects, insurance professionals, and property owners to make informed decisions during rebuilding and to mitigate losses from future flood events, safeguard lives, and protect the private and public investment in rebuilding.

USAGE

The elevations shown on this map are considered best available data until issuance of updated Flood Insurance Rate Maps.

OBSERVED SANDY SURGE ELEVATIONS[1,6]

Approximately 6-12 ft on this Panel

0 1,000 2,000 3,000 4,000

Feet

LEGEND

Flood Advisory Related Data

- Advisory Base Flood Elevation Zone (ABFE)[2]
- 1% Advisory Base Flood Elevation, feet[1,2] (1% EL)
- 0.2% Advisory Base Flood Elevation, feet[1,3] (0.2% EL)
- Advisory Flood Hazard Zone V
- Area of Moderate Wave Action[4]
- Advisory Flood Hazard Zone A
- Advisory Limit of the 1% Annual Chance Flood Hazard Area[2]
- Advisory Limit of the 0.2% Annual Chance Flood Hazard Area[3]
- Advisory Shaded Zone X
- Effective FIRM Panel Boundary (ID)

Hurricane Sandy Related Data

- Provisional Hurricane Sandy Surge Elevation[1,6] (Elev. ID)

Geographic Boundaries

CBRA[5] County State

NOTES

[1] Measured in feet relative to the North American Vertical Datum of 1988 (NAVD88). To convert from NAVD88 to the National Geodetic Vertical Datum of 1929, add the following county-wide value(s): Hudson (1.1 ft), New York (1.1 ft), and Kings (1.1 ft)

[2] Each whole-foot 1% annual chance Advisory Base Flood Elevation shown applies to all properties located in the mapped zone, with zone boundaries outlined in yellow.

[3] Each whole-foot 0.2% annual chance Advisory Base Flood Elevation shown applies to all properties located in the mapped zone, with zone boundaries outlined in yellow.

[4] Depicts the extent of the "Coastal A Zone" or area of moderate wave action where wave heights are between 1.5 and 3 feet. The FEMA Coastal Construction Manual, American Society of Civil Engineers, and the 2012 International Residential Building Code recommend Zone VE construction practices in this area.

[5] Depicts the extent of the Coastal Barrier Resources Act (CBRA). CBRA System Units are shown on this map to advise users where Federal funding is unavailable for repairing or rebuilding substantially damaged structures. For official delineations of the CBRA, please refer to the U.S. Fish and Wildlife Service at http://www.fws.gov/cbra/


Data Sources:

[6] Sandy Surge Elevations: U.S. Geological Survey Rapid Deployment Gauges and High Water Marks (Provisional data retrieved on 11/27/2012). Current data can be found at: http://water.usgs.gov/floods/events/2012/sandy/; Base Map: Bing Maps Road; Stillwater Elevations: Preliminary Coastal FEMA Flood Insurance Study Update for New York City and New Jersey, 2012; Storm Track: NOAA National Weather Service

MAPS FOR ADVISORY PURPOSES ONLY - NOT FOR INSURANCE RATING PURPOSES

For insurance rating purposes refer to the effective Flood Insurance Rate Map (FIRM), available from your local floodplain administrator or the FEMA Map Service Center (http://msc.fema.gov)

OVERVIEW MAP



ADVISORY BASE FLOOD ELEVATION MAP
HUDSON-ESSEX COUNTIES
NEW JERSEY

MAP ID: JERSEY CITY NW


DATE OF MAP: DECEMBER 7, 2012

JOINS PANEL WEEHAWKEN SW

JOINS PANEL ELIZABETH NE

JOINS PANEL JERSEY CITY NE

JOINS PANEL JERSEY CITY SW



bing © 2012 Microsoft Corporation

ADVISORY BASE FLOOD ELEVATIONS

This map shows Advisory Base Flood Elevations (ABFEs) developed by FEMA. Use the QR code to the right, or navigate to http://www.region2coastal.com/ for more information on how they were determined.

These ABFEs can serve as a guide to understanding current coastal flood hazard risk and the elevations that communities should build to in order to protect themselves from future flood events. As part of the long term recovery effort, the ABFEs are a tool for Federal, State, and local officials, building officials, builders and architects, insurance professionals, and property owners to make informed decisions during rebuilding and to mitigate losses from future flood events, safeguard lives, and protect the private and public investment in rebuilding.

USAGE

The elevations shown on this map are considered best available data until issuance of updated Flood Insurance Rate Maps.

OBSERVED SANDY SURGE ELEVATIONS[1,6]

Approximately 10-11 ft on this Panel

0 1,000 2,000 3,000 4,000

Feet

LEGEND

Flood Advisory Related Data

- Advisory Base Flood Elevation Zone (ABFE)[2]
- 1% Advisory Base Flood Elevation, feet[1,2] (1% EL)
- 0.2% Advisory Base Flood Elevation, feet[1,3] (0.2% EL)
- Advisory Flood Hazard Zone V
- Area of Moderate Wave Action[4]
- Advisory Flood Hazard Zone A
- Advisory Limit of the 1% Annual Chance Flood Hazard Area[2]
- Advisory Limit of the 0.2% Annual Chance Flood Hazard Area[3]
- Advisory Shaded Zone X
- Effective FIRM Panel Boundary (ID)

Hurricane Sandy Related Data

- Provisional Hurricane Sandy Surge Elevation[1,6] (Elev. ID)

Geographic Boundaries

CBRA[5] County State

NOTES

[1] Measured in feet relative to the North American Vertical Datum of 1988 (NAVD88). To convert from NAVD88 to the National Geodetic Vertical Datum of 1929, add the following county-wide value(s): Essex (1 ft), and Hudson (1.1 ft)

[2] Each whole-foot 1% annual chance Advisory Base Flood Elevation shown applies to all properties located in the mapped zone, with zone boundaries outlined in yellow.

[3] Each whole-foot 0.2% annual chance Advisory Base Flood Elevation shown applies to all properties located in the mapped zone, with zone boundaries outlined in yellow.

[4] Depicts the extent of the "Coastal A Zone" or area of moderate wave action where wave heights are between 1.5 and 3 feet. The FEMA Coastal Construction Manual, American Society of Civil Engineers, and the 2012 International Residential Building Code recommend Zone VE construction practices in this area.

[5] Depicts the extent of the Coastal Barrier Resources Act (CBRA). CBRA System Units are shown on this map to advise users where Federal funding is unavailable for repairing or rebuilding substantially damaged structures. For official delineations of the CBRA, please refer to the U.S. Fish and Wildlife Service at http://www.fws.gov/cbra/

Data Sources:

[6] Sandy Surge Elevations: U.S. Geological Survey Rapid Deployment Gauges and High Water Marks (Provisional data retrieved on 11/27/2012). Current data can be found at: http://water.usgs.gov/floods/events/2012/sandy/; Base Map: Bing Maps Road; Stillwater Elevations: Preliminary Coastal FEMA Flood Insurance Study Update for New York City and New Jersey, 2012; Storm Track: NOAA National Weather Service

MAPS FOR ADVISORY PURPOSES ONLY - NOT FOR INSURANCE RATING PURPOSES

For insurance rating purposes refer to the effective Flood Insurance Rate Map (FIRM), available from your local floodplain administrator or the FEMA Map Service Center (http://msc.fema.gov)

OVERVIEW MAP



FEMA

ADVISORY BASE FLOOD ELEVATION MAP
RICHMOND-ESSEX-HUDSON COUNTIES
NEW JERSEY AND NEW YORK


MAP ID: JERSEY CITY SW

DATE OF MAP: DECEMBER 7, 2012

JOINS PANEL JERSEY CITY NW

JOINS PANEL ELIZABETH SE

JOINS PANEL JERSEY CITY SE



JOINS PANEL THE NARROWS NW

bing © 2012 Microsoft Corporation

ADVISORY BASE FLOOD ELEVATIONS

This map shows Advisory Base Flood Elevations (ABFEs) developed by FEMA. Use the QR code to the right, or navigate to http://www.region2coastal.com/ for more information on how they were determined.

These ABFEs can serve as a guide to understanding current coastal flood hazard risk and the elevations that communities should build to in order to protect themselves from future flood events. As part of the long term recovery effort, the ABFEs are a tool for Federal, State, and local officials, building officials, builders and architects, insurance professionals, and property owners to make informed decisions during rebuilding and to mitigate losses from future flood events, safeguard lives, and protect the private and public investment in rebuilding.

USAGE

The elevations shown on this map are considered best available data until issuance of updated Flood Insurance Rate Maps.

OBSERVED SANDY SURGE ELEVATIONS[1,6]

Approximately 11-13 ft on this Panel

N

0 1,000 2,000 3,000 4,000

Feet

LEGEND

Flood Advisory Related Data

- Advisory Base Flood Elevation Zone (ABFE)[2]
- 1% EL — 1% Advisory Base Flood Elevation, feet[1,2]
- 0.2% EL — 0.2% Advisory Base Flood Elevation, feet[1,3]
- Advisory Flood Hazard Zone V
- Area of Moderate Wave Action[4]
- Advisory Flood Hazard Zone A
- Advisory Limit of the 1% Annual Chance Flood Hazard Area[2]
- Advisory Limit of the 0.2% Annual Chance Flood Hazard Area[3]
- Advisory Shaded Zone X
- ID — Effective FIRM Panel Boundary

Hurricane Sandy Related Data

- Elev. / ID — Provisional Hurricane Sandy Surge Elevation[1,6]

Geographic Boundaries CBRA[5] County State

NOTES

[1] Measured in feet relative to the North American Vertical Datum of 1988 (NAVD88). To convert from NAVD88 to the National Geodetic Vertical Datum of 1929, add the following county-wide value(s): Essex (1 ft), Hudson (1.1 ft), and Richmond (1.1 ft)

[2] Each whole-foot 1% annual chance Advisory Base Flood Elevation shown applies to all properties located in the mapped zone, with zone boundaries outlined in yellow.

[3] Each whole-foot 0.2% annual chance Advisory Base Flood Elevation shown applies to all properties located in the mapped zone, with zone boundaries outlined in yellow.

[4] Depicts the extent of the "Coastal A Zone" or area of moderate wave action where wave heights are between 1.5 and 3 feet. The FEMA Coastal Construction Manual, American Society of Civil Engineers, and the 2012 International Residential Building Code recommend Zone VE construction practices in this area.

[5] Depicts the extent of the Coastal Barrier Resources Act (CBRA). CBRA System Units are shown on this map to advise users where Federal funding is unavailable for repairing or rebuilding substantially damaged structures. For official delineations of the CBRA, please refer to the U.S. Fish and Wildlife Service at http://www.fws.gov/cbra/


Data Sources:

[6] Sandy Surge Elevations: U.S. Geological Survey Rapid Deployment Gauges and High Water Marks (Provisional data retrieved on 11/27/2012). Current data can be found at: http://water.usgs.gov/floods/events/2012/sandy/; Base Map: Bing Maps Road; Stillwater Elevations: Preliminary Coastal FEMA Flood Insurance Study Update for New York City and New Jersey, 2012; Storm Track: NOAA National Weather Service

MAPS FOR ADVISORY PURPOSES ONLY - NOT FOR INSURANCE RATING PURPOSES

For insurance rating purposes refer to the effective Flood Insurance Rate Map (FIRM), available from your local floodplain administrator or the FEMA Map Service Center (http://msc.fema.gov)

OVERVIEW MAP




ADVISORY BASE FLOOD ELEVATION MAP
BERGEN-ESSEX-HUDSON COUNTIES
NEW JERSEY

MAP ID: ORANGE SE

DATE OF MAP: DECEMBER 7, 2012

JOINS PANEL ORANGE NE



NO ADJOINING PANEL

JOINS PANEL WEEHAWKEN SW

JOINS PANEL ELIZABETH NE

bing © 2012 Microsoft Corporation

ADVISORY BASE FLOOD ELEVATIONS

This map shows Advisory Base Flood Elevations (ABFEs) developed by FEMA. Use the QR code to the right, or navigate to http://www.region2coastal.com/ for more information on how they were determined.

These ABFEs can serve as a guide to understanding current coastal flood hazard risk and the elevations that communities should build to in order to protect themselves from future flood events. As part of the long term recovery effort, the ABFEs are a tool for Federal, State, and local officials, building officials, builders and architects, insurance professionals, and property owners to make informed decisions during rebuilding and to mitigate losses from future flood events, safeguard lives, and protect the private and public investment in rebuilding.

USAGE

The elevations shown on this map are considered best available data until issuance of updated Flood Insurance Rate Maps.

OBSERVED SANDY SURGE ELEVATIONS[1,6]

Approximately 11-12 ft on this Panel

0 1,000 2,000 3,000 4,000

Feet

LEGEND

Flood Advisory Related Data

- Advisory Base Flood Elevation Zone (ABFE)[2]
- 1% EL — 1% Advisory Base Flood Elevation, feet[1,2]
- 0.2% EL — 0.2% Advisory Base Flood Elevation, feet[1,3]
- Advisory Flood Hazard Zone V
- Area of Moderate Wave Action[4]
- Advisory Flood Hazard Zone A
- Advisory Limit of the 1% Annual Chance Flood Hazard Area[2]
- Advisory Limit of the 0.2% Annual Chance Flood Hazard Area[3]
- Advisory Shaded Zone X
- ID — Effective FIRM Panel Boundary

Hurricane Sandy Related Data

- Elev. ID — Provisional Hurricane Sandy Surge Elevation[1,6]

Geographic Boundaries

CBRA[5] County State

NOTES

[1] Measured in feet relative to the North American Vertical Datum of 1988 (NAVD88). To convert from NAVD88 to the National Geodetic Vertical Datum of 1929, add the following county-wide value(s): Bergen (1.0 ft), and Hudson (1.1 ft)

[2] Each whole-foot 1% annual chance Advisory Base Flood Elevation shown applies to all properties located in the mapped zone, with zone boundaries outlined in yellow.

[3] Each whole-foot 0.2% annual chance Advisory Base Flood Elevation shown applies to all properties located in the mapped zone, with zone boundaries outlined in yellow.

[4] Depicts the extent of the "Coastal A Zone" or area of moderate wave action where wave heights are between 1.5 and 3 feet. The FEMA Coastal Construction Manual, American Society of Civil Engineers, and the 2012 International Residential Building Code recommend Zone VE construction practices in this area.

[5] Depicts the extent of the Coastal Barrier Resources Act (CBRA). CBRA System Units are shown on this map to advise users where Federal funding is unavailable for repairing or rebuilding substantially damaged structures. For official delineations of the CBRA, please refer to the U.S. Fish and Wildlife Service at http://www.fws.gov/cbra/


Data Sources:

[6] Sandy Surge Elevations: U.S. Geological Survey Rapid Deployment Gauges and High Water Marks (Provisional data retrieved on 11/27/2012). Current data can be found at: http://water.usgs.gov/floods/events/2012/sandy/; Base Map: Bing Maps Road; Stillwater Elevations: Preliminary Coastal FEMA Flood Insurance Study Update for New York City and New Jersey, 2012; Storm Track: NOAA National Weather Service

MAPS FOR ADVISORY PURPOSES ONLY - NOT FOR INSURANCE RATING PURPOSES

For insurance rating purposes refer to the effective Flood Insurance Rate Map (FIRM), available from your local floodplain administrator or the FEMA Map Service Center (http://msc.fema.gov)

OVERVIEW MAP




ADVISORY BASE FLOOD ELEVATION MAP
BERGEN-HUDSON COUNTIES
NEW JERSEY

MAP ID: WEEHAWKEN NE

DATE OF MAP: DECEMBER 7, 2012

JOINS PANEL HACKENSACK SE

JOINS PANEL WEEHAWKEN NW



JOINS PANEL CENTRAL PARK NW

JOINS PANEL WEEHAWKEN SE

bing © 2012 Microsoft Corporation

ADVISORY BASE FLOOD ELEVATIONS

This map shows Advisory Base Flood Elevations (ABFEs) developed by FEMA. Use the QR code to the right, or navigate to http://www.region2coastal.com/ for more information on how they were determined.

These ABFEs can serve as a guide to understanding current coastal flood hazard risk and the elevations that communities should build to in order to protect themselves from future flood events. As part of the long term recovery effort, the ABFEs are a tool for Federal, State, and local officials, building officials, builders and architects, insurance professionals, and property owners to make informed decisions during rebuilding and to mitigate losses from future flood events, safeguard lives, and protect the private and public investment in rebuilding.

USAGE

The elevations shown on this map are considered best available data until issuance of updated Flood Insurance Rate Maps.

OBSERVED SANDY SURGE ELEVATIONS[1,6]

Approximately 7-8 ft on this Panel

0 1,000 2,000 3,000 4,000

Feet

LEGEND

Flood Advisory Related Data


- Advisory Base Flood Elevation Zone (ABFE)[2]
- 1% EL — 1% Advisory Base Flood Elevation, feet[1,2]
- 0.2% EL — 0.2% Advisory Base Flood Elevation, feet[1,3]
- Advisory Flood Hazard Zone V
- Area of Moderate Wave Action[4]
- Advisory Flood Hazard Zone A
- Advisory Limit of the 1% Annual Chance Flood Hazard Area[2]
- Advisory Limit of the 0.2% Annual Chance Flood Hazard Area[3]
- Advisory Shaded Zone X
- ID — Effective FIRM Panel Boundary

Hurricane Sandy Related Data

- Elev. ID — Provisional Hurricane Sandy Surge Elevation[1,6]

Geographic Boundaries: CBRA[5] — County — State

OVERVIEW MAP



NOTES

[1] Measured in feet relative to the North American Vertical Datum of 1988 (NAVD88). To convert from NAVD88 to the National Geodetic Vertical Datum of 1929, add the following county-wide value(s): Bergen (1.0 ft), and Hudson (1.1 ft)

[2] Each whole-foot 1% annual chance Advisory Base Flood Elevation shown applies to all properties located in the mapped zone, with zone boundaries outlined in yellow.

[3] Each whole-foot 0.2% annual chance Advisory Base Flood Elevation shown applies to all properties located in the mapped zone, with zone boundaries outlined in yellow.

[4] Depicts the extent of the "Coastal A Zone" or area of moderate wave action where wave heights are between 1.5 and 3 feet. The FEMA Coastal Construction Manual, American Society of Civil Engineers, and the 2012 International Residential Building Code recommend Zone VE construction practices in this area.

[5] Depicts the extent of the Coastal Barrier Resources Act (CBRA). CBRA System Units are shown on this map to advise users where Federal funding is unavailable for repairing or rebuilding substantially damaged structures. For official delineations of the CBRA, please refer to the U.S. Fish and Wildlife Service at http://www.fws.gov/cbra/

Data Sources:

[6] Sandy Surge Elevations: U.S. Geological Survey Rapid Deployment Gauges and High Water Marks (Provisional data retrieved on 11/27/2012). Current data can be found at: http://water.usgs.gov/floods/events/2012/sandy/; Base Map: Bing Maps Road; Stillwater Elevations: Preliminary Coastal FEMA Flood Insurance Study Update for New York City and New Jersey, 2012; Storm Track: NOAA National Weather Service

MAPS FOR ADVISORY PURPOSES ONLY - NOT FOR INSURANCE RATING PURPOSES


For insurance rating purposes refer to the effective Flood Insurance Rate Map (FIRM), available from your local floodplain administrator or the FEMA Map Service Center (http://msc.fema.gov)

ADVISORY BASE FLOOD ELEVATION MAP
BERGEN COUNTY
NEW JERSEY

MAP ID: WEEHAWKEN NW

DATE OF MAP: DECEMBER 14, 2012

JOINS PANEL HACKENSACK SW



JOINS PANEL ORANGE NE

JOINS PANEL WEEHAWKEN NE

JOINS PANEL WEEHAWKEN SW

ADVISORY BASE FLOOD ELEVATIONS

This map shows Advisory Base Flood Elevations (ABFEs) developed by FEMA. Use the QR code to the right, or navigate to http://www.region2coastal.com/ for more information on how they were determined.

These ABFEs can serve as a guide to understanding current coastal flood hazard risk and the elevations that communities should build to in order to protect themselves from future flood events. As part of the long term recovery effort, the ABFEs are a tool for Federal, State, and local officials, building officials, builders and architects, insurance professionals, and property owners to make informed decisions during rebuilding and to mitigate losses from future flood events, safeguard lives, and protect the private and public investment in rebuilding.

USAGE

The elevations shown on this map are considered best available data until issuance of updated Flood Insurance Rate Maps.

OBSERVED SANDY SURGE ELEVATIONS[1,6]

Approximately 12-13 ft on this Panel

0 1,000 2,000 3,000 4,000

Feet

LEGEND

Flood Advisory Related Data

- Advisory Base Flood Elevation Zone (ABFE)[2]
- 1% Advisory Base Flood Elevation, feet[1,2]
- 0.2% Advisory Base Flood Elevation, feet[1,3]
- Advisory Flood Hazard Zone V
- Area of Moderate Wave Action[4]
- Advisory Flood Hazard Zone A
- Advisory Limit of the 1% Annual Chance Flood Hazard Area[2]
- Advisory Limit of the 0.2% Annual Chance Flood Hazard Area[3]
- Advisory Shaded Zone X
- Effective FIRM Panel Boundary

Hurricane Sandy Related Data

- Provisional Hurricane Sandy Surge Elevation[1,6]

Geographic Boundaries

CBRA[5] County State

NOTES

[1] Measured in feet relative to the North American Vertical Datum of 1988 (NAVD88).
To convert from NAVD88 to the National Geodetic Vertical Datum of 1929, add the following county-wide value(s): Bergen (1.0 ft)

[2] Each whole-foot 1% annual chance Advisory Base Flood Elevation shown applies to all properties located in the mapped zone, with zone boundaries outlined in yellow.

[3] Each whole-foot 0.2% annual chance Advisory Base Flood Elevation shown applies to all properties located in the mapped zone, with zone boundaries outlined in yellow.

[4] Depicts the extent of the "Coastal A Zone" or area of moderate wave action where wave heights are between 1.5 and 3 feet. The FEMA Coastal Construction Manual, American Society of Civil Engineers, and the 2012 International Residential Building Code recommend Zone VE construction practices in this area.

[5] Depicts the approximate extent of the Coastal Barrier Resources System (CBRS). Most new Federal expenditures and financial assistance (including flood insurance) are prohibited within the CBRS, with some exceptions. For the best available CBRS boundary data, visit: http://www.fws.gov/cbra/Maps/Mapper.html


Data Sources:

[6] Sandy Surge Elevations: U.S. Geological Survey Rapid Deployment Gauges and High Water Marks (Provisional data retrieved on 11/27/2012). Current data can be found at: http://water.usgs.gov/floods/events/2012/sandy/; Base Map: Bing Maps Road; Stillwater Elevations: Preliminary Coastal FEMA Flood Insurance Study Update for New York City and New Jersey, 2012; Storm Track: NOAA National Weather Service

MAPS FOR ADVISORY PURPOSES ONLY - NOT FOR INSURANCE RATING PURPOSES

For insurance rating purposes refer to the effective Flood Insurance Rate Map (FIRM), available from your local floodplain administrator or the FEMA Map Service Center (http://msc.fema.gov)

OVERVIEW MAP



ADVISORY BASE FLOOD ELEVATION MAP
NEW YORK-HUDSON-BERGEN COUNTIES
NEW JERSEY AND NEW YORK

MAP ID: WEEHAWKEN SE


DATE OF MAP: DECEMBER 7, 2012

JOINS PANEL WEEHAWKEN NE

JOINS PANEL WEEHAWKEN SW

JOINS PANEL CENTRAL PARK SW

JOINS PANEL JERSEY CITY NE



bing © 2012 Microsoft Corporation

ADVISORY BASE FLOOD ELEVATIONS

This map shows Advisory Base Flood Elevations (ABFEs) developed by FEMA. Use the QR code to the right, or navigate to http://www.region2coastal.com/ for more information on how they were determined.

These ABFEs can serve as a guide to understanding current coastal flood hazard risk and the elevations that communities should build to in order to protect themselves from future flood events. As part of the long term recovery effort, the ABFEs are a tool for Federal, State, and local officials, building officials, builders and architects, insurance professionals, and property owners to make informed decisions during rebuilding and to mitigate losses from future flood events, safeguard lives, and protect the private and public investment in rebuilding.

USAGE

The elevations shown on this map are considered best available data until issuance of updated Flood Insurance Rate Maps.

OBSERVED SANDY SURGE ELEVATIONS[1,6]

Approximately 9-13 ft on this Panel

0 1,000 2,000 3,000 4,000

Feet

LEGEND

Flood Advisory Related Data

- Advisory Base Flood Elevation Zone (ABFE)[2]
- 1% Advisory Base Flood Elevation, feet[1,2] (1% EL)
- 0.2% Advisory Base Flood Elevation, feet[1,3] (0.2% EL)
- Advisory Flood Hazard Zone V
- Area of Moderate Wave Action[4]
- Advisory Flood Hazard Zone A
- Advisory Limit of the 1% Annual Chance Flood Hazard Area[2]
- Advisory Limit of the 0.2% Annual Chance Flood Hazard Area[3]
- Advisory Shaded Zone X
- Effective FIRM Panel Boundary (ID)

Hurricane Sandy Related Data

- Provisional Hurricane Sandy Surge Elevation[1,6] (Elev. ID)

Geographic Boundaries

CBRA[5] County State

NOTES

[1] Measured in feet relative to the North American Vertical Datum of 1988 (NAVD88). To convert from NAVD88 to the National Geodetic Vertical Datum of 1929, add the following county-wide value(s): Bergen (1.0 ft), and Hudson (1.1 ft)

[2] Each whole-foot 1% annual chance Advisory Base Flood Elevation shown applies to all properties located in the mapped zone, with zone boundaries outlined in yellow.

[3] Each whole-foot 0.2% annual chance Advisory Base Flood Elevation shown applies to all properties located in the mapped zone, with zone boundaries outlined in yellow.

[4] Depicts the extent of the "Coastal A Zone" or area of moderate wave action where wave heights are between 1.5 and 3 feet. The FEMA Coastal Construction Manual, American Society of Civil Engineers, and the 2012 International Residential Building Code recommend Zone VE construction practices in this area.

[5] Depicts the extent of the Coastal Barrier Resources Act (CBRA). CBRA System Units are shown on this map to advise users where Federal funding is unavailable for repairing or rebuilding substantially damaged structures. For official delineations of the CBRA, please refer to the U.S. Fish and Wildlife Service at http://www.fws.gov/cbra/


Data Sources:

[6] Sandy Surge Elevations: U.S. Geological Survey Rapid Deployment Gauges and High Water Marks (Provisional data retrieved on 11/27/2012). Current data can be found at: http://water.usgs.gov/floods/events/2012/sandy/; Base Map: Bing Maps Road; Stillwater Elevations: Preliminary Coastal FEMA Flood Insurance Study Update for New York City and New Jersey, 2012; Storm Track: NOAA National Weather Service

MAPS FOR ADVISORY PURPOSES ONLY - NOT FOR INSURANCE RATING PURPOSES

For insurance rating purposes refer to the effective Flood Insurance Rate Map (FIRM), available from your local floodplain administrator or the FEMA Map Service Center (http://msc.fema.gov)

OVERVIEW MAP




ADVISORY BASE FLOOD ELEVATION MAP
BERGEN-HUDSON COUNTIES
NEW JERSEY

MAP ID: WEEHAWKEN SW

DATE OF MAP: DECEMBER 7, 2012

JOINS PANEL WEEHAWKEN NW



JOINS PANEL ORANGE SE

JOINS PANEL WEEHAWKEN SE

JOINS PANEL JERSEY CITY NW

bing © 2012 Microsoft Corporation

ADVISORY BASE FLOOD ELEVATIONS

This map shows Advisory Base Flood Elevations (ABFEs) developed by FEMA. Use the QR code to the right, or navigate to http://www.region2coastal.com/ for more information on how they were determined.

These ABFEs can serve as a guide to understanding current coastal flood hazard risk and the elevations that communities should build to in order to protect themselves from future flood events. As part of the long term recovery effort, the ABFEs are a tool for Federal, State, and local officials, building officials, builders and architects, insurance professionals, and property owners to make informed decisions during rebuilding and to mitigate losses from future flood events, safeguard lives, and protect the private and public investment in rebuilding.

USAGE

The elevations shown on this map are considered best available data until issuance of updated Flood Insurance Rate Maps.

OBSERVED SANDY SURGE ELEVATIONS[1,6]

Approximately 8-10 ft on this Panel

0 1,000 2,000 3,000 4,000

Feet

LEGEND

Flood Advisory Related Data

- Advisory Base Flood Elevation Zone (ABFE)[2]
- 1% Advisory Base Flood Elevation, feet[1,2] (1% EL)
- 0.2% Advisory Base Flood Elevation, feet[1,3] (0.2% EL)
- Advisory Flood Hazard Zone V
- Area of Moderate Wave Action[4]
- Advisory Flood Hazard Zone A
- Advisory Limit of the 1% Annual Chance Flood Hazard Area[2]
- Advisory Limit of the 0.2% Annual Chance Flood Hazard Area[3]
- Advisory Shaded Zone X
- Effective FIRM Panel Boundary (ID)

Hurricane Sandy Related Data

- Provisional Hurricane Sandy Surge Elevation[1,6] (Elev. ID)

Geographic Boundaries

CBRA[5] County State

NOTES

[1] Measured in feet relative to the North American Vertical Datum of 1988 (NAVD88). To convert from NAVD88 to the National Geodetic Vertical Datum of 1929, add the following county-wide value(s): Bergen (1.0 ft), and Hudson (1.1 ft)

[2] Each whole-foot 1% annual chance Advisory Base Flood Elevation shown applies to all properties located in the mapped zone, with zone boundaries outlined in yellow.

[3] Each whole-foot 0.2% annual chance Advisory Base Flood Elevation shown applies to all properties located in the mapped zone, with zone boundaries outlined in yellow.

[4] Depicts the extent of the "Coastal A Zone" or area of moderate wave action where wave heights are between 1.5 and 3 feet. The FEMA Coastal Construction Manual, American Society of Civil Engineers, and the 2012 International Residential Building Code recommend Zone VE construction practices in this area.

[5] Depicts the extent of the Coastal Barrier Resources Act (CBRA). CBRA System Units are shown on this map to advise users where Federal funding is unavailable for repairing or rebuilding substantially damaged structures. For official delineations of the CBRA, please refer to the U.S. Fish and Wildlife Service at http://www.fws.gov/cbra/

Data Sources:

[6] Sandy Surge Elevations: U.S. Geological Survey Rapid Deployment Gauges and High Water Marks (Provisional data retrieved on 11/27/2012). Current data can be found at: http://water.usgs.gov/floods/events/2012/sandy/; Base Map: Bing Maps Road; Stillwater Elevations: Preliminary Coastal FEMA Flood Insurance Study Update for New York City and New Jersey, 2012; Storm Track: NOAA National Weather Service

MAPS FOR ADVISORY PURPOSES ONLY - NOT FOR INSURANCE RATING PURPOSES

For insurance rating purposes refer to the effective Flood Insurance Rate Map (FIRM), available from your local floodplain administrator or the FEMA Map Service Center (http://msc.fema.gov)

OVERVIEW MAP

