

QCX
Avro
CF105
R-7-0400-44
Iss-8

FILE IN VAULT

C-105 MK I Report # 7-0400-44
Issue 8
WEIGHT SUMMARY & C.G. POSITION 39
R.C.A.F. Aug. 1/57

UNCLASSIFIED
SECRET
NON CLASSIFIED



National Research Council
Canada

C.I.S.T.I.

Aeronautical and

Mechanical

Engineering Library

Conseil national de recherches
Canada

I.C.I.S.T.

Bibliothèque

d'aéronautique

et de génie mécanique

70
A

DATE

JAN 07 1993

Report no.: QCX - AVRO - CF105 - R-7-0400-44-155-8

has been

☐

downgraded to : _____

☒

de-classified

by (Name): Michel W. Drapeau

(Dept.): A/DND Coordinator, Access to Information

Date: Dec. 7, 1992

R. Auger
Signature

Date: August 1st, 1957
Aircraft: C-105 MK 1 with
J75 P3 Engines
1st Aircraft.

UNCLASSIFIED
SECRET
Report # 7-0400-14 Issue 8
UNCLASSIFIED
NON CLASSIFIE

Classification cancelled / changed to: UNCLASSIFIED

By authority of: DRDA 7/DARFT 5-8/DAS Eng 6-4-5

Date: 5 Nov 1992

Signature: B. Aubrey

Unit / Rank / Appointment: DSIS 3, Secretary CRAD HQ DRP

I N D E X

<u>Sheet #</u>	<u>Content</u>
1-1 to 1-4	Introductory notes and explanations of weight changes.
2-1 to 2-2	Weight & C.G. Summaries
3-1	Horizontal C.G. Envelopes for Flight conditions with fuel proportioners used.
4-1 to 4-15	I. B. M. detail sheets of weights and C.G.'s.

N. B. The C.G. envelope for the 1st Aircraft with fuel sequencing has been omitted until a fully approved sequencing is established.



48665

Date: August 1st, 1957
Aircraft: C-105 MK 1 with
J75 P3 Engines
1st Aircraft

SECRET
Report # 7-0400-14 Iss. 8
Sheet # 1-1
UNCLASSIFIED
NON CLASSIFIED

INTRODUCTION & WEIGHT CHANGES

The following is a Weight & C.G. Summary for the 1st C-105 Aircraft, with J75 P3 Engines, based on latest information currently available. All Weight & C.G. changes are relative to Issue 7 of July 1st, 1957.

Note:- This Summary does not apply for the 2nd and subsequent MK 1 A/C - see context below.

GENERAL

- a) Pratt & Whitney J75 P3 Engines comprise the Power Plant for the 1st Aircraft. J75 P5 Engines, which are partially redesigned versions of the P3 Engines, are to be installed on the 2nd and subsequent MK 1 Aircraft.
(J75 P3 Engines = 6,175 lb each; J75 P5 Engines = 5,950 lb each)
- b) An Instrument Package carrying Flight Test Instrumentation is installed, this also varies between Aircraft No 1 to 3 and the installation for the 4th & 5th Aircraft (which are to be used for Astra 1 trial Installations.)
A relatively detailed estimate of other Flight Test Installations throughout the Aircraft has been made. Twin shielded wire at 27lb/1000 ft is used, there being approximately 250 monitored points. These installations amount to 1,323 lb (figure partially confirmed by actual weights of cable assys.).
- c) Emergency lowering for the Undercarriages and additional fire protection, to be installed on the 1st A/C, are allowed for in this summary. There is, as yet, no provision to jettison any or all of the Instrument package in an emergency.
- d) An Interim Radio & Radar System is installed.
- e) It should be noted that due to material substitutions and concessions introduced by Planning & Production Departments there is a weight penalty, to date, to the structure of 203 lb. This is all recorded in the Structural Weight breakdown. No account has been taken of variations on machinings etc. nor of shop repair schemes, since it is impossible to assess these, except where actual weights have been obtained.
- f) Pending Flight Test requirements a "Buzz Damping" System may be installed on the first Aircraft. Provisions for this installation are already included in the structural group as modifications to the Control Boxes. For the first flights the Control Surfaces will be unmodified, however, if the need for Dampers is proven a modified set of Control Surfaces will be made available. The following weight penalties ensue:-

Ailerons	+ 11.68 lb/A/C.
Elevators	+ 11.07 lb/A/C.
Rudder	+ 8.78 lb
Equipment & Installation	+123.97 lb
	+155.50 lb

Date: August 1st, 1957
Aircraft: C-105 MK 1 with
J75 P3 Engines
1st Aircraft.

SECRET
Report # 7-0400-44 Issue 8
Sheet # 1-2
UNCLASSIFIED
NON CLASSIFIED

INTRODUCTION & WEIGHT CHANGES

GENERAL (Cont'd)

- g) A considerable number of Actual Weights have now been obtained. Structural weights are checking within 0.5% of estimates on sub-assemblies etc. However, Equipment (excluding Engines) shows a consistent increase averaging about 11% over manufacturers quotations or initial specification weights. Preceding the report titles on the I.B.M. Tabulation Sheets, will be found a number varying from 0 to 100, this is the percentage actual weight recorded within the report.

A summary of Actual Weights obtained so far is as follows:

Structure	63.58% Actual Weight
Undercarriage	67.21% Actual Weight
Power Plant	91.59% Actual Weight
Flying Controls	26.66% Actual Weight
Equipment	19.35% Actual Weight

i.e. 62.06% of the Basic Weight of the Aircraft.

- h) The Aircraft is ballasted such that the C.G. on a flight envelope does not travel Aft of 31% M.A.C.

1. STRUCTURE

a) Wing:

WEIGHT (lb)

I/W Centre Trailing Edge

- 1.74

N.B. A complete Inner Wingless elevator control boxes, U/C doors & fairings and some minor shortages was weighed. The Actual Weight obtained, using Electronic Weighing Cells was approximately 25 lb lighter than estimated. i.e. within 0.4%. Since the accuracy of the weighing cells is not guaranteed beyond these limits - the estimated weight will be left unchanged but assumed 100% Actual Weight.

WEIGHT DECREASE WING

- 1.74

b) Fin & Rudder

A complete Fin was weighed, but there was no apparent weight change.

c) Fuselage Fwd. Sta. 255"

No Weight Change.

d) Centre Fuselage Sta. 255"-485"

No Weight Change.

Date: August 1st, 1957
Aircraft: C-105 MK 1 with
J75 P3 Engines
1st Aircraft

SECRET

Report # 7-0400-14 Issue 8
Sheet # 1-3

NON CLASSIFIED

INTRODUCTION & WEIGHT CHANGES

1. <u>STRUCTURE</u> (cont'd)	<u>WEIGHT (lb)</u>
e) <u>Duct Bay Sta. 485"-591.65"</u>	
No Weight Change	
f) <u>Engine Bay Sta. 591.65" - 742.5"</u>	
No Weight Change	
g) <u>Rear Fuselage Sta. 742-5" Aft.</u>	
Engine Doors - actual weight obtained	= 0.42
<u>Rear Fuselage Decrease</u>	= 0.42
<u>TOTAL STRUCTURAL DECREASE</u>	= 2.16
2. <u>LANDING GEAR</u>	
Main U/C Doors etc. - Addition of Micro Switch mounting on leg.	+ 0.96
<u>TOTAL LANDING GEAR INCREASE</u>	+ 0.96
3. <u>POWER PLANT & SERVICES</u>	
Engines - A Pratt & Whitney J75 P3 Engine was weighed and after allowing for shortages, inhibiting fluid etc. the obtained weight was in agreement with Pratt & Whitney's quotation.	
Some accessories, packing etc. also weighed	+ 2.07
<u>TOTAL POWER PLANT & SERVICES INCREASE</u>	+ 2.07
4. <u>FLYING CONTROLS GROUP</u>	
Flying Control Hydraulics - Actual Weights of pumps (4 Off) Alterations to Engine Bay Piping Heat Exchangers - Manufacturers quotation	+ 18.00 + 1.79 = 2.60
<u>TOTAL FLYING CONTROLS INCREASE</u>	+ 17.19
5. <u>EQUIPMENT</u>	
Windscreen Demisting - Airesearch Control Units replace Westinghouse	= 6.40
Structural changes and re-estimates	= 1.82
Hydraulics D.B. - Two 110 cu. in. accumulators replace one 200 cu. in.	+ 10.00
Some piping now Steel was Al.	+ 2.87
Pressure relief valve added etc.	+ 1.19
Air Cond'n.	
Actual Weight of Check Valve	+ 0.53
Actual Weight of some ducting assys.	+ 2.74
Actual Weight of Turbine, was Mfg. quote	+ 9.19

Date: August 1st, 1957
Aircraft: C-105 MK 1 with
J75 P3 Engines
1st Aircraft

SECRET

Report # 7-0400-44 Iss 8

Sheet # 1-4

UNCLASSIFIED
NON CLASSIFIED

INTRODUCTION & WEIGHT CHANGES

<u>5. EQUIPMENT GROUP (cont'd.)</u>	<u>WEIGHT (lb)</u>
Electrics D.B. - Actual Weight of Transformer rectifier Unit	+ 1.43
Canopy Actuation - Alterations to plumbing and emergency release mechanism	+ 2.87
Ram Air Emergency Turbine - introduced for emergency electrical and hydraulic power in the event of double engine flame-out.	+ 60.00
Probe - Redesigned, shorter boom, estimates to stress approved schemes	= 3.50
Damping System - manufacturers quotations on units now available and preliminary estimates of wiring. Previously 60 lb was allowed with Interim Radar (thus increase per Aircraft = +79.13 lb)	+ 139.13
Interim Radio & Radar - Damping System allowance deleted (see above)	= 60.00
Doppler replaces ARN 21 (Tacan)	+ 12.00
<u>TOTAL EQUIPMENT INCREASE</u>	<u>+ 170.23</u>

SUMMARY

Weight Change - Aircraft Weight Empty

Structure	= 2.16 lb.
Landing Gear	+ 0.96 lb.
Power Plant	+ 2.07 lb.
Flying Controls	+ 17.19 lb.
Equipment	+ 170.23 lb.
	+ 188.29 lb.

Weight Change - Operational Weight Empty (A/C less Fuel)

UNBALLASTED CONDITION

<u>Issue 7</u>	<u>Issue 8</u>	
47,408.03 lb	47,596.32 lb	= + 188.29 lb

N. B. If Aircraft Ballasted such that the C.G. in any flight envelope does not exceed 31% M.A.C. a further 936 lb of ballast are necessary.

Date: August 1st, 1957
Aircraft: C-105 MK 1 with
J75 P3 Engines
1st Aircraft:

UNCLASSIFIED
SECRET
Report # 7-0400-14 Issue 8
Sheet # 2-1
NO CLASSIFIED

WEIGHT & C.G. SUMMARY

DESCRIPTION	WEIGHT lb.	H. ARM ins.	V. ARM ins.
STRUCTURE	18,493.37	561.88	137.59
Wings	9,963.36	642.91	142.25
Fin & Rudder	1,025.85	754.34	209.31
Fuselage fwd. Sta. 245"	2,617.01	181.50	128.15
Sta. 255" - 485"	1,650.12	379.76	130.80
Sta. 485" - 591.65"	997.30	533.97	104.59
Sta. 591.65 - 742.5"	1,418.18	660.80	107.30
Sta. 742.5" Aft.	768.97	800.62	129.13
"Marry-Up"	52.58	468.91	103.89
UNDERCARRIAGE - Retracted	2,609.85	488.48	134.94
Main Undercarriages	1,959.62	539.48	141.00
Main U/C Doors & Fairings	291.88	536.80	138.48
Nose Undercarriage	333.81	170.81	99.70
Nose U/C Door & Fairing	24.54	162.24	88.23
POWER PLANT & SERVICES	14,322.42	653.01	120.25
Engines & Accessories J75 P3	12,562.29	604.92	119.78
Gear Box Installation on Fuselage	275.54	601.39	102.98
Gear Box and Starter on Engines	259.65	591.55	104.52
Engine Controls	32.43	375.76	118.62
Engine Nose Bullets	71.01	562.74	115.07
Fire Extinguishing System	70.46	702.44	134.83
Engine Mountings	203.64	609.88	123.63
Fuel System	847.40	536.57	136.16
FLYING CONTROLS GROUP	1,844.26	686.29	139.65
Mechanical Flying Controls	946.48	687.84	148.61
Hydraulic Flying Controls	897.78	684.66	130.21
EQUIPMENT FIXED & REMOVABLE	9,343.40	401.54	110.30
Instruments	46.07	163.68	138.70
Probe	15.00	-38.14	108.00
Cockpit Pressure Sealing	5.00	186.00	130.00
Ejector Seats	284.42	202.80	136.25
Oxygen System	23.59	253.72	156.43
Air Conditioning System	807.28	335.60	134.45
Surface Finish	100.00	591.52	140.30
Hydraulics Main System	623.15	502.78	117.75
Cabin Insulation	14.31	187.48	132.00
Brake Parachute	62.38	769.41	143.24
Electrical System	1,111.10	418.87	112.78
Low Pressure Pneumatics	53.15	427.62	124.55
Intake Deicing Boots	51.84	197.02	118.00
Canopy Actuation	64.92	221.99	154.35
Cabin Consoles	17.45	174.76	124.34
M.H. 64 Damping System	139.13	449.26	135.57
Interim Radio & Radar	642.98	301.79	120.28
Instrument Pack Structure	686.80	385.81	94.68
Pack Instrumentation 1st A/C	3,036.00	395.45	95.00
Flight Test Installations	1,322.87	499.05	112.01
Additional Fire Protection 1st A/C	154.17	425.05	102.89
Radome Anti-Icing	8.88	51.49	125.00

continued.

Date: August 1st, 1957
Aircraft: C-105 MK 1 with
J75 P3 Engines
1st Aircraft

UNCLASSIFIED
SECRET
Report # 7-0400-44 Iss. 8
Sheet 2-2
NO CLASSIFIED

WEIGHT & C.G. SUMMARY

DESCRIPTION	WEIGHT lb.	H. ARM ins.	V. ARM ins.	% M.A.C.
EQUIPMENT FIXED & REMOVABLE (cont'd.)				
Emergency Landing Gear Lowering	12.91	458.83	128.60	
Emergency Ram Air Turbine	60.00	265.00	100.00	
AIRCRAFT BASIC WEIGHT	46,613.30	558.55	126.73	
USEFUL LOAD (less fuel)	983.02	353.44	132.63	
Crew	430.00	194.00	136.50	
Alcohol - radome de-icing	22.00	93.00	138.00	
Engine Fire Extinguisher Fluid	25.00	730.00	129.00	
Residual Fuel	218.40	553.98	134.04	
Oxygen Charge	13.39	259.69	159.91	
Water for Air Conditioning	140.00	268.00	132.00	
Oil	134.23	608.92	115.68	
BALLAST	936.00	86.39	116.50	
Operational Weight Empty	48,532.32	545.29	126.62	30.19
		547.31	123.37	30.75
Maximum Internal Fuel (2,544 gals. @ 7.8 lb/gal.)	19,843.00	538.88	144.32	
A.U.W. Maximum Internal Fuel	68,375.32	543.43	131.76	29.68
		544.86	129.38	30.07

- N.B. 1) Aircraft Datum is considered to be 120" above an arbitrarily chosen ground line.
- 2) The above figures are for the Aircraft in the Ballasted Condition such that the Aft. C.G. on the horizontal C.G. Flight Envelope does not exceed 31% M.A.C. i.e. 303 lb on Former Sta. 68.5 and 633 lb on the Shear Panel.

REPORT No: 7-0400-44-8

BY: Kathleen Ryffers


DATE: Aug 1st 1957

SHEET: 3-1

HORIZONTAL C.G. ENVELOPE

C105 MK1 1/2 FLIGHT CONDITIONS

WITH J73 P3 ENGINES (2ND & SUBS. 1/2 J73 P5)

a) INTERIM RADIO & RADARb) INSTRUMENT TALK & FLIGHT TEST INSTALLATIONSc) FUEL SYSTEM PROPORTIONERSUNCLASSIFIED
NON CLASSIFIED

AVRO AIRCRAFT LTD.

MALTON, ONT.

WEIGHT AND C. OF G BY FUNCTIONAL COMPONENT

PROJECT C-105 MK 1

DESCRIPTION		REFERENCE NO.	COMP NO.	WEIGHT	H
TOTAL WING GROUP		1000000			
OUTER WING		1010000			
100	OUTER WING SKINS	1010000164		9291070	
100	POSTS AND INTERCOSTALS	1010000264		243673	
100	OUTER WING SPARS	1010000364		3925870	
100	OUTER WING RIBS	1010000464		1345669	
10	AILERON CONTROL BOX	1010000664		3792077	
100	RIB 12	1010000764		762664	
100	O W AILERON JACK FITTING	1010000964		104672	
	AILERON JOINTS AND FAIRING	101001000		329378	
	BUZZ DAMP STRUC PROV O W	101001164		80073	
				198745	
AILERON		1020000			
100	AILERON STRUCTURE	1020000174		3360079	
				33600	
97	ELEVATOR	1030000082		4490073	
97	ELEVATOR MARRY UP	1030000000		159773	
				46497	
INNER WING		1040000			
96	MAIN U C STRUCTURE	1040000162		3307157	
100	FRONT SPAR I W	1040000262		1111048	
100	MAIN SPAR I W	1040000362		1510656	
100	FWD CENTRE SPAR I W	1040000462		536460	
100	AFT CENTRE SPAR I W	1040000562		366665	
100	REAR SPAR I W	1040000662		766770	
94	I W STRUCTURE F S TO M S	1040000762		10591849	
100	STRUCTURE MS TO R S	1040000862		1497960	
100	STRUCTURE AFT OF REAR SPAR	1040000962		3221271	
40	ELEVATOR CONTROL BOX	104001062		4283872	
25	TRANSP JOINT MARRY UP	104001100		706563	
100	INNER WING JOINTS	104001262		6347166	
100	SKINS M S TO R S	104001362		21903862	
100	STRUT PICK UP FITTINGS	104001462		539156	
100	RIBS 1 TO 9 INNER WING	104001662		5120461	
	DORSAL FAIRINGS I W	104001762		9548	
100	RIB 10	104001862		1080063	
77	FUSELAGE HINGE JOINT	104001962		1262861	
65	TRANSPORT JOINT O W TO I W	104002062		1294263	
49	FUSELAGE HINGE JOINT	104002100		374052	
	BUZZ DAMP STRUC PROV I W	104002262		55274	
	DORSAL FAIRINGS	104002300		562957	
				664486	

EIGHT AND C. OF G BY FUNCTIONAL GROUP COMPONENT

REPORT NO. 7-0400-14 Iss8

Aug. 1/57

SHEET 4-1

	REFERENCE NO.	COMP. NO.	WEIGHT	H. ARM	V. ARM	H. MOMENT	V. MOMENT
	10000000						
	10100000						
	1010000164		92910	70646	13597	65637199	12632973
LS	1010000264		2436	73207	13410	1783323	326668
	1010000364		39258	70118	13636	27526924	5353221
	1010000464		13456	69506	13650	9352727	1836744
	1010000664		37920	77409	13508	29353493	5122234
	1010000764		7626	64873	13832	4947215	1054828
TING	1010000964		1046	72791	13670	761394	142988
AIRING	101001000		3293	78726	13224	2592447	435466
O W	101001164		800	75828	13680	606624	109440
			198745			142561346	27014562
	10200000						
	1020000174		33600	79213	13556	26615568	4554816
			33600			26615568	4554816
	1030000082		44900	75523	14260	33909827	6402740
	1030000000		15977	73810	14260	1178746	227732
			46497			35088573	6630472
	10400000						
	1040000162		33071	57757	13983	19100817	4624318
	1040000262		11110	48428	14260	5380351	1584286
	1040000362		15106	56570	14280	8545464	2157137
	1040000462		5364	60098	14415	3223657	773221
	1040000562		3666	65492	14450	2400937	529737
	1040000662		7667	70374	14420	5395575	1105581
M S	1040000762		10591	84992	14405	52883798	15257488
	1040000862		14979	60964	14572	9131798	2182740
R SPAR	1040000962		32212	71829	15020	23137557	4838242
	104001062		4283	87247	14328	31044699	6137829
P	104001100		7065	63621	13876	4494824	980339
	104001262		6347	16622	15046	42031766	9549847
	104001362		2190	38624	14464	136780469	31681656
CS	104001462		5391	56766	14330	3060255	772530
NG	104001662		5120	461287	14499	31381395	7424068
	104001762		954	8280	16150	45866	15343
	104001862		1080	63683	13835	6877764	1494180
	104001962		1262	861681	13811	7789077	1744053
TO I W	104002062		1294	26307	13710	8162649	1774348
	104002100		3740	52796	14309	1974570	535157
I W	104002262		5527	4150	14200	409308	78384
	104002300		5629	57249	16026	3222546	902104
			664486			406475142	96142588

UNCLASSIFIED
NON CLASSIFIED

EIGHT AND C. OF G BY

FUNCTIONAL GROUP COMPONENT

REPORT NO.

7-0400-44 1cs 8

SHEET 4-2

UNCLASSIFIED
NON CLASSIFIE

EIGHT AND C. OF G BY

FUNCTIONAL GROUP COMPONENT

REPORT NO. 7-0400-114 Iss 8

SHEET ~~4~~ 4-3

	REFERENCE NO.	COMP. NO.	WEIGHT	H. ARM	V. ARM	H. MOMENT	V. MOMENT
	201000083		85170	14957	21170	63840877	18030489
FIN	201000183		185	60300	22342	148555	41333
	201000200		4830	68538	15355	3310385	741647
			90185			67299817	18813469
	202000084		12400	81325	21438	10084300	2658312
			12400			10084300	2658312

UNCLASSIFIED
NON CLASSIFIE

AVRO AIRCRAFT LTD.
MALTON, ONT.

WEIGHT AND C. OF G BY FUNCTIONAL COMPONENT

PROJECT _____

	DESCRIPTION	REFERENCE NO.	COMP. NO.	WEIGHT	H.
	TOTAL FUSELAGE GROUP	3000000			
	FUSELAGE BASIC STRUCTURE	3010000			
	RADOME	3010000151		17728	3
	RADAR NOSE ACCESS DOORS	3010000251		8002	9
	RADAR NOSE STRUCTURE	3010000351		12225	9
	SKIN F F	3010000452		10949	18
88	SKIN C F	3010000554		21182	37
	SKIN D B	3010000656		5880	53
3	SKINS E B	3010000758		17573	66
4	FORMERS F F	3010001152		10531	18
100	FORMERS C F	3010001254		27824	37
	FORMER D B	3010001356		7457	53
	LIGHT FORMERS E B	3010001458		13501	66
13	HEAVY FORMERS F B	3010001558		21281	66
	LOWER LONGERONS F F	3010001652		6846	18
	LONGITUDINAL MEMBERS E B	3010001758		11067	70
	LONGERON E B	3010001858		6905	65
	TOP LONGERONS E B	3010001958		6386	66
	LOWER SHEAR PANEL	3010002052		2988	23
	TOP WING LONGERONS D B	3010002156		4985	53
	LONGERONS C F	3010002252		5325	
	LONGERONS C F	3010002354		13613	41
43	LONGERONS F D B	3010002454		12584	48
43	LONGERONS A D B	3010002556		8655	52
	ELECTRONICS BAY STRUCTURE	3010002654		3570	27
59	LONGITUDINAL BEAMS D B	3010002756		6570	52
	RADAR ACCESS DOOR C F	3010002854		2108	27
72	MAIN FRAME AT STN 538 77	3010002956		5980	53
	DIVE BRAKE ACCOM STRUCTURE	3010003056		3634	50
30	TOP LONGERONS F F	3010003152		18649	19
100	DUCT C F	3010003254		33286	37
	DUCT D B	3010003356		31504	54
	CANOPY ARCHES	3010003452		8535	22
4	ACCESS PANEL STIFFENERS	3010003656		3865	53
66	NOSE U C SUPPORT STRUCTURE	3010003752		3343	21
3	CREW BULKHEADS	3010003852		12272	20
51	EQUIPMENT BAY STRUCTURE	3010003954		6150	28
86	WINDSCREEN	3010004152		13003	13
33	SERVICE ACCESS DOORS	3010004258		6704	66
	TORSION BOX E B	3010004358		6042	61
	DORSAL FAIRING AIR OUTLET	3010004454		2061	29
	INTERMEDIATE FORMERS	3010004558		5165	69
	ENGINE ACCESS DOORS	3010004658		14659	62
	SEALING MISSILE BAY	3010004754		6973	2
100	MISCELLANEOUS ITEM C F	3010004854		3923	7
98	ARMAMENT BAY ROOF	3010004954		13216	38
	BULKHEAD AT STA 120	3010005052		3060	12
	BULKHEAD AT STA 255	3010005152		10429	25
100	BULKHEAD AT STA 485	3010005254		11245	48
	ENGINE TUNNEL E B	3010005458		4676	46

AVRO AIRCRAFT LTD.

MALTON, ONT.

WEIGHT AND C. OF G BY FUNCTIONAL COMPONENTS

PROJECT _____

	DESCRIPTION	REFERENCE NO.	COMP. NO.	WEIGHT	H
	INTEGRAL FUS FUEL TANK	301005554		20359	39
	COCKPIT FLOOR	301005652		5743	17
	CENTRE BEAM 697 28 717 36	301005958		5577	1
	DORSAL OVER FUEL TANK	301006154		50974	
	SHIELD EXHAUST DEFLECTOR	301006254		1965	32
	SHEAR PANEL BELOW NAV ARCH	301006352		2074	25
34	PACK MTG STRUCTURE	301006454		2047	29
79	ENG ACCESS DOORS R F	301006559		8242	77
	TUNNEL FIXED R F	301006659		9789	77
	SKIN AND STIFFENERS R F	301006759		5122	77
47	FAIRING UNDER RUDDER	301006859		2616	78
	FORMERS FIXED R F	301006959		9001	77
	LONGERONS C BEAM FIXED R F	301007059		2799	77
	NACELLES REMOVABLE R F	301007159		2798	82
	CNTR STRUC STING REMOV R F	301007259		1133	83
	MISCELLANEOUS ITEMS E B	301007358		9236	6
	MTG BRKTS SIDE PANEL D B	301007556		2135	52
	FORMERS LOWER PANEL D B	301007656		7606	54
	LOWER PANEL D B	301007756		5054	55
	JOINT F F TO C F	301007800		8552	5
	JOINT AIR INTAKES TO F F	301007900		9522	2
	JOINT C F TO D B	301008000		5004	8
	JOINT D B TO E B	301008100		2508	58
	FUS JOINT AT STA 742 50	301008200		4437	4
	MISC STRUCTURE F F	301008552		5521	18
				6241	41
96	DIVE BRAKES	302000072		11150	50
96	DIVE BRAKES C A	302000100		4064	8
				1155	6
	AIR INTAKES	3030000			
18	AIR INTAKES	303010055		7624	82
				7624	8
	PILOTS AND NAVIG CANOPIES	3040000			
76	PILOTS CANOPY	304010053		24154	17
				24154	
48	NAVIGATORS CANOPY	304020053		14317	23
				14317	

MALTON, ONT.

COMPONE

PROJECT

DESCRIPTION		REFERENCE NO.	COMP. NO.	WEIGHT	H
UNDERCARRIAGE UP POSITION		4000000			
MAIN UNDERCARRIAGE GROUP		4010000			
69	MAIN UNDERCARRIAGE	401010092		195962	53
				195962	
24	MAIN U C DOORS FAIRINGS	401020062		29188	53
				29188	
NOSE UNDERCARRIAGE GROUP		4020000			
100	NOSE UNDERCARRIAGE	402010091		33381	17
				33381	
	NOSE U C DOOR AND FAIRING	402020052		2454	16
				2454	

EIGHT AND C. OF G BY FUNCTIONAL GROUP COMPONENT

REPORT NO. 7-0400-14 Iss 8

SHEET 4-6

DESCRIPTION	REFERENCE NO.	COMP. NO.	WEIGHT	H. ARM	V. ARM	H. MOMENT	V. MOMENT
SECTION	40000000						
GROUP	40100000						
	401010092		195962	53948	14100	105717580	27630642
			195962			105717580	27630642
INGS	401020062		29188	53680	13848	15668118	4041954
			29188			15668118	4041954
GROUP	40200000						
	402010091		33381	17080	9970	5701475	3328086
			33381			5701475	3328086
IRING	402020052		2454	16224	8823	398137	216516
			2454			398137	216516

UNCLASSIFIED
NON CLASSIFIED

AVRO AIRCRAFT LTD.
MALTON, ONT.

WEIGHT AND C. OF G BY FUNCTIONAL
COMPONE

PROJECT _____

DESCRIPTION		REFERENCE NO.	COMP. NO.	WEIGHT	H
ENGINE GROUP		5000000			
99 ENGINE J 75		5010000	0	1252707	60
				1252707	
J 75 ENGINE SERV ACCESS		5010100	0	35226	62
				3522	
66 ACC GEAR BOXES ON FUS D B		5020001	56	45245	57
68 ACC GEAR BOXES ON FUS E B		5020002	58	23030	60
				27554	
ENGINE CONTROLS		5030000			
36 ENGINE CONTROLS F F		5030001	52	14581	60
36 ENGINE CONTROLS C F		5030002	54	26430	
36 ENGINE CONTROLS D B		5030003	56	50849	
36 ENGINE CONTROLS E B		5030004	58	10136	62
				3243	
91 GEARBOX AND STARTER ON ENG		5040000	0	25965	59
				25965	
6 ENGINE ANTI ICING		5050000	0	71015	60
				7101	
FIRE EXT SYSTEM		5060000	0		
FIRE EXT SYST ENG		5060001	0	69007	70
FIRE EXT SYST E B		5060002	56	14655	
				7046	
ENGINE MTGS AND BRACKETS		5070000			
4 ENGINE MTGS AND BRACKETS		5070001	00	14396	58
ENGINE MTGS ACCESSORIES		5070002	0	52026	60
ENGINE MTGS ACCESSORIES CA		5070003	00	76664	
				20364	
FUEL SYSTEM		5080000			

WEIGHT AND C. OF G BY FUNCTIONAL COMPONENT

PROJECT_____

DESCRIPTION				REFERENCE NO.		COMP. NO.	WEIGHT		H.
FLYING CONTROLS GROUP				6000000					
MECHANICAL CONTROLS				6010000					
MECHANICAL CONTROLS F F				6010001		52	8759	15	
MECHANICAL CONTROLS C F				6010002		54	8853	33	
MECHANICAL CONTROLS D B				6010003		56	3504		
MECHANICAL CONTROLS FIN				6010005		83	12688	78	
11	MECHANICAL CONTROLS I W			6010006		62	40884	71	
	MECHANICAL CONTROLS O W			6010007		64	30436	77	
	MECHANICAL CONTROLS C A			6010008		00	6467	70	
							94648		
FLYING CONTROLS HYDRAULICS				6020000					
FLYING CONT HYDRAULICS D B				6020001		56	2391	57	
43	FLYING CONT HYDRAULICS E B			6020002		58	43629	65	
FLYING CONT HYDRAULICS R F				6020003		59	4875		
60	HYDRAULICS FLYING CONT I W			6020004		62	25628	70	
58	HYDRAULICS FLYING CONT O W			6020005		64	12560	74	
59	RUDDER HYDRAULICS			6020006		83	5522	75	
							89778		

AVRO AIRCRAFT LTD.

MALTON, ONT.

WEIGHT AND C. OF G BY FUNCTIONAL COMPONENT

PROJECT _____

DESCRIPTION		REFERENCE NO.	COMP. NO.	WEIGHT	H.
FIXED EQUIPMENT GROUP		70000000			
INSTRUMENTS		70100000			
INSTRUMENTS F F		7010000152		440716	
NAVIC TABLE AND STOWAGE		7010000452		20032	
				4607	
COCKPIT PRESSURE SEALING		7020000052		50018	
				500	
OXYGEN SYSTEM		70300000			
OXYGEN SYSTEM		7030000152		235925	
				2359	
AIR CONDITIONING SYSTEM		70400000			
48	AIRCONDITIONING F F	7040000152		354917	
48	AIRCONDITIONING C F	7040000254		4690729	
48	AIRCONDITIONING D B	7040000356		114851	
48	AIRCONDITIONING C A	7040000500		2748840	
48	AIRCONDITIONING ENG	7040000600		155664	
48	AIRCONDITIONING I W	7040000762		8051	
				80728	
HYDRAULICS MAIN SYSTEM		70500000			
14	UTILITY HYDRAULICS F F	7050000152		841520	
5	UTILITY HYDRAULICS C F	7050000254		416243	
9	UTILITY HYDRAULICS D B	7050000356		2588255	
21	UTILITY HYDRAULICS E B	7050000458		724060	
23	UTILITY HYDRAULICS I W	7050000562		1331155	
14	UTILITY HYDR NOSE U C	7050000691		32519	
23	UTILITY HYDR MAIN U C	7050000792		298054	
28	EMERGENCY LOWERING M U C	7050000862		85358	
35	EMERGENCY LOWERING N U C	7050000952		43821	
				63606	
RAM AIR TURB EMERG POWER		7060000054		600026	
				6000	
CABIN INSULATION		7070000052		143118	
				1431	

AVRO AIRCRAFT LTD.
MALTON, ONT.

WEIGHT AND C. OF G BY FUNCTIONAL COMPONENT

PROJECT _____

DESCRIPTION					REFERENCE NO.	COMP. NO.	WEIGHT	H.
BRAKE PARACHUTE					70800000			
BRAKE PARACHUTE F F					7080000152		45516	
BRAKE PARACHUTE R F					7080000559		565982	
BRAKE PARACHUTE I W					7080000662		12462	
							6238	
ELECTRICAL SYSTEM					70900000			
ELECTRICAL WIRING					70914000			
33	ELECTRICAL	WIRING	R	N	7091400151		129	9
33	ELECTRICAL	WIRING	F	F	7091400252		296619	
33	ELECTRICAL	WIRING	C	6	7091400354		130441	
33	ELECTRICAL	WIRING	A	I	7091400455		127421	
33	ELECTRICAL	WIRING	D	B	7091400556		651553	
33	ELECTRICAL	WIRING	E	B	7091400658		6459	
33	ELECTRICAL	WIRING	I	W	7091400862		890954	
33	ELECTRICAL	WIRING	FIN		7091400983		35279	
33	ELECTRICAL	WIRING	NUC		709141091		33018	
33	ELECTRICAL	WIRING	ENG		70914110		200258	
33	ELECTRICAL	WIRING	C	A	709141200		1374633	
							37591	
59	ELECTRICS	F	F		7091500052		1524815	
							15248	
26	ELECTRICS	C	F		7091600054		735945	
							7359	
85	ELECTRICS	E	B		7091700058		67067	
85	ELECTRICS	ENG			70917010		1163256	
85	ELECTRICS	C	A		709170200		71861	
							13020	
ELECTRICS FIN					7091800083		8389	
							83	
ELECTRICS I W					7091900062		233662	
ELECTRICS C A					709190100		11262	
ELECTRICS M U C					709190292		7451	
							2522	
ELECTRICS A I					7092000055		509022	
							5090	

WEIGHT AND C. OF G BY FUNCTIONAL COMPONENTS

PROJECT_____

DESCRIPTION	REFERENCE NO.	COMP. NO.	WEIGHT	F
REMOVABLE EQUIPMENT GROUP	8000000			
EJECTOR SEATS	801010052		2844220	
			28442	
RADAR REMOV GROUP	8020000			
DAMPING SYSTEM	8030000			
DAMPING SYSTEM F F	803010152		63516	
DAMPING SYSTEM C F	803010254		218033	
DAMPING SYSTEM E B	803010358		36961	
DAMPING SYSTEM I W	803010462		580052	
DAMPING SYSTEM O W	803010564		9574	
DAMPING SYSTEM R N	803010651		520	
DAMPING SYSTEM C A	803010700		431446	
			13913	
98 INSTRUMENT PACK	805080054		6868030	
			68680	
INSTRUMENTATION	805090054		30360039	
			303600	
FIRE PREVENT FIRST A C CF	805100054		1402940	
FIRE PREVENT FIRST A C DB	805100156		8065	
FIRE PREVENT FIRST A C EB	805100258		58262	
			15417	

EIGHT AND C. OF G BY FUNCTIONAL GROUP COMPONENT

REPORT NO. 7-0400-44 Iss 8

SHEET 4-14

GROUP	REFERENCE NO.	COMP. NO.	WEIGHT	H. ARM	V. ARM	H. MOMENT	V. MOMENT
	80000000						
	801010052		28442	20280	13625	5768038	3875223
			28442			5768038	3875223
	80200000						
	80300000						
	803010152		635	16959	11961	107690	75952
	803010254		2180	31915	11403	695747	248585
	803010358		369	63242	13432	233363	49564
	803010462		5800	52121	16000	3023018	928000
	803010564		95	74855	14000	71112	13300
	803010651		520	8000	10200	41600	53040
	803010700		4314	48168	12000	2077968	517680
			13913			6250498	1886121
	805080054		68680	38581	9468	26497431	6502622
			68680			26497431	6502622
	805090054		303600	39545	9500	120058620	28842000
			303600			120058620	28842000
C CF	805100054		14029	40956	9982	5745717	1400375
C DB	805100156		806	54940	12883	442816	103837
C EB	805100258		582	62634	14095	364530	82033
			15417			6553063	1586245

UNCLASSIFIED
NON CLASSIFIED

WEIGHT AND C. OF G BY FUNCTIONAL COMPONENTS

DESCRIPTION	REFERENCE NO.	COMP. NO.	WEIGHT	H.
OPERATIONAL LOAD	90000000			
CREW MEMBERS	9010000052		43000	19
			43000	
ENGINE OIL	90200000			
ENGINE OIL USABLE	90200001 0		8816	611
ENGINE OIL TRAPPED ENG	90200002 0		1773	620
ENGINE OIL TRAPPED D B	9020000356		1925	580
ENGINE OIL TRAPPED E B	9020000458		909	599
			13423	
OXYGEN CHARGE	90400000			
OXYGEN CHARGE F F	9040000152		7220	4
OXYGEN CHARGE C F	9040000254		1267	262
			1339	
ALCOHOL FOR RADOME DEICING	9050000051		2200	9
			2200	
ENGINE FIRE EXT FLUID	90600000 0		2500	730
			2500	
RESIDUAL FUEL	90700000			
RESIDUAL FUEL C F	9070000154		4680	394
RESIDUAL FUEL I W	9070000262		17160	597
			21840	
WATER FOR AIR CONDITIONING	9100000054		12500	266
UNUSABLE WATER FOR AIRCOND	9100000154		1500	267
			14000	

