

30
AVRO
Rept
7-0400-05
ISS. 26

C-105 With J75
Production Engines

Report # 7-0400-05
ISSUE 26 ✓

WEIGHT SUMMARY & C.G. POSITION

N.A.E.
~~P.O. 100~~

May 1/56

~~SECRET~~

6
ANALYZED

Date: May 1st, 1956
Aircraft: C-105 With J75 Engines
as Interim Power Plant

Report # 7-0400-05
Sheet # 001-1 Issue 26
Prepared By: K. Griffin
Checked By: E. Burnett

INTRODUCTION

The following is a revised Weight & C.G. Summary for the C-105 Aircraft, based on the latest weight estimates available on April 30th, 1956. All weight and C. G. changes are relative to Issue 25.

GENERAL:

- a) As in Issue 25 Pratt and Whitney J75 Engines comprise the Interim Power Plant (5,950 lb. each)
- b) A package containing 4 "semi-submerged" Sparrow Missiles (432 lb each) is currently carried.
- c) The Hughes MX 1179 Radar System is being replaced by an R.C.A. system, however, until information is available on the new system, weights will be maintained as for the Hughes MX 1179 Radar. As in issues subsequent to 23 a Douglas Missile Control System is installed.

1. STRUCTURE

(a) Wing:

WEIGHT (lb)

I/Wing Trailing Edge - addition of fire extinguisher bottle mounting brackets	+ 1
O/Wing Ribs - Production Drawing estimate	+ 13
O/Wing Joints - Production Drawing estimate of Rib # 12	+ 28
Aileron Control Box - Production Drawing Estimate - reductions in Intercostals and Stiffeners etc.	- 29
O/Wing Skins - Production Drawing estimate	+ 5
Weight Change Increase	+ 18

Ref. 002-1

(b) Fin and Rudder:

No Weight Change

(c) Fuselage to Sta. 255":

Top Longerons - Production Drawing estimates incorporating many design changes	+ 36
Crew's Bulkheads - design alterations to Production Drawings	+ 7
Skin and Lower Shear Panel - fully estimated to Production Drgs. incorporating redesign of Shear Panel, added butt straps doublers etc. on Skin	+ 28
Windscreen - revision of estimate to Production Drawings	- 3
Miscellaneous other changes	+ 1
Weight Change Increase	+ 69

Ref. 002-2

37980

8795308

Classification cancelled / changed to Unclassified
By authority of AVRO Arrow Declassif. Board
Date 28 Jul 87
Signature *B. Burnet*, Co-Chairperson
Unit / Rank / Appointment DSIS 3

Report # 7-0400-05
Sheet # 001-2 Issue 26
Prepared By: K. Griffin
Checked By: E. Burnett

INTRODUCTION

1. STRUCTURE (Continued)

(d) Fuselage Sta. 255" - 485" WEIGHT (lb)

Miscellaneous Changes to Dorsal Deflector	+ 2
Deletion of Armament Pack Guide	- 1
Weight Change Increase	+ 1

Ref. 002-3

(e) Fuselage Sta. 485" Aft

Duct Bay - alterations to Beams 538.77 - 591.65 and Access Doors	+ 10
Engine Bay - Changes to Access Doors etc. and first detailed estimate of insulation	- 5
Rear Fuselage Fixed - Changes to insulation etc. - core now 5 lb/cu. ft. was 4 lb/cu. ft.	+ 5
Rear Fuselage Remov. - Minor Changes longerons, insulation etc.	+ 2
Weight Change Increase	+ 12

Ref. 002-4

<u>TOTAL STRUCTURE WEIGHT INCREASE</u>	<u>+ 100</u>
--	--------------

2. LANDING GEAR

No Weight Change	0
------------------	---

3. POWER PLANT & SERVICES

Engines - guaranteed Weight now 5,950 lb/Engine	- 450
---	-------

Ref. 002-4

<u>TOTAL POWER PLANT & SERVICES DECREASE</u>	<u>- 450</u>
--	--------------

4. FLYING CONTROL GROUP

Hydraulics - These have been completely re-estimated to Production Drawing, some piping reductions also equipment weight allowances were too high etc.	- 36
--	------

Ref. 002-4

<u>TOTAL FLYING CONTROLS GROUP DECREASE</u>	<u>- 36</u>
---	-------------

5. EQUIPMENT

Hydraulics Main System - addition of 80 cu. in. accumulator	+ 15
Hand Fire Extinguisher Fluid - deleted - no longer R.C.A.F. requirement	- 3

Ref. 002-5

<u>TOTAL EQUIPMENT INCREASE</u>	<u>+ 12</u>
---------------------------------	-------------

~~SECRET~~

Date: May 1st, 1956
Aircraft: C-105 With J75 Engines
as Interim Power Plant

Report # 7-0400-05
Sheet # 001-3 Issue 26
Prepared By: K. Griffin
Checked By: E. Burnett

INTRODUCTION

6. OPERATIONAL LOAD

WEIGHT (lb)

No Weight Change

0

SUMMARY

Weight Change - Aircraft Weight Empty

Structure	+ 100 lb.
Power Plant & Services	- 450 lb.
Flying Controls	- 36 lb.
Equipment	+ 12 lb.
	<u>- 374 lb.</u>

Weight Change - Operational Load Less Fuel

NIL

Weight Change - Operational Weight Empty (A/C less Fuel)

Issue 25

Issue 26

44,690

44,316

- 374 lb.

~~SECRET~~

Date: May 1st, 1956
Aircraft: C-105 With J75 Engines
as Interim Power Plant

Report # 7-0400-05
Sheet # 002-1 Issue 26
Prepared By: K. Griffin
Checked By: E. Burnett

WEIGHT CHANGES TO 7-0400-05 ISSUE 25

WEIGHT CHANGES

Wing:

+ 0.71	I/W Structure aft R/Spar - addition of fire extinguishing bottle mounting brackets.	
+ 12.90	O/W Ribs - These have been estimated to production drawings	
	Increase in aileron jack fitting on Rib # 18	+ 3.64
	Increase in rib attachments	+ 9.26
		+ 12.90
+ 27.70	O/W Joints - Rib # 12 completely re-estimated to production drawings.	
	Cap increases and vertical stiffeners added	+ 13.74
	Addition of posts and angles	+ 13.96
		+ 27.70
- 28.52	Aileron Control Box - completely re-estimated to production drawings.	
	Intercostals - some reduced, some deleted	- 11.52
	Stiffeners - some deleted	- 16.60
	Skins - refined estimate	- 1.18
	Ribs and Misc. - refined estimate	- 0.64
	Hardware - Previous allowance was too low	+ 1.42
		- 28.52
+ 5.68	O/W Skins - re-estimated to production drawings - general refinement of estimate.	
+ 18.47		

Front Fuselage (Fwd. Sta. 255th)

+ 1.82	Top Shear Panel - Production drawing estimate, alterations to stiffeners, doublers etc.	
+ 35.57	Top Longerons - Fully estimated to production drawings	
	Diaphragms - previous allowances too low	+ 6.32
	Nut Plates - added along top surface	+ 2.77
	Rudder Pedal Mounting Bracket - this fitting is now called up on longerons	+ 2.18
	Welded fitting - redesigned	+ 4.54
	Tapered Packers - Mounting added	+ 3.77
	Skin Doublers - Contour alterations	+ 1.39
	Tie Rod and End Fittings Sta. 246.25, previous allowance too low	+ 2.12
	Gross Beam 246 - alt. to side doublers, stiffeners etc.	+ 1.92

Continued

~~SECRET~~

Date: May 1st, 1956
Aircraft: C-105 With J75 Engines
as Interim Power Plant

Report # 7-0400-05
Sheet # 002-2 Issue 26
Prepared By: K. Griffin
Checked By: E. Burnett

WEIGHT CHANGES TO 7-0400-05 Issue 25

WEIGHT CHANGES

Front Fuselage (Fwd. Sta. 255") (Cont'd.)

	Channel at Sta. 191 added	+	2.90
	Rain repellant further details	+	0.91
	Aft Pressing - alterations to lower aft contour	+	0.52
	Tee at Centre Arch Attach. added	+	2.26
	Hardware and general refinement of estimate	+	3.97
		+	<u>35.57</u>
+ 9.85	Crews Bulkheads - re-estimate to re-issue of production drawings section on N.B. L.H. replaced by channels and cap, butt straps added O/B edge etc.	+	2.43
	Butt Straps, doublers etc on N.B. R.H.	+	1.50
	Addition of drag strut att. fitting P.B.R.H.	+	2.77
	Patch plates, angles etc. upper pilots Bulk.	+	1.02
	Hardware at seat fittings, marry up etc.	+	2.13
		+	<u>9.85</u>
- 3.05	Nose U/C Support Structure - Frame fitting at drag strut pick-up now with Bulkhead - see above		
- 12.80	Stringers F.F. - report deleted - now included on production drawing estimate with skins, see below		
+ 13.53	Skins F.F. - estimated to production drawings addition of fittings at Pilot's Bulkhead	+	1.44
	further information on doublers etc. at floor	+	2.07
	addition of doublers and strap-upper aft.	+	2.81
	addition of stringers	+	12.02
	deletion of .032 Al. Shear Panel allowance	-	6.20
	Scheme of joint to be added at Sta. 176	+	1.39
		+	<u>13.53</u>
- 2.14	Slinging and Jacking - Jacking fitting with associated shear plate and intercostals now integral part of lower Shear Panel see below.		
+ 29.58	Lower Shear Panel - This has been completely redesigned since last estimate, which was for a .032 Al. Panel - now .051 with heavy access door etc. This incorporates the Jacking fittings and allowances deleted from Skin report (see above)		
- 3.26	Windscreen - Revision of estimate to production drawings Seal - redesigned	-	1.60
	Retainers etc. - re-estimated	-	1.66
		-	<u>3.26</u>
+ 69.10			

SECRET

Date: May 1st, 1956
Aircraft: C-105 With J75 Engines
as Interim Power Plant

Report # 7-0400-05
Sheet # 002-3 Issue 26
Prepared By: K. Griffin
Checked By: E. Burnett

WEIGHT CHANGES TO 7-0400-05 ISSUE 25

WEIGHT CHANGES

Centre Fuselage (Sta. 255" - 485")

+	1.73	Dorsal Deflector - estimated to Stress approved schemes	
		Lips added to intercostals	+ 0.63
		Addition of .064 Angles and Screws	+ 0.89
		Miscellaneous minor changes	+ 0.21
			+ 1.73
-	0.93	Armament Provisions - production drawing estimate of beam at Sta. 292 incorporating deletion of armament pack guide.	

+ 0.80

Aft Fuselage (Sta. 255" Aft)

+	6.06	Longitudinal Beams D.B. - redesign beams 538.77 to 591.65, angle, web and 'T' replaced by heavy extrusion.	
-	0.34	Dive Brake Accommodations - Production Drawing estimate of sealing	
+	4.46	Access Door D.B. - redesign Front Engine Mounting Door - doubler now Steel etc.	+ 1.46
		Rear Duct Attach. Panel - redesign, Panel .102 was .051 etc.	+ 0.99
		R.H. Door Rear Duct Attach. not previously allowed for in error	+ 1.71
		Hyd. and Air Conditioning Panel .064 was .051	+ 0.30
			+ 4.46
+	5.28	Service Access Doors E.B. - Panel added 649" - 658" general re-estimates to production drawings including misc. changes	+ 1.41
			+ 3.87
			+ 5.28
-	0.41	O/Skin E.B. - Cut-out for new Service Door - see above.	
-	10.26	Engine Tunnel E.B. - Scheme drawing for insulation now available 6.9" shorter than allowed	- 6.96
		Clipping - previous allowance too high	- 3.30
			- 10.26
+	0.09	Centre Beam 647.28 - 717.36 - Production Drawing estimate	
+	5.03	Centre Structure & Stringer R.F. - addition of insulation	
+	2.15	Engine Access Door R.F. - insulation core 5 lb/cu.ft. was 4 lb/cu. ft.	+ 1.57
		Fasteners - allowance was too low	+ 0.58
			+ 2.15

Continued.

~~SECRET~~

Date: May 1st, 1956
Aircraft: C-105 With J75 Engines
as Interim Power Plant

Report # 7-0400-05
Sheet # 002-4 Issue 26
Prepared By: K. Griffin
Checked By: E. Burnett

WEIGHT CHANGES TO 7-0400-05 ISSUE 25

WEIGHT CHANGES

Aft Fuselage (Sta. 255" - 485") (Cont'd.)

+ 3.27	Tunnel Fixed R.F. - Scheme drawing of insulation now available	
	Revised area of foil	- 1.22
	Core material 5 lb/cu.ft. was 4 lb/cu. ft.	+ 3.04
	Fasteners - insufficient allowance	+ 1.45
		+ 3.27
- 3.67	Nacelles Removable R.F. - Insulation now centre Struct.	- 6.92
	Longerons - caps increased in	
	area also .025 were .02, stub .025	
	was .02 etc.	+ 3.25
		- 3.67

+ 11.66

Power Plant & Services Group:

- 450.00 Engines - Manufacturers guaranteed weight has been reduced
to 5,950 lb. each.

- 450.00

Flying Controls Group

The Hydraulics in the Wing have been completely re-estimated
to production drawings and the following changes to reports made:

- 200.00	Aileron Hydraulics - This report is cancelled.	
- 217.43	Elevator Hydraulics - This report is cancelled.	
+ 247.80	F/C Hydraulics I/Wing - This includes 38.85 lb of aileron piping, however the production drawing estimate resulted in a reduction of 8.48 lb in piping (Weight was 217.43 lb for Elevator Hydraulics now 217.43 + 38.85 - 8.48 = 247.80 lb.)	
+ 132.75	F/C Hydraulics O/Wing - Weight of Aileron Hydraulics was	200.00
	Piping now in I/Wing	- 38.85
	Some piping now in Main System	- 8.86
	Mech. Linkage on Aileron Jack in	
	Mechanical Controls	- 4.64
	Flexible hose reduced in size	- 3.30
	Pressure and return lines shorter	- 3.00
	Miscellaneous production drawing changes	- 8.60
		+ 132.75
+ 0.94	F/C Hydraulics Main System - Aileron piping in Fuselage added	+ 8.86
	Revision in Equipment Weights	- 7.92
		+ 0.94

- 35.94

~~SECRET~~

Date: May 1st, 1956
Aircraft: C-105 With J75 Engines
as Interim Power Plant

Report # 7-0400-05
Sheet # 002-5 Issue 26
Prepared By: K. Griffin
Checked By: E. Burnett

WEIGHT CHANGES TO 7-0400-05 ISSUE 25

EQUIPMENT GROUP

- 3.50	Hand Fire Extinguisher Fluid - Deleted - this is no longer an R.C.A.F. requirement.
+ 15.34	Hydraulics Main System - addition of 80 cu. in. accumulator for new type pump.
+ 11.84	
- 374.07	TOTAL WEIGH CHANGE

~~SECRET~~

Date: May 1st, 1956,
Aircraft: C-105 With J75 Engines
as Interim Power Plant

Report # 7-0400-05
Sheet # 003-1 Issue 26
Prepared By: J. Murphy
Checked By: E. Burnett

WEIGHT AND C.G. SUMMARY

REF. No.	DESCRIPTION	WEIGHT lb.	H. ARM ins.	V. ARM ins.
	STRUCTURE	17,051.68	565.16	138.64
1000000	Wing	9,474.30	643.96	142.44
2000000	Fin and Rudder	995.74	754.13	209.06
3000000	Fuselage Structure Fwd. 255"	2,237.29	186.83	129.94
	255" to 485"	1,546.27	369.68	131.55
	Aft. 485"	2,798.08	641.62	111.57
4000000	UNDERCARRIAGE - UP POSITION	2,861.34	484.83	133.81
4010100	Main Undercarriage	1,848.24	539.88	141.00
4010200	Main U/C Doors and Fairings	287.32	539.21	136.40
4010300	Main U/C Hydraulics	284.84	548.06	135.75
4020100	Nose Wheel Undercarriage	315.47	168.80	99.81
4020200	Nose U/C Doors and Fairings	25.92	163.71	89.22
4020300	Nose U/C Hydraulics	99.55	210.03	106.57
5000000	POWER PLANT & SERVICES	13,454.88	656.92	120.54
5010000	Engines J75	12,197.50	666.10	119.81
5020000	Gear Box and Drive	150.00	606.00	94.66
5030000	Engine Controls	29.19	377.46	118.91
5040000	Pneumatic Starting System	52.00	610.00	94.75
5050000	Engine De-Icing	68.10	561.78	115.69
5060000	Fire Extinguishing System	70.52	701.99	127.72
5070000	Engine Mountings & Brackets	216.07	643.18	125.29
5080000	Fuel System	671.50	526.79	138.78
6000000	FLYING CONTROLS GROUP	1,730.33	653.59	138.81
6010000	Mechanical Flying Controls	839.40	682.71	145.88
6030000	Flying Controls Electronics	108.00	222.33	131.43
6000000	Flying Controls Hydraulics	782.93	681.87	132.25
	EQUIPMENT - FIXED AND REMOVABLE	6,695.77	312.69	113.06
7010000	Instruments	53.30	153.98	140.27
7010003	Probe	23.00	9.74	108.00
7020000	Cockpit Pressure Sealing	53.00	186.00	130.00
7030000	Oxygen System	43.60	226.99	140.27
7040000	Air Conditioning System	703.98	325.98	134.27
7050000	Hydraulics Main System	231.00	590.24	115.65
7060000	Fin Pitot System	12.30	596.69	198.16
7070000	Cabin Insulation	11.91	179.24	130.00
7080000	Brake Parachute	69.69	784.88	131.17
7090000	Electrical System	935.20	400.94	116.16
7100000	Low Pressure Pneumatics	16.60	217.17	133.41
7110000	Oil & Hydraulic Fluid Cooling	130.00	573.07	102.64
7120000	Intake De-Icing	82.62	206.33	118.82
7000000	Radio & Radar Fixed, Power Supplies	937.41	220.85	110.58
7130000	Radome Anti-Icing	23.46	62.92	126.04
7160000	Canopy Actuation	46.80	223.54	154.60
7170000	Cabin Consoles	20.65	177.37	125.23
7180000	Radar Door Actuation	10.00	268.00	95.00

~~SECRET~~

Date: May 1st, 1956
Aircraft: C-105 With J75 Engines
as Interim Power Plant

Report # 7-0400-05
Sheet # 003-2 Issue 26
Prepared By: J. Murphy
Checked By: E. Burnett

WEIGHT AND C.G. SUMMARY

<u>REF.</u> <u>No.</u>	<u>DESCRIPTION</u>	<u>WEIGHT</u> <u>lb.</u>	<u>H. ARM</u> <u>ins.</u>	<u>V. ARM</u> <u>ins.</u>	<u>C.G. POSITION</u> <u>% M.A.C.</u>
	<u>Equipment (Fixed & Remov.) (Cont'd)</u>				
8010100	Ejector Seats	186.00	201.10	136.25	
8020000	Radar Removable	1,124.70	140.94	113.19	
8000000	Radio Removable & I.F.F.	247.90	291.13	112.19	
8050100	Sparrow Pack Structure	900.00	375.42	96.00	
8050200	Sparrow Pack Mechanisms	325.00	353.32	100.00	
8050300	Sparrow Pack Hydraulics	505.65	409.15	98.84	
8050400	Sparrow Pack Electronics	50.00	436.15	103.20	
	AIRCRAFT WEIGHT EMPTY	41,794.00	552.41	128.39	
9000000	USEFUL LOAD	18,121.87	516.75	136.76	
9010000	Crew	430.00	194.00	136.50	
9020000	Oil	85.08	611.71	135.00	
9050000	Alcohol For Radome De-icing	22.00	93.00	138.00	
9060000	Engine Fire Extinguisher Fluid	25.00	730.00	129.00	
9070000	Residual Fuel	218.40	553.98	134.04	
9090000	Fuel For Combat Mission	15,600.00	539.20	142.18	
9030000	Missiles (Armament)	1,728.00	389.29	88.30	
9040000	Oxygen Charge	13.39	259.69	159.91	
	U/C Up Normal Combat Mission	59,915.87	541.62	130.92	29.18
	U/C Down		543.19	128.77	29.61
	Half Combat Mission Fuel 1,000 gal. @ 7.8 lb/gal.	7,800.00	540.88	139.53	
	U/C Up Combat Weight (Half Combat Mission Fuel)	52,115.87	542.24	128.83	29.35
	U/C Down		544.05	126.36	29.85
	U/C Up Operational Weight Empty	44,315.87	542.48	126.95	29.41
	U/C Down		544.61	124.05	30.00
	U/C Up Operational Weight Empty (Less Missiles)	42,587.87	548.70	128.52	31.13
	U/C Down		550.91	125.50	31.74
	Maximum Internal Fuel 2,544 gal. @ 7.8 lb/gal. Water (Air Conditioning System)	19,843.00 125.00	538.88 268.00	144.32 132.00	
	U/C Up A.U.W. Max. Internal Fuel	64,283.87	540.84	132.32	28.96
	U/C Down		542.31	130.32	29.37
	Max. External Fuel 500 gal. @ 7.8 lb/gal. and Drop Tank	4,210.00	528.88	62.00	
	U/C Up A.U.W. Maximum Internal and External Fuel	68,493.87	540.10	128.00	28.76
	U/C Down		541.48	126.12	29.14


C105 A/C C.G. ENVELOPE
FOR 1/2 FLIGHT CONDITIONS
WITH JTS ENGINES
& FUEL PROPORTIONER

REPORT NO.: Y-0400-05 ISSUE 2.10

BY: Kathleen Griffin

DATE: May 1st 1956

~~SECRET~~



No.	CONDITION	COMBAT MISSION FUEL	NORMAL MISSION FUEL	MAX. INTERNAL FUEL	EXT. FUEL TANK	MISSILES	DEICING FLUID	WATER	1/2 UP	1/2 DOWN
1										*
2	*									*
3			*							*
4				*						*
5				*		*				*
6				*		*	*			*
7				*		*	*	*		*
8				*	*	*	*	*		*
9				*	*	*	*	*	*	
10				*		*	*	*	*	
11						*	*	*	*	
12							*	*	*	
13								*	*	
14									*	

N.B. IN ORDER TO BRING
POINT ① TO THE AFT LIMIT
IE 31% M.A.C. 290LB BALLAST
MUST BE INSTALLED AT
STA 120 INS

~~SECRET~~

AVRO AIRCRAFT LTD.

MALTON, ONT.

WEIGHT AND C. OF G BY FUNCTIONAL COMPONENT

 PROJECT **C-105**

DESCRIPTION		REFERENCE NO.	COMP. NO.	WEIGHT	
TOTAL FUSELAGE GROUP		30000000			
FUSELAGE BASIC STRUCTURE		30100000			
3	RADOME	30100001	51	7819	
3	RADAR NOSE ACCESS DOORS	30100002	51	8340	
3	NOSE STRUCTURE FWD 120	30100003	51	9349	
3	SKIN F F	30100004	52	8094	19
4	SKIN C F	30100005	54	13059	37
5	SKIN D B	30100006	56	8317	52
5	SKIN E B	30100007	58	11598	67
4	STRINGERS C F	30100009	54	5173	38
5	STRINGERS D B	30100010	56	5005	50
3	FORMERS F F	30100011	52	9347	10
4	FORMERS C F	30100012	54	2744	137
5	FORMERS D B	30100013	56	1445	65
5	LIGHT FORMERS E B	30100014	58	1280	466
5	HEAVY FORMERS E B	30100015	58	1862	86
3	LONGERONS F F	30100016	52	5311	110
5	LONGITUDINAL MEMBERS E B	30100017	58	4197	
5	LONGERON E B	30100018	58	7580	69
5	TOP LONGERONS E B	30100019	58	6316	
3	LOWER SHEAR PANEL F F	30100020	52	2958	23
5	TOP WING LONGERONS D B	30100021	56	6875	
3	LONGERONS 255 485 F F	30100022	52	5328	
4	LONGERONS 255 485 C F	30100023	54	1425	149
4	DUCT BAY LONGERONS C F	30100024	56	4774	
5	DUCT BAY LONGERONS D B	30100025	56	9366	52
4	STR BELOW BOTTOM LONGERON	30100026	54	4053	28
5	LONGITUDINAL BEAMS D B	30100027	56	6358	57
4	RADAR ACCESS DOOR	30100028	54	2310	27
5	MAIN FRAME AT STN 538 77	30100029	56	5966	55
5	DIVE BRAKE ACCOM STRUCTURE	30100030	56	3613	50
3	COCKPIT DECKING	30100031	52	1798	21
4	DUCT C F	30100032	54	3351	23
5	DUCT D B	30100033	56	2542	15
3	CANOPY ARCH F F	30100034	52	5806	22
3	CANOPY ARCH C F	30100035	52	1598	22
5	ACCESS PANEL STIFFNERS	30100036	56	3865	55
3	NOSE U C SUPPORT STRUCTURE	30100037	52	3237	22
3	CREW BULKHEADS	30100038	52	1212	42
4	EQUIP BAY STRUCTURE	30100039	54	5803	22
3	WINDSCREEN	30100041	52	1271	131
5	SERV ACCESS DOORS AND PNLS	30100042	58	4891	16
5	TORSION BOX E B	30100043	58	3000	06
4	DORSAL FAIRING AIR OUTLET	30100044	54	2110	22
5	INTERMEDIATE FORMERS E B	30100045	58	4048	66
5	ENGINE ACCESS DOORS E B	30100046	58	7467	66
4	SEAL IN MISSILE BAY	30100047	54	6182	
4	JOINT STRAPS AND MISC	30100048	54	1553	33
4	FLOOR C F	30100049	54	1282	53
3	BULKHEAD AT STN 120	30100050	52	2868	11

MALTON, ONT.

PROJECT C-105

WEIGHT AND C. OF G BY FUNCTIONAL COMPONENT

DESCRIPTION		REFERENCE NO.	COMP. NO.	WEIGHT	H.
3	BULKHEAD AT STN 255	301005152		9864	25
4	BULKHEAD AT STN 485	301005254		10984	48
5	ENGINE TUNNEL E R	301005458		45588	66
4	INTEGRAL FUS FUEL TANK	301005554		21154	39
3	COCKPIT FLOOR	301005652		5743	17
4	SLING AND JACK FITTINGS CF	301005854		9572	5
5	CENTRE BEAM 697 28 717 36	301005958		5097	1
4	DORSAL OVER FUEL TANK	301006154		5246	41
4	DORSAL HOT AIR DEFLECTOR	301006254		1905	3
3	SHEAR PANEL BELOW NAV ARCH	301006352		1890	25
4	ARMAMENT PROVISIONS	301006454		2657	30
6	ENGINE ACCESS DOORS R F	301006559		7379	77
6	TUNNEL AND STIFFNERS R F	301006659		11258	77
6	SKIN AND INTERCOSTAL R F	301006759		5155	76
6	FAIRING UNDER RUDDER R F	301006859		1352	77
6	FORMERS FIXED R F	301006959		8639	77
6	LONGERONS TORQUE BOX R F	301007059		3371	77
6	NACELLES REMOV R F	301007159		15082	82
6	CNTR STRUC STING REMOV R F	301007259		9267	83
				5483	99
9	DIVE BRAKES	302000072		11132	50
				11132	
	AIR INTAKES	30300000			
3	LIP AND RAMP	303010055		62187	21
				62187	
	PILOTS AND NAVIG CANOPIES	30400000			
3	PILOTS CANOPY	304010053		23011	17
				23011	
3	NAVIGATORS CANOPY	304020053		13435	23
				13435	

AVRO AIRCRAFT LTD.

MALTON, ONT.

WEIGHT AND C. OF G BY FUNCTIONAL COMPONENT

PROJECT C-105

	DESCRIPTION	REFERENCE NO.	COMP. NO.	WEIGHT	H.
	FIXED EQUIPMENT GROUP	7000000			
	INSTRUMENTS	7010000			
59	INSTRUMENTS F F	7010001	52	5130	15
	PROBE SERVICES	7010003	51	800	4
106	NAVIG TABLE AND STOWAGE	7010004	52	200	22
				6130	
3	COCKPIT PRESSURE SEALING	7020000	52	500	18
				500	
	OXYGEN SYSTEM	7030000			
63	OXYGEN SYSTEM F F	7030001	52	2410	19
63	OXYGEN SYSTEM C F	7030002	54	1950	26
				4360	
	AIR CONDITIONING SYSTEM	7040000			
65	AIR CONDITIONING F F	7040001	52	10259	22
65	AIR CONDITIONING C F	7040002	54	46990	30
65	AIR CONDITIONING D B	7040003	56	5260	53
65	AIR CONDITIONING E B	7040004	58	5199	63
66	WINDSCREEN DEMISTING	7040005	52	2690	13
				70398	
	HYDRAULICS MAIN SYSTEM	7050000			
57	HYDRAULICS MAIN SYSTEM D B	7050001	56	9800	57
57	HYDRAULICS MAIN SYSTEM E B	7050002	58	13300	60
				23100	
	FIN PITOT SYSTEM	7060000			
	FIN PITOT SYSTEM F F	7060001	52	136	19
	FIN PITOT SYSTEM C F	7060002	54	249	37
	FIN PITOT SYSTEM D B	7060003	56	116	53
	FIN PITOT SYSTEM E B	7060004	58	16	59
	FIN PITOT SYSTEM FIN	7060005	83	713	76
				1230	
69	CABIN INSULATION	7070000	52	1191	17
				1191	

EIGHT AND C. OF G BY FUNCTIONAL GROUP COMPONENT

REPORT NO. 7-0400-05 Issue 26

May 1/56

SHEET 004-8

	REFERENCE NO.	COMP. NO.	WEIGHT	H. ARM	V. ARM	H. MOMENT	V. MOMENT
	7000000						SECRET
	7010000						
	7010001	52	5130	15141	14067	776733	721637
	7010003	51	800	4700	10800	37600	86400
GE	7010004	52	200	22000	13000	44000	26000
			6130			858333	834037
ING	7020000	52	500	18600	13000	93000	65000
			500			93000	65000
	7030000						
	7030001	52	2410	19842	12416	478192	299226
	7030002	54	1950	26231	16017	511505	312332
			4360			989697	611558
EM	7040000						
	7040001	52	10259	22360	11948	2293912	1225745
	7040002	54	46990	30229	13757	14204607	6464414
	7040003	56	5260	53184	13404	2797478	705050
	7040004	58	5199	63110	13606	3281089	707376
	7040005	52	2690	13794	13000	371059	349700
			70398			22948145	9452285
M	7050000						
M D B	7050001	56	9800	57274	11650	5612852	1141700
M E B	7050002	58	13300	60314	11503	8021762	1529899
			23100			13634614	2671599
	7060000						
	7060001	52	136	19105	12000	25983	16320
	7060002	54	249	37054	12000	92264	29880
	7060003	56	116	53853	12000	62469	13920
	7060004	58	16	59885	12000	9582	1920
	7060005	83	713	76245	25483	543627	181694
			1230			733925	243734
	7070000	52	1191	17924	13000	213475	154830
			1191			213475	154830

AVRO AIRCRAFT LTD.

MALTON, ONT.

WEIGHT AND C. OF G BY FUNCTIONAL COMPONENT

PROJECT C-105

DESCRIPTION		REFERENCE NO.	COMP. NO.	WEIGHT	H.
39	BRAKE PARACHUTE	70800000			
39	BRAKE PARACHUTE F F	70800001	52	239	16
39	BRAKE PARACHUTE C F	70800002	54	132	39
39	BRAKE PARACHUTE D B	70800003	56	44	52
39	BRAKE PARACHUTE E B	70800004	58	51	67
39	BRAKE PARACHUTE R F	70800005	59	65	03
				69	69
	ELECTRICAL SYSTEM	70900000			
	HARNESS ELECTRICS	70901000			
60	HARNESS ELECTRICS F F	70901001	52	54	93
60	HARNESS ELECTRICS C F	70901002	54	36	05
60	HARNESS ELECTRICS D B	70901003	56	41	10
60	HARNESS ELECTRICS E B	70901004	58	9	55
60	HARNESS ELECTRICS FIN	70901005	83	10	84
60	HARNESS ELECTRICS I W	70901006	62	19	94
60	HARNESS ELECTRICS L E O W	70901007	65	6	26
				16	22
	ALTERNATOR SYSTEM	70902000			
60	ALTERNATOR SYSTEM F F	70902001	52	55	05
60	ALTERNATOR SYSTEM D B	70902002	56	19	58
60	ALTERNATOR SYSTEM ENGINE	70902003		10	40
				35	48
	AIR CONDITIONING ELECTRICS	70903000			
60	AIR CONDITIONING F F	70903001	52	11	62
60	AIR CONDITIONING C F	70903002	54	3	58
60	AIR CONDITIONING D B	70903003	56	2	70
60	AIR CONDITIONING E B	70903004	58	4	06
				18	30
	UNDERCARRIAGE ELECTRICS	70904000			
60	UNDERCARRIAGE ELECTRICS FF	70904001	52	5	65
60	UNDERCARRIAGE ELECTRICS CF	70904002	54	13	50
60	UNDERCARRIAGE ELECTRICS IW	70904003	62	3	40
				22	55
	EXTERNAL AND SERV LIGHTS	70905000			
60	EXT AND SERV LIGHTS F F	70905001	52	7	80
60	EXT AND SERV LIGHTS FIN	70905002	83	6	08
60	EXT AND SERV LIGHTS O W	70905003	64	6	07
				9	00
	FUEL VALVE CONTROL	70906000			

WIGHT AND C. OF G BY FUNCTIONAL GROUP COMPONENT

REPORT NO. 7-0400-05 Issue 26

May 1/56

SHEET 004-11

	REFERENCE NO.	COMP. NO.	WEIGHT	H. ARM	V. ARM	H. MOMENT	V. MOMENT
	71000000						
	71000001	52	15222	21236	13306	323212	202517
	71000002	54	1382	7018	13731	37285	18949
			1660			360497	221466
NG	71100000						
NG DB	71100001	56	10282	56175	10130	5775914	1041567
NG EB	71100002	58	2718	61587	10769	1673935	292701
			13000			7449849	1334268
	71200000						
	71200000	52	8262	20633	11882	1704698	981691
			8262			1704698	981691
	71300000						
	71300000	51	2346	6292	12604	147610	295690
			2346			147610	295690
	71400000						
	71400001	51	25231	9389	10068	2368939	2540257
	71400002	52	16688	21471	11402	3583080	1902766
	71400003	54	13263	31934	10710	4235406	1420467
	71400004	56	1970	55492	12975	1093192	255608
	71400005	83	3179	76177	24601	2421667	782066
	71400006	62	5107	0000	13000	357000	66300
			60841			14059284	6967464
R N	71500000						
F F	71500001	51	7700	9012	12280	693924	945560
C F	71500002	52	19500	22431	9744	4374045	1900080
	71500003	54	5700	27640	9700	1575480	552900
			32900			6643449	3398540
	71600000						
	71600000	52	4680	22354	15460	1046167	723528
			4680			1046167	723528
	71700000						
	71700000	52	2065	17737	12523	366269	258600
			2065			366269	258600
	71800000						
	71800000	54	1000	26800	9500	268000	95000
			1000			268000	95000

SECRET

Classification cancelled / changed to Unclassified
By authority of AVRO Arrow Declassif. Board

Date 28 Jul 87

Signature B. Bailey, Co-Chairperson

Unit / Rank / Appointment DSIS 3

