

1939

Plant P. 4
✓
CHB
12/52
✓

34-1 Concord X Jersey

(B10) 34-1 A

July 15, All the early berries are gone. Largest 17 mm.
Beautiful color. Scar fair to good. Flavor good. ✓

(C 23) 34-1 B

July 15, Berries good average size. Scar fair to good. ✓
Flavor very good.

(C 30) 34-1 C

July 15, Beautiful light blue color. Largest 17 mm. Large ✓
average size. Scar good to very good. Flavor good.

(D 15) 34-1 D

July 15, First berries gone. Good scar and good flavor. ✓

34-2 Jersey X Concord

None kept.

34-3 Concord X Pioneer

None kept.

34-4 Pioneer X Concord

(K 78) 34-4 A

July 5, Only 3-4 medium sized, light blue berries. Smooth ✓
texture. Keep because of the fine flavor.

July 15, Tagged was all.

(L 79) 34-4 B

July 5, Bush in poor condition. Last berries ready to pick. ✓
Good blue, fair scar, nice flavor. Try farther.

July 15, Tagged only.

(M 30) 34-4 C

June 25, First berries ripe. Beautiful.

July 15, Last few berries. Scar fair for the cross. Pretty good ✓
flavor.

34-5 Concord X 1437 F

None kept.

34-6 1437 F X Concord

None kept.

34-7 Concord X 2506 B

(R 20) 34-7 A

July 15, Very small crop. 16-17 mm. Scar good for cross. ✓
Delightful flavor.

1939

- (R 48) 34-7 B
July 15, Crop $\frac{1}{2}$ ripe. Few over 17 mm. Neat scar for cross. Excellent flavor.
- (R 60) 34-7 C^D
July 15, One berry blue, light color. Good crop of green berries. One berry tore and showed just a little flavor.
- (S 30) 34-7 D^E
July 5, Bush better growth than average. Berries scant 18 mm. Good scar, good blue, flavor slightly lacking in sugar and aroma.
July 15, Tagged only.
- (U 40) 34-7 E^F
July 5, Tagged as outstanding in 1938. Bush better than average under poor conditions. Light blue, good scar, excellent flavor with good aroma.
July 15, Tagged only.
- (U 58) 34-7 F^H
July 5, Carried over because of the aroma. Very poor growing conditions. Nice color. Good scar and aroma.
July 15, Tagged only.
- (U 80) 34-7 G^I
July 15, Bush better than average. Small crop. Fair size Fairly light blue. Good flavor.
- 34-8 2506 B X Concord.
None kept.
- 34-9 Concord X 2505 I
None kept.
- 34-10 2505 I X Concord.
None kept.
- 34-11 Concord X 2505 F
(AE 150) 34-11 A
July 15, Light blue. Good scar. Promises good size, and flavor under better growing conditions.
- (AE 110) 34-11 B
July 15, Light blue color. Good scar, good flavor. Give it a chance.
- (AF 95) 34-11 C^F
July 15, Small crop and medium blue. Good scar and flavor. Give it a chance under better conditions.

1939

- (AF 120) 34-11 ^{D H}
 July 15, Light blue color. Good scar and flavor.
 Abundant crop. Size small but seems worth
 to give it a chance.
- (AF 93) 34-11 E
 July 15, Good blue and scar. Very good flavor.
 Give test under better conditions.
- (AF 34) 34-11 ^{K C}
 July 15, Good bush in comparison with the others.
 Small crop and good blue and scar. Promises
 good ~~and~~ flavor under better conditions.
- 34-12 2505 F x Concord
 None kept.
- 34-13 Concord X 2506 A
 (AJ 120) 34-13 A
 July 15, Bush growing under very poor conditions.
 Light blue color. Good scar and promise
 of good flavor.
- (AL 42) 34-13 B
 July 15, Good scar and color. Good drop. Unusually
 fine light blue. Uniform in size. Largest
 17 mm. Flavor rather flat.
- 34-15 1617H X Pioneer.
 None kept.
- 34-16 1617 H X Concord
 (AL 82) 34-16 A
 July 15, Bush under poor conditions. Good blue, scar,
 and better flavor under better conditions
- (AL 84) 34-16 B
 July 15, Bush under bad conditions. Good blue, scar,
 promise of better flavor under better conditions.
- 34-17 1617 F X Jersey
 None kept.
- 34-18 Jersey X 1617 H
 None kept.
- 34-19 1617 H X 2505 A
 None kept.
- 34-20 2505 A X 1617 H
 34-23 1617 H X 2505 I

- (AO 68) 34-20 A
July 15, Only 1 berry blue. Promises lateness. Good color and scar.
- (AP 3) 34-20 B
July 16, Good color, size, flavor, scar.
- 34-24 2505 I X 1617 H
None kept.
- 34-25 1617 H X 2505 F
(AP 105) 34-25 A
July 16, Tagged in '38. Late. Less than $\frac{1}{2}$ ripe. Very light blue, good scar, flavor lacks sugar and aroma.
- (AQ 2) 34-25 B
July 16, Good color, size, flavor, scar.
- (AQ 9) 34-25 C
July 16, Extra light blue. Good size, flavor, scar.
- (AQ 12) 34-25 D
July 16, Very late, few ripe. Very light blue. Good scar, flavor fair, more sugar and aroma needed.
- 34-26 2505 F X 1617 H
None kept.
- 34-29 Pioneer X Jersey
(AR 18) 34-29 A
July 16, $\frac{3}{4}$ ripe. Good scar, good flavor. May not hold up in size.
- (AR 22) 34-29 B
July 16, Good crop, foliage. Largest average size. Good blue, flavor, scar.
- (AR 25) 34-29 C
July 16, Medium crop. Good size and color, scar, flavor.
- 34-30 Jersey X Pioneer.
(AS 55) 34-30 A
July 16, Large berries, fair scar, good flavor. Small bush, good foliage.
- (AS 57) 34-30 B
July 16, Berries over ripe. Very attractive.
July 5, Small bush, carrying large crop for season. Largest 18 mm. Light blue. Fine form. Good scar. Flavor good, nice aroma.

- 34-33 Jersey X2506 B
(At 105) 34-33 A
July 6, Bush growing vigorously. Medium crop, promises good size under better conditions Exquisite flavor.
- 34-34 2506 B X Jersey.
None kept.
- 34-35 1437 F X 2505 A
(AU 65) 34-35 A
(AV 8) 34-35 B
July 16, No berries colored. Large green berries. See later.
July 16, Late, about $\frac{1}{4}$ ripe. Light blue, scar fair to good. Flavor good for crop, lacks aroma and sugar.
- 34-36 2505 A X 1437 F
(AV 115) 34-36 A
(AV 45) 34-36 B
(AV 38) 34-36 C
July 16, A few berries on a small bush.
July 16, Large crop. $\frac{2}{3}$ ripe. Light blue. Large average size. Good scar, flavor flat.
July 16, Poor bush. Few immense berries. Light blue, good scar and flat flavor.
- 34-38 2506 B X 1437 F
(AX 105) 34-38 A
(AY 20) 34-38 B
July 16, Tiny bush. 3 large berries, light blue, with good scar.
July 16, Immense light blue berries, $\frac{2}{3}$ ripe. Scar fair to good. Flavor lacking sugar and aroma.
- 34-40 2505 F X 1437 F
None kept.
- 34-44 2505 I X 1437 F
(BB 145) 34-44 A
July 16, One small bush to survive the poor conditions 4 immense berries, light blue, scar fair to good, flavor good.
- 34-45 2505 A X 2506 B
(BC 98) 34-45 A
(BD 4) 34-45 B
(BD 9) 34-45 C
(BD 40) 34-45 D
(BD 50) 34-45 E
(BD 51) 34-45 F
July 16, Very small bush with few large light blue berries. Good scar, short on sugar and aroma.
July 5, One small cluster. 2 large berries showing blue, good scar.
July 5, Several large berries. Beautiful blue, and fine scar.
July 14, Large green berries, not started to ripen.
July 5, First berry not quite blue.
July 14, Berries sour, not ripe. Scar and color and size make it worth keeping.
July 16, Good crop for the very small bush. $\frac{1}{3}$ ripe. Good color, good size, flavor fair.

- (BD 70) 34-45 G July 14, Very light blue, good scar, flavor fair, ripe berries.
- (BD 80) 34-45 H July 5, First large beautiful berries ripe.
July 14, Large beautiful berries, good form, scar, and flavor fair.
- (BD 84) 34-45 I July 14, Tagged only.
- (BD 85) 34-45 J July 16, First berry just turning blue.
- (Bd 105) 34-45 K July 14, Tiny bush. Heavy crop. Less than $\frac{1}{4}$ ripe. Largest 19mm. Very light blue. Beautiful form. One of the smaller berries suggests flavor later.
- (BD 130) 34-45 L July 16, Bush good for the conditions under which it is growing. Good crop, light blue color, good scar and the flavor is lacking sugar and aroma.
- (BD 150) 34-45 M July 14, A few large light blue berries, good scar, flavor short on sugar and aroma.
- (BD 155) 34-45 N July 16, Bush good for poor conditions. A few large light blue berries with good scar. Lacks sugar and aroma.
- (BD 165) 34-45 O July 14, A few large berries still to ripen.
- (BE 72) 34-45 P July 16, Very small scar Flavor fair, light blue.
- (BE 73) 34-45 Q July 14, Tagged as superior in '38. Only 3-4 berries. 2 ripe. Suggest good flavor, color, size and scar.
- (BE 80) 34-45 R July 16, Small bush very few berries. Good color, scar, fair flavor.
- (BE 81) 34-45 S July 14, Very large green berries
- (BE 101) 34-45 T^U July 14, Berries 19 mm. Mostly ripe. Light blue, good scar and flavor.
- (BE 120) 34-45 W^V July 14, Tagged only.
- (BE 131) 34-45 V^X July 16, Good crop. Last berry ripe. Light blue. Good average size. Small scar and fair flavor.
- 34-4 6 2506 B X 2505 A
- (BF 15) 34-46 A July 14, Move for further trial.
- (BF 17) 34-46 B July 14, " " " "
- (BF 27) 34-46 C July 16, Green berries none ripe.
- (BF 29) 34-46 D July 16, Green berries, 1 berry blue.
- (BF 41) 34-46 E July 14, Extra light blue color. Scar fair to poor. Crop $\frac{3}{4}$ ripe. Flavor good.

34-47 2505 A X 2506 B
None kept.

35-28 Haines X Grover.
(BG 93) 35-28 A E

July 5, Berries with neat calyx for the cross. Good blue, pleasant flavor, slightly raggy residue

(BG 120) 35-28 B F

July 5, Nice crop, Grover foliage. Berries about size and color of Haines. Better flavor.

July 14, Tagged only.

(BH 28) 35-28 C

July 16, Good scar and flavor.

(BH 80) 35-28 D H

July 14, Tagged only.

(BH 97) 35-28 E I

July 14, Tagged only

July 5, One berry ripe. Large for cross. Good blue, good flavor,

(BH 128) 35-28 F A

July 14, Tagged only

(BH 130) 35-28 G B

July 14, Tagged only.

(BI 43) 35-28 N D

July 5, 2 light blue berries left.

July 14, Tagged only.

(BH 150) 35-28 C

35-27 Grover X Haines.

(BI 100) 35-27 A

July 14, Tagged only.

(BJ 15) 35-27 B

July 5, Berries of better size, color, and flavor of the average.

July 14, Tagged only.

35-26 1617 H X 2505 A

(BK 52) 35-26 A

July 14, Very small crop. First few ripe. Promises fair scar, good size and flavor.

(BK 97) 35-26 B

July 6, Several light blue berries. Fair size, excellent scar, good flavor, only slightly lacking in sugar and aroma.

(BK 105) 35-26 C

July 14, Only 1 cluster, practically all ripe. Fair blue Largest 18 mm. Good flavor.

(BK 128) 35-26 D

July 14, Few above 16 mm. Good color, scar, flavor and nice aroma.

(BK 133) 35-26 E

July 6, 4-5 berries ripe. Exquisite blue, excellent scar Good flavor.

35-25 2505 A X 1617 H

(BL 30) 35-25 A

July 6, 2 berries 17 mm. Good scar, and color.

- (BL 38) 35-25 B
July 14, Bush in poor condition. 3-4 berries. About 17mm. Good blue, 1 st grade scar, flavor, good for bush's condition.
- (BL 50) 35-25 C
July 6, Small crop. $\frac{1}{2}$ ripe. Beautiful light blue. Excellent scar. Flavor short on aroma.
- (BL 54) 35-25 D
July 14, More than $\frac{1}{2}$ ripe. Largest 18 mm. Good scar, blue, flavor.
- (BL 118) 35-25 B
July 6, 1 berry ripe. Good color, fine scar, flavor above average.
July 14, Flavor short on sugar and aroma.
- (BM 50) 35-25 F
July 16, 1st berry ripe.
- (BM 51) 35-25 G
July 14, 1st berry ripe. Excellent scar, promises good size and flavor.
- 35-24 1437 C X 2505 A
(BN 34) 35-24 A
July 6, Nice bush for the poor conditions. Only 1 good cluster. $\frac{3}{4}$ ripe. Largest 18 mm. Good blue, scar, flavor.
- (BN 52) 35-24 B
July 6, Small bush, large crop. Largest 18mm. Good blue, Extremely good flavor.
- (BN 82) 35-24 C
July 6, Bush very small with poor growing conditions. Good type. 3 small clusters. 9 berries ripe. 2 berries 18 mm. Good blue, good scar, and flavor.
- (BN 127) 35-24 D
July 6, Excellent blue, fair scar, fair flavor. Largest scant 17 mm.
- (BO 53) 35-24 E G
July 6, Crop more than $\frac{2}{3}$ ripe. Largest 17 mm. Good color, good scar. Very good flavor.
- (BO 55) 35-24 F H
July 6, Bush small and poor. Large crop. Berries 18 mm. Good blue, and scar. Flavor short on sugar and aroma.
- (BO 59) 35-24 G I
July 6, Only fair crop on bush. Better than average. Largest 18 mm. Good blue, flavor good, not best in pep and aroma.
- (BO 66) 35-24 N J
July 6, Small bush under poor conditions. Only 5 berries. Largest 19 mm. Nice blue, fair to good scar. Exquisite flavor.
- 35-23 2505 A X 1437 C
(BO 20) 35-23 A
July 6, Tiny bush under poor conditions. Only 2 clusters. 2 berries ripe. Largest 19 mm. Good blue, scar, and flavor.
- (BO 68) 35-23 B
July 6, Largest scant 19 mm. Good blue, excellent scar. Very good flavor.

- (BO 78) 35-23 C
July 6, Nice crop for the small bush. Largest 17 mm. Good blue and scar. pleasant flavor.
- (BO 86) 35-23 D
July 6, Bush better than average. Good crop. Best berries 19 mm. Good blue, scar fair, flavor fair.
- (BO 101) 35-23 E
June 25, Several large blue berries.
July 6, Good crop. Medium bush. Promises to be good size and type. Largest 19 mm. Scar fair to good. Texture slightly soft.
- (BO 118) 35-23 F^D
July 6, Berries 18 mm. Good crop, excellent blue, good scar. Good flavor.
- (BO 129) 35-23 G^E
July 6, Largest 18 mm. Excellent blue, Scar poor to very good. Excellent flavor.
June 25, Several large extra light Blue berries.
- (BO 147) 35-23 H^F
July 6, Several berries nearly ripe. Excellent blue and scar. Flavor lacks sugar.
- (BO 160) 35-23 I^G
July 6, Several berries ripe. Beautiful blue, excellent scar. Pretty good flavor.
- (BO 167) 35-23 J^H
July 6, About $\frac{1}{2}$ the berries ripe. Largest scant 17 mm. Good scar, blue, and flavor.
- (BP 5) 35-23 K^I
July 6, Very small bush, poor conditions. Large crop. More than $\frac{1}{2}$ ripe. Largest scant 19 mm. Beautiful blue, scar good, flavor good, lacks a little sugar and aroma.
- (BP 21) 35-23 L^J
July 6, Good type bush. Berries not over 16 mm. Beautiful blue, good scar, and very good flavor.
- (BP 68) 35-23 M^L
July 16, Berries $\frac{1}{2}$ ripe. Good blue, scar fair, to good. Flavor fair.
- (BP 101) 35-23 N^M
June 25, One large light blue berry.
July 6, Large crop, rangy bush. Largest scant 20 mm. Good blue, fair scar, flavor good, not best in sugar and aroma. Pleasant after taste.
- (BP 165) 35-23 O
July 6, About 4 berries ripe, excellent blue and scar. Fairly good flavor.
- (BQ 27) 35-23 P
July 6, Only 3-4 clusters on bush. Largest 18 mm. Very good blue. Good scar. Extra good flavor.
- (BQ 66) 35-23 Q
July 6, Small bush, largest 18 mm. Good blue, may rub. Scar fair to good. Good flavor and nice texture.
- (BQ 76) 35-23 R
July 6, Very small bush and small crop. Largest 19 mm. Beautiful blue, scar fair to poor. Exceptional flavor.
- (BQ 78) 35-23 S
July 6, Excellent crop for the very small bush under the poor conditions. Largest 18 mm. Good blue. Tendency to rub. Good scar and flavor.

- (BQ 80) 35-23 T
July 6, Good crop for the small bush under the poor conditions. Excellent blue, apparently resistant to rubbing. Excellent scar and flavor.
- (BQ 98) 35-23 U
July 6, Medium crop on bush. Good type. Largest 19 mm. Good blue, scar good. Flavor slightly short on sugar and aroma.
- (BQ 99) 35-23 V
July 6, Good crop on rangy bush. $\frac{1}{4}$ ripe. Largest 21 mm. Several 19 and 20 mm. Good blue, scar, flavor. Pleasant crisp texture.
- (BQ 105) 35-2 3 W
July 6, 1st berries ripe. Small bush. Largest scant 19 mm. Good blue, excellent scar. Good flavor and texture.
- (BQ 120) 35-23 X
July 6, Largest 18 mm; Beautiful blue, good scar, A good sweet berry. Slightly soft texture.
- (BQ 170) 35-23 Y
July 6, Several ripe, not the best scar, color good. flavor good.
- (BR 38) 35-23 Z
July 6, Heavy crop on small bush. First few berries soft. Largest 18 mm. Excellent blue, good scar, delicious flavor, aroma good.
- (BR 81) 35-23 AA
July 6, Good crop, less $\frac{1}{2}$ ripe. Largest 18 mm. Good blue scar and flavor.
- (BR 82) 35-23 AB
July 6, Good crop, $\frac{2}{3}$ ripe. Largest 19 mm, good blue and tendency to rub. Good scar, good flavor, slightly lacking in aroma. Pleasant texture.
- (BR 83) 35-23 AC
July 6, About ready for the 1st con. picking. Largest 18 mm. Beautiful light blue, rubs somewhat. Excellent scar, good flavor.
- (BR 88) 35-23 AD ^{AE}
July 6, Bush straggly and good crop. Largest 19 mm. Good average size. Nice scar, texture soft. Flavor good to fair.
- (BR 89) 35-23 AE ^{AF}
June 25, 2 immense light blue berries.
July 6, Bush fine type, Largest 19 mm. Good blue and fair to good scar. Fair to good flavor.
- (BR 106) 35-23 AF
July 16, Unusually light blue. Largest 20 mm. Scar fair to excellent. Flavor short on sugar and aroma.
- 35-22 2505 A X 2506 B
(BT 103) 35-22 ^{A B}
July 17, Heavy crop. Extremely light blue color. $\frac{3}{4}$ ripe. Scar good, Largest 19 mm. Promises to run small. Flavor fair to short of the best.
- (BT 114) 35-22B ^C
July 17, Small crop. Largest 19 mm. All large. Medium blue. Very small scar, may tear. Very good flavor.
- (BT 117) 35-22 ^{C D}
July 17, Small bush, and small crop. $\frac{1}{2}$ ripe. Largest 17-18 mm. Extremely light blue, Small scar. Flavor very good.
- (BT 123) 35-22 ^{D E}
July 6, Medium sized crop. Largest 18 mm. High average size. Good color, size, scar, and flavor.

- (BT 134) 35-22 ^E
July 17, Small bush, heavy crop. 1st berries turning
Good scar, light blue. None ripe.
- (BT 166) 35-22 ^F
July 17, Very small crop. Berries 16-17 mm. Extremely light
blue. Good scar, flavor and somewhat lacking in
aroma.
- (BU 6) 35-22 ^G
July 17, Medium bush, foliage light green. Small crop.
Light blue, Largest 18 mm. Uniform size. Good
scar, delicious flavor.
- (BU 18) 35-22 ^H
July 17, Late berry. Small bush, small crop. Large cluster
ripe. Light blue, large average size. Good flavor.
- (BU 39) 35-22 ^I
July 17, 1st berry turning blue. Heavy crop. Beautiful blue.
Good scar. Flavor lacking sugar and aroma.
- (BU 54) 35-22 ^J
July 17, 1st berry turning blue. Largest 18 mm. Small scar
Flavor lacks sugar and aroma.
- (BU 56) 35-22 ^K
July 17, Nice type bush. Good crop all ripe. Good blue,
good scar, Large average size. Medium blue.
- (BU 69) 35-22 ^L
July 17, Small bush, 2 clusters berries, all ripe.
Largest 18 mm. Blue lighter than average. Small
dry scar. Flavor lacking pep and may be over ripe.
- (BU 70) 35-22 ^M
July 17, Small bush, medium crop. Good flavor. Berries
more than $\frac{1}{2}$ ripe. Largest 18 mm. Light blue, scar
fair and flavor good.
- (BU 88) 35-22 ^N
July 17, Beautiful blue. Largest 19 mm. Good scar. Flavor
somewhat lacking in acid and aroma.
- (BU 106) 35-22 ^O
July 17, Well grown bush. Foliage too yellow. Medium heavy
crop. Less $\frac{1}{2}$ ripe. Very light blue, Good scar, and
flavor.
- (BU 105) 35-22 ^P
July 17, Good size, heavy crop. Less $\frac{1}{2}$ ripe. Largest 17mm
Later ones promise to run small. Light blue, good
scar and flavor, high in aroma.
- (BU 111) 35-22 ^Q
July 17, Very late. 1st berry blue. Bush well grown. $\frac{1}{2}$
yellowish leaves. Medium light crop. Light blue
streaked. No berries ripe.
- (BU 112) 35-22 ^R
July 17, Small bush, good crop. Largest 17 mm. Light blue.
Good scar, very good flavor.
- (BU 115) 35-22 ^S
July 6, First berries just turning blue.
July 17, Medium bush, good type, and good foliage. Good
crop about $\frac{3}{4}$ ripe. Largest 21 mm. Large average
size. Scar good. Flavor good to fair.
- (BU 123) 35-22 ^T
July 17, Bush fair type. Large crop. Less $\frac{1}{2}$ ripe. 20mm.
Large blue berries. Scar fair to good. Flavor
fair, lacks sugar and aroma.
- (BU 143) 35-22 ^U
July 17, $\frac{3}{4}$ ripe. Very large average size. Nice blue.
Good scar. Flavor lacks sugar and aroma.
- (BU 12) 35-22 ^V
July 17, Small bush, fine type foliage. Sm crop.

- (BV 7) 35-22 W Z
July 17, Small bush with medium crop. 1st berries blue. Largest scant 20 mm. Light blue. Good scar. Flavor fair to flat.
- (BV 25) 35-22 X AA
July 17, Bush nice foliage, small. Medium crop. Dark blue berries, good scar, flavor has nice aroma, slightly lacking in pep and sugar.
- (BV 66) 35-22 Y AB
July 17, 1st berries turning blue. Light colored. Largest 19 mm. Small scar. No sugar or aroma. May develop it later.
- (BV 82) 35-22 Z AC
July 6, Good type bush. Fair crop, $\frac{1}{2}$ ripe. Largest scant 21 mm. Scar too broad. Flavor lacking sugar and aroma.
- 35-21 2506 B K 2506 A
(BV 108) 35-21 A
July 17, Well grown bush. Fair crop, $\frac{1}{2}$ ripe. Darker than medium blue. Excellent scar and very good flavor.
- (BV 113) 35-21 B
July 17, Good crop, more than $\frac{1}{2}$ ripe. Largest 18 mm. Large average size. Scar fair to good. Very light blue. Flavor very good, texture slightly soft.
- (BV 149) 35-21 C
July 17, Fair sized bush. Less $\frac{1}{2}$ ripe. Extremely good blue. Good scar. In a very few ripe berries there is sugar and aroma but in the majority it is lacking.
- (BV 158) 35-21 D
July 17, Good crop, $\frac{3}{4}$ ripe. Largest 17 mm. Good average size. Very good scar. Excellent blue. Flavor lacks sugar and aroma.
- (BW 58) 35-21 E F
July 17, Small bush, fine foliage. Crop $\frac{3}{4}$ ripe. Good size Blue lighter than medium. Small dry scar. Delicious flavor.
- (BW 72) 35-21 F G
July 17, Nice type, good foliage. Medium to large crop. Largest 19 mm. Large average size. Light blue, scar fair to poor. Flavor good.
- (BW 87) 35-21 G I
July 6, Berries near $\frac{1}{2}$ ripe. Largest 19 mm. all large. Beautiful blue. Scar good, not best. Flavor fair lacks pep and aroma.
- (BW 95) 35-21 H K
July 17, Crop less than $\frac{1}{2}$ ripe. Largest scant 20 mm. Large average size. Medium blue, rubs. Texture slightly soft. Flavor high in sugar and aroma.
- (BW 101) 35-21 I L
July 17, Bush large good crop. $\frac{1}{2}$ ripe. Largest scant 20 mm. Medium blue, scar very small tears somewhat. Flavor fairly good.
- (BW 110) 35-21 J N
July 6, Very small bush with 6-7 clusters. Large average size. Largest scant 20 mm. Good blue. Fair to good scar. Nice texture. Flavor somewhat lacks aroma, and sugar.
July 17, Largest 21 mm. Scar fair to poor.
- (BW 133) 35-21 K O
July 17, Small bush. 3 berries all ripe. Largest 18 mm. Light blue. Fair scar, good flavor.
- (BW 137) 35-21 L P
July 13, Largest 18 mm. Light blue but rubs. Scar fair. Flavor good, nice aroma.

- 35-20 1437 C X 2506 B
 (BW 148) 35-20 A July 6, 1st berries blue. Largest 18 mm. Beautiful color. Good scar and flavor.
- (BW 160) 35-20 B^C
 June 25. Several immense berries. Light blue.
 July 6, Practically all ripe. Large average size. Largest 19 mm. Good color, scar good. Flavor good, slightly lacking in aroma.
- (BX 135) 35-20 C^E
 July 17, Very small bush. $\frac{1}{2}$ doz. berries. Largest 18 mm. Very small scar. Very good flavor.
- (BX 141) 35-20 D^F
 July 17, Very small bush. Fair crop. $\frac{3}{4}$ ripe. Medium blue. Good scar. Good flavor.
- (BY 98) 35-20 E^G
 July 6, Berries up to scant 20 mm. Beautiful color. Good flavor.
- ? (BY 172) 35-20 F
 July 6, Very small bush, exceedingly poor conditions. Largest scant 18 mm. Beautiful color. Good scar and flavor.
- 35-19 2506 B X 1437 C
 (BZ 37) 35-19 A July 17, Small bush, large average size. Largest 18 mm. Scar fair to good. Very good flavor.
- (BZ 37) 35-19 B^{R2}
 July 6, Berries up to 19 mm. Good blue and scar. Fairly good flavor, good in aroma.
- (BZ 132) 35-19 C
 July 6, Very small bush. Good flavor and scar, color.
- (CA 155) 35-19 D^F
 July 6, very small bush, poor conditions. Good flavor and color
- (CA 158) 35-19 E^G
 July 6, Very small bush, poor conditions. 1 berry up to 18 mm. Beautiful color, and scar.
- (CB 18) 35-19 F^H
 July 6, Small crop. Largest 18 mm. Beautiful blue. Good scar and flavor.
- ? (CB 42) 35-19 G
 July 13, Largest scant 18 mm. Scar fair to poor. Color light blue. Flavor good especially in aroma.
- 35-17 2506 B X Jersey
 None kept.
- 35-16 Jersey X Pioneer
 (CE 47) 35-16 A July 6, Berries 18 mm. Beautiful blue. Fair scar. Excellent flavor. Good aroma. Bush of better vigor than others. Very good crop.
- (CF 93) 35-16 B
 July 6, Beautiful scar. Nice vigorous bush. Large crop. Few berries over 16 mm. Excellent color. Exceedingly good flavor. Unusual nutty flavor.
- (CG 65) 35-16 C^D
 July 17, Small bush. Fair drop $\frac{1}{2}$ ripe. Medium blue. Good scar, good flavor.

Seedlings of '56 in Lower Blue bog

Row 2.

36-10 Jersey X Stanley

Plant 13. 36-10 A

July 7, First berry ripe. Beautiful color.
 July 20, Large picking. Good size. Beautiful light blue color. Scar fair

Plant 18. 36-10 B

July 7, Crop 3/4 ripe. Very large average size
 Largest scant 18 mm/ Fairly good scar.
 Delightful flavor.

Plant 27. 36-10 C

July 20. Nice picking. 1/2 ripe. Light blue. Good scar and flavor.

Plant 98. 36-10 D

July 7, Crop not more than 10-12 berries. Large average size. Largest 18 mm. Medium blue. Scar fair to good. Flavor not worth keeping.
 July 20. Flavor good. Scar good and texture good

36-9 Stanley X Jersey.

Plant 127 36-9 A^B

July 7, Small crop. Very good blue. Good scar.
 Largest 16 mm. Fine flavor.

Plant 131 36-9 B^C

July 7, Very small crop. Largest 18 mm. High average size. Good scar and flavor.
 July 20. Some have a bad scar.

Plant 144. 36-9 C^E

July 7, Large green berries turning pink.
 July 20. Small crop all ripe. Largest 19 mm. Blue is dark and rubbed. Scar fair to good. Flavor lacks pep and aroma.

Row 3
 36-12 1437 C X Stanley

Plant 22. 36-9 D

July 7, Bush of large average size. Fine type. Crop small, may be susceptible to frost
 Largest scant 20 mm. Scar fair to poor.
 Delightful flavor.

Row 3
 36-11 Stanley X 1437 C

Plant 40. 36-11A

July 7, Moderate crop. More than 1/2 ripe. Berries of lovely color, good size, Largest 17m
 Broad wet scar. Very good flavor.

Plant 67. 36-11 B

July 7, Crop 4/5 ripe. Largest 18 mm. Large average size. Medium blue. fair scar. Very good flavor.

Plant 68. 36-11 C

July 7, Only 4 berries left. 3 ripe. Largest 16mm. Medium good color and scar, good flavor

Plant 73. 36-11 D.

July 7, Only 4 small clusters. Fine blue. Large average size. Largest scant 17 mm. Small scar and very good flavor.

Plant 77. 36-11 E

July 7. Crop not more than 7-8 berries Largest 18 mm.

36-13 Stanley X 2505A ~~A~~
 Row 3 Plant 148 36-13 A

July 7, Large green berries first turning blue.
 July 20. All of small crop ripe. Very light blue.
 Small dry scar. Fine flavor.

Plant 158 36-13 B
 (Row 4)

July 7, Flavor too flat.

Plant 76 36-13 C^D

July 20, Very small crop. Largest 17-19 mm. Beautiful light blue. Good scar and flavor short on pep.

Plant 82 36-13 D^E

July 7, Birds have taken 1st 3 berries. Unusually good color. More than 17 mm.

July 20. Berries lack pep and aroma. Fine color and good scar.

36-14 2505 A X Stanley.

Plant 112 36-14 A

July 20. Tagged only.

Plant 120 36-14 B^C

July 20. Crop of 5-6. Possibly frost. Good blue and flavor. Scar broad.

Plant 121 36-14 C^D

July 20. Light blue. Largest average size. High in aroma. Scar fair to very bad.

36-15. Stanley X 2505 H (GM 35)

None kept.

36-16 2505 H X Stanley

None kept.

36-18 Concord X 2505 H

None kept

36-19 1437 C X 28-8A

~~Plant 109 36-19 A~~ *discard*

July 7, Bad scar. Absence of aroma.

July 20. Scar bad. Size and color good and may develop flavor later.

Plant 112. 36-19 B^A

July 7, Large crop 3/4 ripe. Berries large average size. Largest 19 mm. Beautiful blue. Scar fair to good. Flavor very good.

Plant 124. 36-19 C^B

July 13, Largest scant 20 mm. Flavor good. Scar fair to good.

July 20. Very large berries. Largest 19 mm. Soft texture. Some rain cracked. Scar good.

Plant 136. 36-19 D^C

July 7, Scar and flavor put it on the borderline.

July 20. Largest 18 mm. Nice blue. Scar fair. Flavor pretty good.

~~Plant 162. 36-19 E~~ *discard*

July 7, Scar bad.

Row 6.

Plant 1 36-19 F^D

July 7, Small crop. Dark blue in color. Uniform size Largest 18 mm. Scar fair to good. Flavor good.

Plant 43 36-19 G^E

July 7, Medium crop. Large light blue. 19mm. Good flavor and scar.

- 36-20 28-8 A X 1437 C
 Plant 65 36-20 A July 20. Small crop. Light blue. Some excellent flavor.
- Plant 70. 36-20 B July 7. Small crop. Large average size. Largest 18 m
 Extra light blue. Fair scar. Good flavor.
- Plant 81. 36-20 C July 20. Medium blue, uniform in size. Largest 17 mm.
 Fair to good scar. Extremely good flavor.
- Plant 90. 36-20 D July 20. Very few berries. Large average size. Very good
 scar and extremely good flavor.
- Plant 126. 36-20 E July 20. Last of crop ripe. Scar small and deep, inclined to
 tear. Flavor very good.
- Plant 142. 36-20 F July 7. 1st 2 berries blue. Very good flavor.
- Plant 146. 36-20 G July 7. Fair crop. 3/4 ripe. Fine blue. Largest 19 mm
 Scar broad and wet. Flavor indifferent.
- Row 7
 Plant 8 36-20 ~~A~~ July 7. Small crop, more than 1/2 ripe. Largest scar 2 2 mm
 Light blue, scar fair to good. very good flavor.
- Plant 51 36-20 I H July 7. Small crop and large average size. Largest 18mm.
 Good scar and flavor.
- Plant 54. 36-20 ~~E~~ I July 7. Small bush and fair crop. Large average size.
 Largest 18 mm. Very light blue. Scar fair to
 poor. Very sweet, short in pep.
- 36-25 2505 A X Concord
 None kept.
- 36-24 1437 C X 1617 H
 None kept.
- 36-22 1437 C X Concord
 None kept.
- 36-21 Concord X 1437 C
 None kept.
- 36-20 28-8 A X 1437 C
 None kept.
- 36-25 2505 A X Concord.
 none kept