Products for today's lifestyle!™

WEST BEND®
















Catalog 69

The WEST BEND COMPANY, West Bend, Wisconsin 53095



In celebrating our 75th anniversary, The West Bend Company has reached a new milestone in the company's history.

Our houseware operations first began in 1911 in one small rented building along the westernmost bend of the Milwaukee River. Today, The West Bend Company occupies more than 1.5 million square feet. Over the years, West Bend has grown vigorously and adapted quickly to changing consumer needs. As a result, The West Bend Company is nationally recognized as a leader in the housewares industry.



Table of Contents

Cordless Irons ____ 4-5

Toaster•Oven•Broiler ____ 6-7

Cordless Appliance System ____ 8-9

Food Processor ____ 10-11

Electric Woks ____ 12-13

Slow Cookers ____ 14-15

Electric Skillets ____ 16-17

Specialty Electrics ____ 18-19

Corn Poppers ____ 20-21

Heat and Servers ____ 22-23

Percolators ____ 24-25


Party Perks ____ 26-27

Urns ____ 28

Electronic Timers ____ 29-30

Free styling with the

Cordless Iron











A



A



A



B



A-B

West Bend innovation has eliminated the iron's biggest nuisance — its cord. Now, ironing is easier and more convenient... perfect for today's lifestyle.

A. No. 6012 FreeStyle® Electronic Cordless Iron

- Electronic system features automatic shut-off and tone alert. After ten minutes of non-use, a repetitive tone alerts user that iron will automatically shut off if not used within two minutes.
- Touch control panel makes fabric selection easy.
- Solid state temperature control monitors temperature when iron is resting in its base. A red "wait" light indicates when iron is heating or cooling to selected temperature; green "ready" light indicates when iron has reached selected temperature.
- Full-featured styling includes surge-of-steam button; dry, steam, and max steam settings; spray mist nozzle; and SilverStone® coated soleplate.
- For safety, iron has two-step "on" procedure. Blinking select fabric light reminds user to select fabric setting after iron is turned on.
- Choice of five fabric settings plus high/low heat ranges.
- A small portion of the soleplate is removable for easy cleaning of accumulated mineral deposits.

Other features include full-length button groove; contoured thumb rest; and 1400 watt rated power base. 120 volts. AC only. UL listed. Full-color litho carton. Std. pk. of 4, approx. ship. wt. 17.8 lbs., approx cube 1.140 cu. ft.

B. No. 6008 FreeStyle® Cordless Iron

West Bend first introduced the concept of a cordless iron with this steamy best seller.

- Surge-of-steam button, max steam, steam and dry settings.
- No-spot steam chamber helps prevent accidental water spotting.
- SilverStone® coated soleplate — glides over fabrics.
- Spray-mist — dampens an area at the push of a button.

A full range of temperature settings. See-through reservoir — water supply is visible at a glance. Temperature light — signals when iron has reached desired temperature. Electric power base. Contoured thumb rest. 1400 watt rated power base, 120 volts, AC only. UL listed. Full-color litho carton. Std. pk. of 4, approx. ship. wt. 16.8 lbs., approx. cube 1.140 cu. ft.

WEST BEND®

Toast of the town

Toaster·Oven·Br

New!





oiler







The Oven Up™ Toaster•Oven•Broiler is an innovative new product from West Bend that brings space-saving convenience, versatility and superior performance into the kitchen. Our unique two position design means that today's homemaker can use one appliance — the Oven Up — for their complete toasting, baking, roasting or broiling needs.

No. 74006 Oven•Up™ Toaster•Oven•Broiler

This unit features a unique two-position design — a compact position for toasting up to six slices at a time, or, turn the side handles and the unit expands to the oven position for baking, roasting, and broiling. It saves space, plus provides outstanding performance.


- Microprocessor controlled for accurate temperature sensing.
- Electronic "tone" signals when oven reaches desired temperature. Also indicates when toast is done, then automatically shuts off.
- Includes 13 x 9 x 2 inch bake/broil pan and two position, chrome-plated broil rack that doubles as a cooling rack for baked foods.
- Can be used on countertop or mounted under-the-cabinet. Includes mounting hardware and heat deflector for insulation between oven and cabinet.

Easy-to-clean unit features removable oven panels, rack and hinged crumb tray. Three control knobs let you select oven temperature, toast color and desired function — BAKE for roasting meats and poultry; CAKE BAKE for even browning of cakes; BROIL for steaks; and TOAST. Lighted ON/OFF switch. Oven rack slides out when door is open. 1600 watts, 120 volts, AC only; UL listed. Full-color graphics label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 15.5 lbs., approx. cube 1.820 cu. ft.

WEST BEND®

Simple as 1-2-3

Cordless Applian






ce System









West Bend creates a new dimension in kitchen appliances with the introduction of Connect 3™ a cordless appliance system. Can opener, mixer, or knife, all three attachments are included in one, easy-to-use rechargeable modular appliance system. Perfect for preparing a variety of foods without the inconvenience of a cord.

No. 6510 Connect 3™ Cordless Rechargeable Appliance System

This unique cordless system is a can opener, mixer and electric knife — all in one, easy-to-use product. With a quick twist, the attachments lock into place on the rechargeable power handle.


- The power handle uses five rechargeable batteries for a long-lasting performance. (Batteries included.) Features include comfortable fingergrips, an on/off safety switch, momentary on/off button, support base and heel rest.
- The can opener will open any can size or shape. A magnet lifts off the cut lids. Plus, the removable cutting handle is easy-to-clean.
- The mixer is great for beating cakes, pudding and creams. It has two chrome-plated steel beaters, a multi wire whisk and an ejector button.
- The knife has two stainless steel serrated blades that lock together. They also have grease guards to prevent juices from entering the motor. An eject button makes removal easy.
- The charger/storage holder can be used on the counter or mounted on the wall. Only one outlet is needed for recharging. The holder stores two attachments, beaters, whisk, blades and power handle with one attachment. A light signals when unit is charging.


Full-color graphic display carton. UL listed. Std. pk of 4, approx. ship. wt. 18.5 lbs., approx. cube 2.125 cu. ft.


WEST BEND™

Tower of power

Food Processor









The West Bend High Performance Food Processor is a perfect kitchen companion for every day food preparations. Whether shredding cheese, slicing potatoes, chopping walnuts, mixing pizza dough or mincing garlic, this versatile kitchen helper delivers an outstanding performance every time. And, its lightweight, trim design makes handling easy and countertop placement ideal.

No. 6500 High-Performance Food Processor

Powerful yet compact, this sturdy food processor is perfect for everyday use. It slices, shreds, chops, minces, purees and mixes.

- Special ON/OFF control can be used for continuous processing or pulsing — perfect for preparing a variety of foods.
- Easy grip handles on bowl and power base provides control during use and makes removal of food easier.
- 500 watt motor is extremely powerful. Blade rotates twice as fast as larger food processors.

Contoured bowl insures thorough processing. Cover features double pouring holes for adding liquid during processing. Continuous feed attachment with food pusher allows continuous shredding and slicing of foods. Stainless steel slicer/shredder blade with ejector disc. Specially-designed, stainless steel cutting blade chops foods evenly. Safety interlock feature insures proper assembly before use. Sleek styling makes unit easy-to-clean and space saving. Rubber feet provide stability. 500 watts, 120 volts, AC only; UL listed. Full-color litho carton. Std. pk. of 3, approx. ship. wt. 21.0 lbs., approx. cube 2.363 cu. ft.

WEST BEND™

Wonders of the Wok









A. No. 79525X 6-Qt. Electric Wok

- Designed for versatility, you can stir-fry, deep-fry, steam, stew, simmer and serve in this handy Wok.
- Quality aluminum construction and variable temperature settings provide fast, even heating.
- Non-stick interior makes clean-up easy.
- Colorful acrylic-on-aluminum pan and cover are stain and fade-resistant.
- Tempura rack included.
- Free Better Homes and Gardens booklet includes dozens of delicious recipes.

Heat-resistant base, handles and cover knob. Non-immersible. Heat control range: Lo to Hi. 1000 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 5.9 lbs., approx. cube 1.371 cu. ft.

B. No. 79506X 6½-Qt. Electric Wok

- Large size, aluminum construction and Sensa-Temp® heat control for efficient stir-frying, deep-frying and steaming.
- SilverStone® premium non-stick surface for easy clean-up.
- Tempura rack included.
- Immersible and dishwasher-safe with heat control removed.
- Includes deluxe recipe booklet with more than 100 recipes using common ingredients. Many color photos.

Porcelain-on-aluminum base; acrylic-on-aluminum dome cover. Heat-resistant handles, legs and cover knob. Heat control range: warm - 425°F. 1000 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 7.1 lbs., approx. cube 1.542 cu. ft.

C. No. 5109 Our Original Wok

- 5¼-qt. capacity.
- Heavy-gauge aluminum spreads heat evenly.
- Porcelain-on-aluminum pan; acrylic-on-aluminum cover.
- SilverStone® premium non-stick interior from Du Pont prevents sticking and resists scratching.
- Stir-fry or deep-fry with professional results.
- Free Better Homes and Gardens recipe booklet included.

Sensa-Temp® heat control maintains accurate temperatures from "warm" to 425°F. Dishwasher safe with heat control removed. 1000 watts. 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 5.9 lbs., approx. cube 1.276 cu. ft.

D. No. 79526X 7-Qt. Electric Wok

- 1500 watts of power reaches cooking temperatures faster; maintains heat level which is essential to seal in natural food juices and help retain vitamins, color and crispness.
- SilverStone® SUPRA superior non-stick surface for easy cleaning.
- Sensa-Temp® heat control maintains accurate temperatures and features adjustable settings from warm to 425°F.
- Includes tempura rack and a 96-page cookbook filled with over 100 wok recipes.
- Wok is immersible and dishwasher-safe with heat control removed.
- Heat-resistant base, handles and cover knob.

Porcelain-on-aluminum base; acrylic-on-aluminum cover are stain resistant. 1500 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 7.5 lbs., approx. cube 1.542 cu. ft.

WEST BEND®

Simmering with the Slow Cookers











A. No. 84114 4-Qt. Slow Cooker with Rockcote®
A Superior Non-Stick Surface

- Oblong pot may also be used on the range or in a preheated 350°F. oven; interior is surfaced with Rockcote,® the non-stick that's triple thick for added durability.
- Base is a handy grill for quick meals; fired-on non-stick surface makes cleaning extra easy. Variable heat control.
- Oven-safe glass cover doubles as a 1½-qt. casserole/serving dish.
- Porcelain-on-aluminum pot is fade and stain-resistant; pot and cover are dishwasher-safe.

Heat-resistant base has 10⅝" x 7¼" grilling surface. 300 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented container. Std. pk. of 1, approx. ship. wt. 7.7 lbs., approx. cube .638 cu. ft.

B. No. 84904 Little Black Kettle with Non-Stick Interior

- Variable heat settings for complete temperature control.
- Removable kettle features a metal handle for carrying ease. Can be used on rangetop or in oven.
- Non-stick interior makes cooking and cleaning easy.
- Attractive charcoal exterior.
- Metal kettle and cover are immersible and dishwasher-safe.

4-qt. capacity. Separate phenolic heating base with steel inset. 200 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 4.8 lbs., approx. cube .595 cu. ft.

C. No. 84124 4-Qt. Slow Cooker with Rockcote®
A Superior Non-Stick Surface

- Variable heat setting for complete temperature control.
- Rockcote® non-stick surface is triple thick for added durability.
- Removable porcelain-on-aluminum pot can be used in oven or on rangetop.
- Pot and glass cover are immersible; dishwasher-safe.

Separate phenolic heating base with steel inset. 200 watts; 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 6.3 lbs., approx. cube .510 cu. ft.

D. No. 84306 Country Forge® 6-Qt. Multi-Purpose Cooker

- Variable temperature control for versatility — slow cooks, roasts, grills, bakes, warms and serves.
- Oblong porcelain-on-aluminum pot is ideal for a wide variety of foods; doubles as a rangetop or oven utensil (up to preheated 350°F.).
- Easy clean-up with non-stick coated pot and grilling surface of base; pot and cover are dishwasher-safe.

Includes roasting rack. Heat-resistant handles and base with 10⅝" x 7¼" grilling surface. 300 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 8.2 lbs., approx. cube .886 cu. ft.

E. No. 84116 6-Qt. Oblong Slow Cooker

- 6-qt. oblong pot is perfect for roasting whole chickens and larger cuts of meats; also slow cooks, warms, bakes and stews family-sized meals.
- Versatile 1½-qt. glass cover can be used as an oven-safe casserole dish.
- Base can be used as a mini-grill for sandwiches, sausage and eggs. Non-stick coating insures easy cleaning.
- Porcelain-on-aluminum pot is fade and stain-resistant; can be used on the range or in a preheated 350°F. oven. Interior of pot has non-stick coating. Pot and cover are dishwasher-safe.


Includes roasting rack. Heat-resistant base has 10⅝" x 7¼" grilling surface. 300 watts, 120 volts, AC Only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 9.0 lbs., approx. cube .886 cu. ft.

WEST BEND®

Skills of the Skillets











A. No. 1440 12-In. Skillet with SilverStone® Premium Non-Stick Surface

- Large skillet with SilverStone® non-stick surface for cooking big meals with easy clean-up.
- Heavy gauge aluminum heats food quickly and evenly.
- Accurate temperatures are maintained by Sensa-Temp® heat control (removable so skillet can go in dishwasher).

Porcelain-on-aluminum base; acrylic-on-aluminum high-dome cover with silk-screened design. Heat-resistant handle/legs, cover knob. Heat control range: warm-425°F. 1200 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 6.2 lbs., approx. cube 1.110 cu. ft.

B. No. 72106X Oblong Skillet with SilverStone® Premium Non-Stick Surface

- Oblong skillet measures 14½" x 10½" x 2½" — perfect for preparing larger cuts of meat and poultry.
- SilverStone® non-stick surface for easy cleaning.
- Heavy-gauge aluminum construction for even heat distribution.
- Sensa-Temp® heat control (removable so skillet can go in dishwasher).
- Attractive porcelain-on-aluminum base and acrylic-on-aluminum cover are stain and fade resistant.

Heat resistant handle/legs and cover knob. Heat control range: warm-425°F. 1300 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 7.7 lbs., approx. cube 1.547 cu. ft.

C. No. 72609 11-In. Electric Skillet

- Heavyweight aluminum construction and Sensa-Temp® heat control for even, accurate heating.
- White exterior with non-stick interior for easy clean up.
- Completely immersible and dishwasher-safe with heat control removed.

Porcelain-on-aluminum skillet base, acrylic-on-aluminum high dome cover. Heat-resistant trim. Heat control range: warm-425°F. 1200 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 5.3 lbs., approx. cube .999 cu. ft.

D. No. 72129 11-In. Electric Skillet with Rockcote® A Superior Non-Stick Surface

- 11-in. size is convenient for cooking, serving and storing; easy-to-clean Rockcote® non-stick interior is triple thick for added durability.
- Removable Sensa-Temp® heat control and heavyweight aluminum construction provides accurate, even heating. Skillet is dishwasher-safe with heat control removed.
- Base exterior is fade, stain-resistant.

Porcelain-on-aluminum skillet base; acrylic-on-aluminum high-dome cover with handsome silk-screened design. Heat-resistant trim. Heat control range: warm-425°F. 1200 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 5.0 lbs., approx. cube .636 cu. ft.

WEST BEND®

Special effects with

Specialty Electri





CS







A. No. 86618 Automatic Egg Cooker

- Makes the most of your eggs — poaches up to 4, soft or hard-cooks up to 8.
- Easy to use — unit shuts off automatically and "on" light goes out when eggs are done. Convenient — no guess work about proper timing and temperatures.

Includes egg rack, poaching pan and measuring cup. Heat-resistant base. 600 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, approx. ship. wt. 9.8 lbs., approx. cube 1.248 cu. ft.

B. No. 89010 Stainless Steel Buffet Server II

- It's a warming tray and convenient serving unit in one.
- Designed to keep hot, cooked foods at serving temperature.
- High-quality stainless steel construction provides beautiful, care-free service.
- Tray has 22" x 10" heating surface with a non-skid grid pattern.
- Serving unit contains three dishes (two 1½-qt. glass, one 3-qt. stainless steel). Stainless steel covers help keep food warm.

Variable temperature control (low to high). Heat-resistant, brown phenolic trim for safe handling. 350 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 20.3 lbs., approx. cube 1.582 cu. ft.

C. No. 88502 Electric Fondue Pot

- Variable heat control features settings for preparing and serving meat, cheese and dessert fondue. Maintains accurate, even temperatures.
- Includes four stainless steel forks with heat-resistant handles. Color-coded for easy identification.
- Non-stick interior is scratch-resistant and easy to clean.
- Porcelain-on-aluminum construction is fade, chip and stain-resistant.
- Removable ring with eight fork slots holds forks in place while foods cook.

2-qt. capacity. Recipe booklet contains dozens of delicious recipes. Heat-resistant handle/legs. Immersible with heat control removed. 600 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 3.2 lbs., approx. cube .398 cu. ft.

D. No. 76208 Electric Griddle

- Large 17" x 11" cooking surface.
- Thick, heavy-gauge aluminum construction provides fast, even heating.
- Rockcote® a superior non-stick surface, is three layers thick for added durability and easy cooking and cleaning.
- Sensa-Temp® heat control has variable settings (from warm to 425°F.) and a convenient temperature guide.
- Grease well traps juices; two pouring lips make disposal easy.

Immersible and dishwasher-safe with heat control removed. Heat-resistant handle/legs. 1470 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 6.6 lbs., approx. cube .703 cu. ft.

WEST BEND®

Popping to please

Poppers









B



C

A. No. 5346 Stir Crazy® 6-Qt. Corn Popper

- EXCLUSIVE stirring rod stirs kernels for bigger, fluffier, great-tasting popcorn — up to 25% more using the same amount of kernels and less oil.
- FAST — pops 6 quarts in about 6 minutes.
- Butter well and stirring rod action combine for even distribution of butter as corn pops.
- Awarded the Popcorn Institute Seal of Approval for quality performance.

Non-stick popping surface on heat-resistant base. Cover flips for serving. Detachable cord. 1000 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 4.6 lbs., approx. cube .756 cu. ft.

B. No. 82204 Butter-matic® II 4-Qt. Corn Popper

- Quickly and automatically pops and butters up to four quarts of popcorn.
- Popper shuts off automatically to help prevent scorching or burning.
- Compact size uses little counter and storage space.
- Cover flips for serving.

Heat-resistant cover with built-in butter well, plastic cap. Heat-resistant base with non-stick popping surface. Detachable cord. 600 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 3.3 lbs., approx. cube .605 cu. ft.

C. No. 82102 Poppery® II 4-Qt. Hot Air Corn Popper

- Pops up to 4 quarts of delicious popcorn, without oil, in about 3 minutes.
- No oil means fewer calories, no cholesterol and less mess.
- Regular kernels pop right into a serving bowl.
- Advanced compact design is easy to store.


Heat-resistant base. Removable measuring/butter cup. 1200 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 2.6 lbs., approx. cube .328 cu. ft.

WEST BEND®

Hot and steamy

Heat and Server









A. No. 53106 (Almond with Brown Stripes) Hot Pot™ Heat and Server
- Variable temperature control boils up to 36 ounces of water, then keeps it hot for hours.
- Also warms leftovers and canned foods; or heats milk for puddings and chowders.
- Convenient for use in the home, office or dorm.

Acrylic finish on seamless aluminum. Lock-on lid. Heat-resistant base, handle and cover. Markings for easy measuring. Detachable cord. 600 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, approx. ship. wt. 5.7 lbs., approx. cube .896 cu. ft.

B. No. 3253 (Hot Pepper) Hot Pot™ Heat and Server
- Variable temperature control boils up to 36 ounces of water, then keeps it hot for hours.
- Also warms leftovers and canned foods; or heats milk for puddings and chowders.
- Convenient for use in the home, office or dorm.

Acrylic finish on seamless aluminum. Lock-on lid. Heat-resistant base, handle and cover. Markings for easy measuring. Detachable cord. 600 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, approx. ship. wt. 5.3 lbs., approx. cube .842 cu. ft.

C. No. 53206 Hot Pot™ Heat and Server
- Quickly heats up to 36 ounces of water for instant tea, coffee or soup.
- Secure lock-on lid minimizes accidental spillage.
- Great for singles, students or travelers.
- Attractive toast color.

Constant temperature. Acrylic finish on seamless aluminum. Heat-resistant base, handle and cover. Water level markings. Detachable cord. 500 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, approx. ship. wt. 5.1 lbs., approx. cube .827 cu. ft.

D. No. 53205 2 to 5 Cup Hot Pot™ Heat and Server
- Heats two to five serving cups of water (5½ oz. each cup) for instant coffee, tea, cocoa, soup and cereal.
- Automatic temperature control keeps water hot while Hot Pot is plugged in.
- Cover easily twist-locks for a secure fit.
- Pouring lip helps prevent dripping when serving.
- Made of lightweight, durable polypropylene.
- Cup markings on inside of pot make it easy to heat the correct amount of water needed.

Heat-resistant handle, base and cover. 600 watts, 120 volts, AC only. UL listed. Packaging: Full-color graphic label on benefit-oriented carton. Std. pk. of 3, approx. ship. wt. 4.5 lbs., approx. cube .544 cu. ft.


E. No. 53102 Break-Time® 2 Cup Beverage Maker
- Heats 12 ounces (two 6 ounce servings) of water in about 90 seconds for instant coffee, tea and soup.
- Signal light turns on and heating begins when HEAT lever is pressed. As soon as water reaches serving temperature, signal light and beverage maker shut off.
- Press DISPENSE lever to fill cup with water.
- Pivoting top folds for compact storage when not in use.
- Level markings for 6 and 12 ounce servings are clearly marked for easy filling.

Durable, molded construction. Lock-on lid helps prevent accidental spills. Convenient cord storage bar on backside holds cord out of the way. 1450 watts, 120 volts, AC only. UL listed. Full-color litho container with benefit-oriented copy. Std. pk. of 3, approx. ship. wt. 9.1 lbs., approx. cube .623 cu. ft.

WEST BEND®

Brewing to perfection with

Percolators











A. No. 9466 Polished Aluminum Percolator
- Automatic temperature control brews great-tasting coffee, then keeps it at serving temperature.
- Lock-on cover minimizes accidental spillage.
- Heat-resistant spout, cover, handle and base; durable plastic "cool-tip" basket. Water level markings.

No. 9466 Anytime® 5 to 9 Cup Perk. 600 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, approx. ship. wt. 6.3 lbs., approx. cube 1.196 cu. ft.

B. No. 54019 5 to 9 Cup Anodized Aluminum Percolator
- Anodized aluminum construction is designed for years of beautiful, trouble-free service.
- Brews coffee fast, then keeps it at perfect serving temperature.
- Cover locks securely into place to help prevent spillage.
- Durable plastic basket features "cool-tip" removal; plastic spreader soaks grounds completely.
- Choose mild to strong strength coffee with brew selector.

Heat-resistant handle and base. Water level markings. Clear cover knob allows you to watch coffee percolate. 1000 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, approx. ship. wt. 7.9 lbs., approx. cube 1.326 cu. ft.

C. No. 55019 Stainless Steel 5 to 9 Cup Pecolator
- Gleaming stainless steel construction will last for years without wear.
- Lock-on cover minimizes accidental spillage.
- Stainless steel basket, heating unit, stem and spreader; heat-resistant handle and base.
- Brew view gauge indicates water and coffee levels.

Brews coffee in about 10 minutes; select mild to strong flavor. See coffee percolate in clear cover knob. 1000 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, approx. ship. wt. 10.3 lbs., approx. cube 1.300 cu. ft.

D. No. 51108 4 to 8 Cup Electric Coffeemaker
- Colonial-styled coffeemaker perks delicious coffee in minutes. It's easy to use — just add coffee and water to the correct levels.
- Safety twist-lock cover helps prevent accidental spills.
- Heat-resistant exterior is made of durable polypropylene designed to resist chips, cracks and fading.
- Wide base provides added stability.

"Keep warm" feature maintains serving temperature automatically. Aluminum basket with cup level markings. Interior water level markings. 490 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, approx. ship. wt. 6.7 lbs., approx. cube 1.157 cu. ft.

E. No. 9447 5 to 9 Cup Almond with Brown Stripes Automatic Coffeemaker
F. No. 54119 5 to 9 Cup Almond and Brown Automatic Coffeemaker
G. No. 9449 5 to 9 Cup Almond with Brown Design Automatic Coffeemaker
- Brews great-tasting coffee fast then keeps it ready for serving.
- Durable plastic basket features "cool-tip" removal for easy cleaning.
- Lock-on cover helps prevent accidental spills.


Acrylic finish on aluminum. Heat-resistant base, handle, cover. Water level markings. 600 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, approx. ship. wt. 6.3 lbs., approx. cube 1.196 cu. ft.


WEST BEND®

Party pleasing


Party Perks











A. No. 58030 12 to 30 Cup Party Perk

- Brews 30 cups of fresh coffee in about 30 minutes; automatic temperature control keeps it hot... perfect for parties!
- Serving light indicates when coffee is ready; single cup or continuous flow serving with two-way, no-drip faucet.
- "Cool-tip" basket of durable plastic for safe removal and easy cleaning.
- Water level markings for easy measuring.

Polished aluminum construction. Heat-resistant lock-on lid, base and handles. Detachable cord. 1090 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 4.5 lbs., approx. cube 1.148 cu. ft.

B. No 59013 30 Cup Stainless Steel Coffeemaker

- Single cup or continuous flow serving with two-way dripless faucet; lock-on lid helps prevent spills.
- Fast brewing — a dozen cups of coffee in 15 minutes, 30 cups in about 30 minutes.
- Serving light glows when coffee is ready; coffee is kept at the right serving temperature with automatic temperature control.

Heat-resistant base and handles; stainless steel basket, stem and heating unit. Graduated water level markings, lock-on lid. 1000 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 6.0 lbs., approx. cube 1.220 cu. ft.

C. No. 58130 (Almond) 12 to 30 Cup Party Perk

- Large capacity is great for parties and offices.
- Delicious coffee brews at cup-a-minute speed; automatic temperature control keeps it piping hot.
- Single cup or continuous flow serve with two-way, dripless faucet.
- "Cool-tip" basket of durable plastic for safe removal and easy cleaning.
- Convenient serving light; heat-resistant lock-on lid, base and handles for safety.

Water-level lines; detachable cord. 1090 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 4.5 lbs., approx. cube 1.148 cu. ft.

D. No. 58122 12 to 22 Cup Almond Party Perk

- Automatic temperature control brews 22 cups of delicious coffee in about 22 minutes and then keeps it hot for hours.
- Two-way dripless faucet for single cup or continuous flow serving.
- "Cool-tip" basket of durable plastic for safe removal and easy cleaning.
- Heat-resistant lock-on lid, base, handles and basket for safer use.

Water-level lines, detachable cord. 1090 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 4.1 lbs., approx. cube .893 cu. ft.

E. No. 57130 12 to 30 Cup Insulated Perk

- Brews 12 to 30 cups of fresh coffee that remains hot up to 2 hours without electricity. Features double-wall insulation.
- Serving light indicates when coffee is ready; two-way dripless faucet offers continuous flow or single cup serving.
- "Cool-tip" basket of durable plastic for safe removal, easy cleaning.

Almond steel exterior and natural finish aluminum interior with trapped air space between. Heat-resistant lock-on lid, handles, legs and basket. Water level markings. 1090 watts, 120 volts, AC only, UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 6.0 lbs., approx. cube 1.021 cu. ft.

WEST BEND®

Forever unyielding Urns





A. No 33600 40 to 100 Cup Percolator

- Aluminum construction for easy cleaning and durability.
- Water level markings, serving light and tubular glass coffee gauge for convenient coffeemaking; instructions on faceplate.
- Heat-resistant base, handles and cover knob for safe handling.
- Lock-on lid for added safety.

Automatic temperature control; two-way dripless faucet; on/off switch. 1500 watts, 120 volts, AC only. UL listed for household and commercial use. Benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 10.8 lbs., approx. cube 2.407 cu. ft.

B. No 13500 25 to 55 Cup Perk

- Aluminum construction for easy handling, long life. Lid locks on to minimize accidental spillage.
- Delicious coffee is brewed at cup-a-minute speed; stays piping hot with automatic temperature control.
- Tubular glass coffee level gauge; serving light; heat-resistant base, handles and cover knob.

Two-way dripless faucet, water level markings, on/off switch, instructions on faceplate. 1500 watts, 120 volts, AC only. UL listed for household and comme use. Benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 9.3 lbs., approx. cube 2.027 cu. ft.



C. No. 43536 12 to 36 Cup Percolator


- Polished aluminum perk is durable and easy to maintain; lock-on lid for added safety.
- Automatic temperature control brews delicious coffee at cup-a-minute speed, then keeps it ready-to-serve for hours.
- Easy coffeemaking instructions printed on faceplate for convenient reference.
- Two-way, dripless faucet for single serve or continuous flow; convenient serving light.


Heat-resistant base, handles and cover knob. Water level markings; serving light. 1090 watts, 120 volts, AC only. UL listed for household and commercial use. Benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 5.8 lbs., approx. cube 1.434 cu. ft.

WEST BEND®



Split second Timers





A

A. No. 40000 Triple Timer® Electronic Timer

- Accurate 3-channel timing in a portable unit.
- Fits easily in your hand; lightweight; works indoors or out.
- Times from 10 hours down to 1 second in each channel; easy to set, reset and turn off.
- Extra-long battery life — up to 2 years. Uses two "AA" batteries.

Micro-computer controlled. LCD digital display. Three distinct electronic tones. Benefit-oriented full-color chipboard container. Std. pk. of 6, approx. ship. wt. 1.4 lbs., approx. cube .091 cu. ft.

B. No. 40005 Electronic Timer


- Pocket-sized (2 5/16" x 2 7/16" x ½") and battery-operated Timer for maximum convenience. Handy clip, magnet stand and hanging hole let you use this Timer anywhere.
- Times from 100 minutes down to 1 second. LCD display plus custom-designed micro-processor chip offer extra-long battery life.
- Loud electronic tone tells you when time is up.
- 1.5 volt button battery included.

Uses 1.5 volt button cell battery. Benefit-oriented colorful blister pack. Std. pk. of 6, approx. ship. wt. .9 lbs., approx. cube .076 cu. ft.

C. No. 40022 Electronic Clock/Timer

- Memory function recalls the previous timing period so you can return to it without resetting the Timer.
- Clock displays hours, minutes, seconds and AM/PM symbols.
- Loud electronic alarm sounds after 60 seconds and then turns off automatically to help extend battery life.
- Timer automatically counts up seconds after alarm sounds; records how much time has elapsed since timing period ended.
- Lightweight, pocket-size design clips to pocket, attaches to magnetic surfaces and stands on table or shelf.
- Bold LCD (Liquid Crystal Display) digital readout is clear and easy to see.
- Indicators appear on display to signal "time is up" and that Timer and memory functions are in use. You know at a glance what mode Timer is operating in.
- Quartz crystal time base for micro computer enables extreme precision.


Clearly marked keys and beep tones that confirm each button press make correct operation easy. Includes 1.5 volt battery. Packaging: Dynamic blister pack with benefit-oriented copy. Std. pk. of 6, approx. ship. wt. .8 lbs., approx. cube .054 cu. ft.




B C



Split second Timers







A. No. 40014 On-Call® Pill Box Timer

- Designed to time medication intervals and store pills and tablets.
- Large time set buttons are easy to program, and feature rapid advancement for quick setting ability.
- Timing range: 23 hours 59 minutes down to 1 minute.
- Use memory function to remind yourself to take medication. Set alarm to ring every 4 or 6 hours, or as prescribed.
- Sliding door snaps shut to cover buttons and hold medication in pill storage area.

Large easy-to-read LCD digital display. Battery included. Benefit-oriented colorful blister pack. Std. pk. of 12, approx. ship. wt. 1.7 lbs., approx. cube .125 cu. ft.

B. No 40007 Electronic Stopwatch/Timer

- Counts down for timing cooking, laundry, sunbathing and more. Counts up for jogging, phone calling, etc.
- Pocket-sized (2⁵⁄₁₆" x 2⁷⁄₁₆" x ½") and battery-operated Timer for maximum convenience. Handy clip, magnet, stand and hanging hole let you use this Timer anywhere.
- Counts down from 100 minutes in minutes and seconds. Counts up 60 minutes then recycles automatically. LCD display plus custom-designed micro-processor chip offer extra-long battery life.
- When counting down, loud electronic tone lets you know when timing is complete.

1.5 volt button battery included. Benefit-oriented colorful blister pack. Std. pk. of 6, approx. ship. wt. .9 lbs., approx. cube .076 cu. ft.

C. No. 40010 24 Hour Recall™ Timer

- Times 1 minute through 24 hours.
- Recall (memory) function lets you set desired time period and return to it as often as necessary.
- Convenient sized buttons make digit advancement easy.
- Handy pocket-size (2⅜" diameter x ½" high). Includes a clip and magnet.
- Great for timing medication intervals, baking, suntanning and more.
- During last 10 minutes, counts down in minutes and seconds ("H" and "M" symbols disappear).
- 1.5 volt button battery included.
- Loud beeping alarm alerts you when timing is complete.

Large, easy-to-read digits. Liquid crystal display. Benefit-oriented colorful blister pack. Std. pk. of 6, approx. ship. wt. .8 lbs., approx. cube .082 cu. ft.

D. No. 40101 Sports Model Stopwatch

- Stopwatch range 1/100 second, seconds, minutes. One hour maximum range.
- 12 hour clock with PM symbol.
- Timing various sports activities is easy with the split time capability.
- Convenient size to hold. This Stopwatch is lightweight so it's comfortable to wear around your neck.
- LCD display is easy to read.

1.5 volt button battery included. Micro-computer controlled. Benefit-oriented colorful blister pack. Std. pk. of 12, approx. ship. wt. 1.4 lbs., approx. cube .117 cu. ft.

WEST BEND



3034-741-03-86

©1986, Dart Industries Inc.

Printed in U.S.A.