
WEST BEND®

...alive with ideas



Catalog 68




Growth has been a hallmark of The West Bend Company for more than 70 years. Beginning in 1911 in one small rented building on the westernmost bend of the Milwaukee River, the company has grown vigorously, and today covers more than 1.5 million square feet.

WEST BEND®

Table of Contents

Cordless Iron	4-5
Electric Kettles	6
Buffet Server	7
Electric Woks	8-9
Slow Cookers	10-11
Electric Skillets	12-13
Corn Poppers	14-15
Beverage Maker	16
Heat and Servers	17
Percolators	18-19
Party Perks	20-21
Institutional Urns	22
Drip Coffeemakers	23
Specialty Electrics	24-25
Electronic Timers	26-29
Sports Stopwatches	30
Distance Calculators	31

FreeStyle™ Cordless Iron




No. 6008 FreeStyle™ Cordless Iron

West Bend eliminated the iron's biggest nuisance—its cord—to make ironing more convenient. Now zipping between buttons and ironing collars and cuffs is easy. There's no troublesome cord to fight when turning in a new direction. Almost as important as what the iron doesn't have, is what it does have:

- Burst of steam—Extra steam where you need it at the push of a button.
- Supersteam—Ultra-high steam setting, in addition to regular steam and dry settings.
- No-spot steam chamber—Special design prevents accidental water spotting.
- SilverStone®-coated soleplate—glides over fabrics.
- Spraymist—Dampens an area at the push of a button.
- Full range of temperature settings—Ideal for all fabrics from silk to linen.
- See-through reservoir—Thirty-minute water supply is visible at a glance.
- Temperature light—Signals when iron is at desired temperature.
- Light weight—Lighter than most old-fashioned steel irons.
- Electric power base—Rotates to accept iron, regardless of return angle.
- Contoured thumb rest—for greater comfort.
- Self-cleaning feature—Clears all steam channels at the push of a button.
- Full warranty—Covers materials and workmanship for one year.

1400 watt iron, 120 volts, AC only. UL listed. Full-color litho carton. Std. pk. of 4, approx. ship. wt. 16.8 lbs., approx. cube 1.140 cu. ft.


cordless iron











A. The 1400-watt FreeStyle iron heats on its electric power base, so it's always hot and ready to use.

B. The Spraymist button gently dampens area directly ahead of the iron.

C. Additional steam is available at the dry or steam setting whenever you press the Burst of Steam button.

D. The end of ironing problems.

WEST BEND®

electric kettles



No. 88125 5 Qt. West Bend Country Kettle® Automatic Cooker

- Durable porcelain-on-aluminum construction. Exterior is stain-resistant and fade-proof.
- Rockcote,® a superior non-stick surface, makes clean-up simple.
- It can simmer, steam, deep-fry, stew, roast, saute, slow cook and keep foods warm.
- Sensa-Temp® heat control maintains accurate temperatures up to 425°F; with handy cooking temperature guide.

Heat-resistant handle/legs and cover knob. Immersible and dishwasher-safe with heat control removed. Heat control range: warm to 425°F. 1150 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 5.8 lbs., approx. cube 1.002 cu. ft.


No. 89005 Stainless Steel Country Kettle® Automatic Cooker

- Simmer, steam, deep-fry, stew, roast, saute, slow cook and serve in this kettle.
- Constructed of quality stainless steel for durability, cleaning ease and good looks.
- Great for family-size meals or entertaining.
- Thick aluminum base plate spreads heat quickly and evenly.
- 3 qt. deep-fry/steam basket has removable handle, drain hook and support legs that allow oil and steam to circulate.


5 qt. size. Heat-resistant handles, pedestal base and cover knob. Accurate Sensa-Temp® heat control (warm to 425°F); when removed, kettle is completely immersible. 1150 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 6.7 lbs., approx. cube 1.065 cu. ft.

WEST BEND®

buffet server







No. 89010 Stainless Steel Buffet Server II

- It's a warming tray and convenient serving unit in one.
- Designed to keep hot, cooked foods at serving temperature.
- High-quality stainless steel construction provides beautiful, care-free service.
- Tray has a 22" x 10" heating surface with a non-skid grid pattern.
- Serving unit contains three dishes (two 1½ qt. glass, one 3 qt. stainless steel). Stainless steel covers help keep food warm.

Variable temperature control (low to high). Heat-resistant, brown phenolic trim for safe handling. 350 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 20.3 lbs., approx. cube 1.582 cu. ft.

WEST BEND®

electric woks



No. 79525X 6-Qt. Electric Wok

- Designed for versatility, you can stir-fry, deep-fry, steam, stew, simmer and serve in this handy wok.
- Quality aluminum construction and variable temperature settings provide fast, even heating.
- Non-stick interior makes clean-up easy.
- Colorful acrylic-on-aluminum pan and cover are stain and fade-resistant.
- Tempura rack included.
- Free Better Homes and Gardens booklet includes dozens of delicious recipes.

Heat-resistant base, handles and cover knob. Non-immersible. Heat control range: Lo to Hi. 1000 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 5.9 lbs., approx. cube 1.371 cu. ft.

WEST BEND®

No. 5109 Our Original Wok

- 5¼ qt. capacity.
- Heavy-gauge aluminum spreads heat evenly.
- Porcelain-on-aluminum pan; acrylic-on-aluminum cover.
- SilverStone® premium non-stick interior from DuPont prevents sticking and resists scratching.
- Stir-fry or deep-fry with professional results.
- Free Better Homes and Gardens recipe booklet included.

Sensa-Temp® heat control maintains accurate temperatures from 'warm' to 425°F. Dishwasher-safe with heat control removed. 1000 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 5.8 lbs., approx. cube 1.104 cu. ft.

electric woks



No. 79506X 6½-Qt. Electric Wok

- Large size, aluminum construction and Sensa-Temp® heat control for efficient stir-frying, deep-frying and steaming.
- SilverStone® premium non-stick surface for easy clean-up.
- Tempura rack included.
- Immersible and dishwasher-safe with heat control removed.
- Includes deluxe recipe booklet with more than 100 recipes using common ingredients. Many color photos.

Porcelain-on-aluminum base; acrylic-on-aluminum dome cover. Heat-resistant handles, legs and cover knob. Heat control range: warm-425°F. 1000 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 7.1 lbs., approx. cube 1.542 cu. ft.

No. 80005 Stainless Steel Electric Wok

- Constructed of heavyweight stainless steel for durability, easy cleaning and good looks.
- Family size with high-dome cover.
- Sensa-Temp® heat control and aluminum base plate let you stir-fry, steam, deep-fry and serve with professional results.
- Completely immersible with heat control removed.
- Includes steaming rack, tempura rack, two wooden spoons and 10 wooden chopsticks.

5¼-qt. size. Heat-resistant pedestal base and cover knob. Heat control range: warm-425°F. 1000 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 7.0 lbs., approx. cube 1.353 cu. ft.

WEST BEND®

slow cookers



No. 84124 4-Qt. Slow Cooker with Rockcote® A Superior Non-Stick Surface

- Variable heat settings for complete temperature control.
- Rockcote® non-stick surface is triple thick for added durability.
- Removable porcelain-on-aluminum pot can be used in oven or on rangetop.
- Pot and glass cover are immersible; dishwasher-safe.

Separate phenolic heating base with steel inset. 200 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 6.3 lbs., approx. cube .510 cu. ft.

No. 84904 Little Black Kettle with Non-Stick Interior

- Variable heat settings for complete temperature control.
- Removable kettle features a metal handle for carrying ease. Can be used on rangetop or in oven.
- Non-stick interior makes cooking and cleaning easy.
- Attractive charcoal exterior.
- Graceful metal kettle and cover are immersible and dishwasher-safe.

4 qt. capacity. Separate phenolic heating base with steel inset. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 4.8 lbs., approx. cube .595 cu. ft.

WEST BEND®

slow cookers



No. 84114 4-Qt. Slow Cooker with Rockcote® A Superior Non-Stick Surface

- Oblong pot may also be used on the range or in a preheated 350°F oven; interior is surfaced with Rockcote,® the non-stick that's triple thick for added durability.
- Base is a handy grill for quick meals; fired-on non-stick surface makes cleaning extra easy. Variable heat control.
- Oven-safe glass cover doubles as a 1½-Qt. casserole/serving dish.
- Porcelain-on-aluminum pot is fade and stain-resistant; pot and cover are dishwasher-safe.

Heat-resistant base has 10⅝" x 7¼" grilling surface. 300 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented container. Std. pk. of 1, approx. ship. wt. 7.7 lbs., approx. cube .638 cu. ft.

No. 84306 Country Forge™ 6-Qt. Multi-Purpose Cooker

- Variable temperature control for versatility—slow cooks, roasts,grills, bakes, warms and serves.
- Oblong porcelain-on-aluminum pot is ideal for a wide variety of foods; doubles as a rangetop or oven utensil (up to preheated 350°F.).
- Easy clean-up with non-stick coated pot and grilling surface of base; pot and cover are dishwasher-safe.

Includes roasting rack. Heat-resistant handles and base with 10⅝" x 7¼" grilling surface. 300 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 8.2 lbs., approx. cube .886 cu. ft.

No. 84116 6 Qt. Oblong Slow Cooker

- Six-quart oblong pot is perfect for roasting whole chickens and larger cuts of meats; also slow cooks, warms, bakes and stews family-sized meals.
- Versatile 1½-Qt. glass cover can be used as an oven-safe casserole dish.
- Base can be used as a mini-grill for sandwiches, sausage and eggs. Non-stick coating insures easy cleaning.
- Porcelain-on-aluminum pot is fade and stain-resistant; can be used on the range or in a preheated 350°F oven. Interior of pot has non-stick coating. Pot and cover are dishwasher-safe.

Includes roasting rack. Heat-resistant base has 10⅝" x 7¼" grilling surface. 300 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 9.0 lbs., approx. cube .841 cu. ft.

WEST BEND®

electric skillets



No. 72609 11-In. Electric Skillet with Rockcote® A Superior Non-Stick Surface

- Heavyweight aluminum construction and Sensa-Temp® heat control for even, accurate heating.
- Surfaced with Rockcote,® a superior non-stick surface that's triple thick for added durability.
- Completely immersible and dishwasher-safe with heat control removed.

Porcelain-on-aluminum skillet base; acrylic-on-aluminum high dome cover. Heat-resistant trim. Heat control range: warm-425°F. 1200 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 4.8 lbs., approx. cube .555 cu. ft.

No. 72129 11-In. Electric Skillet with Rockcote® A Superior Non-Stick Surface

- 11-in. size is convenient for cooking, serving and storing; easy-to-clean Rockcote® non-stick interior is triple thick for added durability.
- Removable Sensa-Temp® heat control and heavyweight aluminum construction provide accurate, even heating. Skillet is dishwasher-safe with heat control removed.
- Base exterior is fade, stain-resistant.

Porcelain-on-aluminum skillet base; acrylic-on-aluminum high-dome cover with handsome silk-screened design. Heat-resistant trim. Heat control range: warm-425°F. 1200 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 5.0 lbs., approx. cube .636 cu. ft.

No. 72210 12-In. Electric Skillet with Rockcote® A Superior Non-Stick Surface

- Family-size skillet for cooking convenience and serving ease. Heavy-gauge aluminum heats food quickly, evenly.
- Interior features Rockcote® non-stick surface which is triple thick for added durability and easy clean-up.
- Sensa-Temp® heat control maintains accurate temperatures from warm-425°F. It is removable for dishwasher cleaning.

Porcelain-on-aluminum base; acrylic-on-aluminum high-dome cover. Heat-resistant handle/legs and cover knob. 1200 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 6.7 lbs., approx. cube 1.110 cu. ft.

WEST BEND®

electric skillets



No. 1440 12-In. Skillet with SilverStone® Premium Non-Stick Surface

- Large skillet with SilverStone® non-stick surface for cooking big meals with easy clean-up.
- Heavy-gauge aluminum heats food quickly and evenly.
- Accurate temperatures are maintained by Sensa-Temp® heat control (removable so skillet can go in dishwasher).

Porcelain-on-aluminum base; acrylic-on-aluminum high-dome cover with silkscreened design. Heat-resistant handle/legs, cover knob. Heat control range: warm-425°F. 1200 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 6.7 lbs., approx. cube 1.110 cu. ft.

No. 72206 Oblong Skillet with SilverStone® Premium Non-Stick Surface

- Extra-large base (14½" x 10½" x 2½") and vented high-dome cover are ideal for preparing crowd-size meals.
- Surfaced with SilverStone® non-stick for easy cooking and cleaning.
- Excellent heating with heavyweight aluminum and Sensa-Temp® heat control (removable so skillet is dishwasher-safe).

Porcelain-on-aluminum base and acrylic-on-aluminum cover are fade, stain-resistant. Heat-resistant handle/legs, cover knob. Heat control range: warm-425°F. 1300 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 7.7 lbs., approx. cube 1.547 cu. ft.

No. 73010 Stainless Steel 12-In. Round Electric Skillet

- Constructed of heavyweight stainless steel for durability, easy cleaning and good looks.
- Superior heat conduction with aluminum plate brazed to bottom.
- Sturdy pedestal base, heat-resistant trim for safe handling.
- High-dome cover fits large cuts of meat.

Accurate Sensa-Temp® heat control (warm-425°F.); remove control and skillet is fully immersible. 1000 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 7.0 lbs., approx. cube 1.091 cu. ft.

WEST BEND®

corn poppers



No. 5346 Stir Crazy® 6 Qt. Corn Popper

- EXCLUSIVE stirring rod stirs kernels for bigger, fluffier, great-tasting popcorn —up to 25% more using the same amount of kernels and less oil.
- FAST—pops 6 quarts in about 6 minutes.
- Butter well and stirring rod action combine for even distribution of butter as corn pops.
- Awarded the Popcorn Institute Seal of Approval for quality performance.

Non-stick popping surface on heat-resistant base. Cover flips for serving. Detachable cord. 1000 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 4.6 lbs., approx. cube .756 cu. ft.


No. 82204 Butter-matic® II 4-Qt. Corn Popper


- Quickly and automatically pops and butters up to four quarts of popcorn.
- Popper shuts off automatically to help prevent scorching or burning.
- Compact size uses little counter and storage space.
- Cover flips for serving.

Heat-resistant cover with built-in butter well, plastic cap. Heat-resistant base with non-stick popping surface. Detachable cord. 600 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 3.1 lbs., approx. cube .564 cu. ft.

WEST BEND®

corn poppers






No. 82102 Poppery® II 4-Qt. Hot Air Corn Popper

- Pops up to 4 quarts of delicious popcorn, without oil, in about 3 minutes.
- No oil means fewer calories, no cholesterol and less mess.
- Regular kernels pop right into a serving bowl.
- Advanced compact design is easy to store.

Heat-resistant base. Removable measuring/butter cup. 1200 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 2.6 lbs., approx. cube .328 cu. ft.

WEST BEND®

beverage maker



No. 53102 Break-Time™ 2-Cup Beverage Maker

- Heats 12-ounces (two 6-ounce servings) of water in about 90 seconds for instant coffee, tea and soup.
- Signal light turns on and heating begins when HEAT lever is pressed. As soon as water reaches serving temperature, signal light and beverage maker shut off.
- Press DISPENSE lever to fill cup with water.
- Pivoting top folds for compact storage when not in use.
- Level markings for 6 and 12 ounce servings are clearly marked for easy filling.

Durable, molded construction. Lock-on lid helps prevent accidental spills. Convenient cord storage bar on backside holds cord out of the way. 1450 watts, 120 volts, AC only. UL listed. Full-color litho container with benefit-oriented copy. Std. pk. of 3, approx. ship. wt. 5.3 lbs., approx. cube .842 cu. ft.

WEST BEND®

heat and servers



No. 53206 Hot Pot™ Heat and Server

- Quickly heats up to 36 ounces of water for instant tea, coffee or soup.
- Secure lock-on lid minimizes accidental spillage.
- Great for singles, students or travelers.
- Attractive toast color.

Constant temperature. Acrylic finish on seamless aluminum. Heat-resistant base, handle and cover. Water level markings. Detachable cord. 500 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, approx. ship. wt. 5.1 lbs., approx. cube .827 cu. ft.

No. 3253 (Hot Pepper) and No. 53106 (Almond with Brown Stripes) Hot Pot™ Heat and Servers

- Variable temperature control boils up to 36 ounces of water, then keeps it hot for hours.
- Also warms leftovers and canned foods; or heats milk for puddings and chowders.
- Convenient for use in the home, office or dorm.

Acrylic finish on seamless aluminum. Lock-on lid. heat-resistant base, handle and cover. Markings for easy measuring. Detachable cord. 600 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, approx. ship. wt. 5.7 lbs., approx. cube .896 cu. ft.

WEST BEND®

percolators



5 to 9 Cup Percolators

- Brews great-tasting coffee fast then keeps it ready for serving.
- Durable plastic basket features "cool-tip" removal for easy cleaning.
- Lock-on cover helps prevent accidental spills.

No. 54119 Almond with brown stripes, cover, spout.

No. 9449 Almond with brown decoration.

No. 9447 Almond with brown stripes.

Acrylic finish on aluminum. Heat-resistant base, handle, cover. Water level markings. 600 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, approx. ship. wt. 6.3 lbs., approx. cube 1.160 cu. ft.

No. 51108 4 to 8 Cup Electric Coffeemaker

- Colonial-styled coffeemaker perks delicious coffee in minutes. It's easy to use—just add coffee and water to the correct levels.
- Safety twist-lock cover helps prevent accidental spills.
- Heat-resistant exterior is made of durable polypropylene designed to resist chips, cracks and fading.
- Wide base provides added stability.

"Keep warm" feature maintains serving temperature automatically. Aluminum basket with cup level markings. Interior water level markings. 490 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, approx. ship. wt. 6.7 lbs., approx. cube 1.157 cu. ft.

WEST BEND®

percolators



No. 55019 Stainless Steel 5 to 9 Cup Percolator

- Gleaming stainless steel construction will last for years without wear.
- Lock-on cover minimizes accidental spillage.
- Stainless steel basket, stem and spreader; heat-resistant handle and base.
- Brew view gauge indicates water and coffee levels.

Brews coffee in about 10 minutes; select mild to strong flavor. See coffee percolate in clear cover knob. 1000 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, approx. ship. wt. 10.3 lbs., approx. cube 1.300 cu. ft.

No. 54019 5 to 9 Cup Anodized Aluminum Percolator

- Anodized aluminum construction is designed for years of beautiful, trouble-free service.
- Brews coffee fast, then keeps it at perfect serving temperature.
- Cover locks securely into place to help prevent spillage.
- Durable plastic basket features "cool tip" removal; plastic spreader soaks grounds completely.
- Choose mild to strong strength coffee with brew selector.

Heat-resistant handle and base. Water level markings. Clear cover knob allows you to watch coffee percolate. 1000 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, approx. ship. wt. 7.9 lbs., approx. cube 1.326 cu. ft.

No. 9466 Polished Aluminum Percolator

- Automatic temperature control brews great-tasting coffee then keeps it at serving temperature.
- Lock-on cover minimizes accidental spillage.
- Heat-resistant spout, cover, handle and base; durable plastic "cool-tip" basket. Water level markings.

No. 9466 Anytime® 5-9 Cup Perk. 600 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, approx. ship. wt. 6.3 lbs., approx. cube 1.196 cu. ft.

WEST BEND®

party perks



No. 59013 30 Cup Stainless Steel Coffeemaker

- Single cup or continuous flow serving with two-way dripless faucet; lock-on lid helps prevent spills.
- Fast brewing—a dozen cups of coffee in 15 minutes, 30 cups in about 30 minutes.
- Serving light glows when coffee's ready; coffee is kept at the right serving temperature with automatic temperature control.

Heat-resistant base and handles; stainless steel basket and stem. Graduated water level markings, lock-on lid. 1000 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 6.0 lbs., approx. cube 1.220 cu. ft.

No. 58130 (Almond)
No. 58200 (Toast)
12-30 Cup Party Perks

- Large capacity is great for parties and offices.
- Delicious coffee brews at cup-a-minute speed; automatic temperature control keeps it piping hot.
- Single cup or continuous flow serve with two-way, dripless faucet.
- Convenient serving light; heat-resistant lock-on lid, base and handles for safety.

Water-level lines; detachable cord. 1090 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 4.5 lbs., approx. cube 1.148 cu. ft.

No. 58030 12-30 Cup Party Perk

- Brews 30 cups of fresh coffee in about 30 minutes; automatic temperature control keeps it hot…perfect for parties!
- Serving light indicates when coffee is ready; single cup or continuous flow serving with two-way, no-drip faucet.
- Water level markings for easy measuring.

Polished aluminum construction. Heat-resistant lock-on lid, base and handles. Detachable cord. 1090 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 4.5 lbs., approx. cube 1.148 cu. ft.

WEST BEND®

party perks



No. 58122 12-22 Cup Almond Party Perk

- Automatic temperature control brews delicious coffee then keeps it hot for hours.
- Two-way dripless faucet for single cup or continuous flow serving.
- Heat-resistant lock-on lid, base, handles and basket for safer use.

Water-level lines, detachable cord. 600 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 4.1 lbs., approx. cube .893 cu. ft.

No. 57130 12-30 Cup Insulated Perk

- Brews 12-30 cups of fresh coffee that remains hot up to 2 hours without electricity. Features double-wall insulation.
- Serving light indicates when coffee is ready; two-way dripless faucet offers continuous flow or single cup serving.
- "Cool tip" basket of durable plastic for safe removal, easy cleaning.

Almond steel exterior and natural finish aluminum interior with trapped air space between. Heat-resistant lock-on lid, handles, legs and basket. Water level markings. 1090 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 6.0 lbs., approx. cube 1.021 cu. ft.

WEST BEND®

institutional urns



No. 33600 40-100 Cup Percolator

- Aluminum construction for easy cleaning and durability.
- Water level markings, serving light and tubular glass coffee gauge for convenient coffeemaking; instructions on faceplate.
- Heat-resistant base, handles and cover knob for safe handling.
- Lock-on lid for added safety.

Automatic temperature control; two-way dripless faucet; on/off switch. 1500 watts, 120 volts, AC only. UL listed for household and commercial use. Benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 9.9 lbs., approx. cube 2.057 cu. ft.

No. 13500 25-55 Cup Perk

- Aluminum construction for easy handling, long life. Lid locks on to minimize accidental spillage.
- Delicious coffee is brewed at cup-a-minute speed; stays piping hot with automatic temperature control.
- Tubular glass coffee level gauge; serving light; heat-resistant base, handles and cover knob.

Two-way dripless faucet, water level markings, on/off switch, instructions on faceplate. 1500 watts, 120 volts, AC only. UL listed for household and commercial use. Benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 8.8 lbs., approx. cube 1.928 cu. ft.

No. 43536 12-36 Cup Percolator

- Polished aluminum perk is durable and easy to maintain; lock-on lid for added safety.
- Automatic temperature control brews delicious coffee at cup-a-minute speed, then keeps it ready-to-serve for hours.
- Easy coffeemaking instructions printed on faceplate for convenient reference.
- Two-way, dripless faucet for single serve or continuous flow; convenient serving light.

Heat-resistant base, handles and cover knob. Water level markings; serving light. 1090 watts, 120 volts, AC only. UL listed for household and commercial use. Benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 5.8 lbs., approx. cube 1.434 cu. ft.

WEST BEND®

drip coffeemakers



No. 5977 2-10 Cup Flavo-Drip® Automatic Coffeemaker

- Brews great-tasting coffee at cup-a-minute speed.
- Warming plate with built-in temperature control keeps coffee ready for serving; ideal for home and office.
- Soft almond and brown color; uses regular paper filters (included).

"On" light. 1440 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented container. Std. pk. of 1, approx. ship. wt. 6.2 lbs., approx. cube 1.176 cu. ft.

Glass Decanters

- Convenient cup markings on heat-resistant glass carafe.
- Includes stay-cool handle and cover.

No. 5967 8-Cup. Also is a replacement carafe for Quik Drip® Executive® Coffeemaker. Individual corrugated container. Std. pk. of 4, approx. ship. wt. 6.8 lbs., approx. cube 1.226 cu. ft.

No. 5974 10-Cup. Also is a replacement carafe for Flavo-Drip® and Quik Drip® Coffeemakers. Individual corrugated container. Std. pk. of 4, approx. ship. wt. 7.1 lbs., approx. cube 1.248 cu. ft.

No. 1933 Paper Filters

- Fits all West Bend and most other brands of automatic drip coffeemakers.
- Also can be used with permanent polyester filters to double the filtering capability.

Individual four-color container holds 100 fluted filters. Std. pk. of 12, approx. ship. wt. 6.5 lbs., approx. cube .993 cu. ft.


No. 5942 2-16 Cup Quik Drip® Executive® Coffeemaker

- Double brewing capacity in one compact coffeemaker; brews from 2 to 8 cups quickly, then the second carafe lets you brew another pot (two warming plates).
- Permanent polyester filter makes paper filters unnecessary; money-saving!
- Makes more than coffee—can also be used for tea, hot chocolate and other instants. Easy to clean.

On/off switches. 1500 watts, 120 volts, AC only. UL listed for household and commercial use. Benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 9.0 lbs., approx. cube 1.298 cu. ft.

WEST BEND®

specialty electrics



No. 88502 Electric Fondue Pot

- Variable heat control features settings for preparing and serving meat, cheese and dessert fondue. Maintains exact, even temperatures.
- Includes four stainless steel forks with heat-resistant handles. Color-coded for easy identification.
- Non-stick interior is scratch-resistant and easy to clean.
- Porcelain-on-aluminum construction is fade, chip and stain-resistant.
- Removable ring with eight fork slots holds forks in place while foods cook.

2-qt. capacity. Recipe booklet contains dozens of delicious recipes. Heat-resistant handle/legs. Immersible with heat control removed. 600 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 3.2 lbs., approx. cube .398 cu. ft.

WEST BEND®

No. 86618 Automatic Egg Cooker

- Makes the most of your eggs—poaches up to 4, soft or hard-cooks up to 8.
- Easy to use—unit shuts off automatically and "on" light goes out when eggs are done. Convenient—no guesswork about proper timing and temperatures.

Includes egg rack, poaching pan and measuring cup. Heat-resistant base. 600 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, approx. ship. wt. 9.8 lbs., approx. cube 1.248 cu. ft.

specialty electrics



No. 76208 Electric Griddle

- Large 17" x 11" cooking surface.
- Thick, heavy-gauge aluminum construction provides fast, even heating.
- Rockcote,® a superior non-stick surface, is three layers thick for added durability and easy cooking and cleaning.
- Sensa-Temp® heat control has variable settings (from 'warm' to 425°F) and a convenient temperature guide.
- Grease well traps juices; two pouring lips make disposal easy.

Immersible and dishwasher-safe with heat control removed. Heat-resistant handle/legs. 1470 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 6.6 lbs., approx. cube .703 cu. ft.


No. 5388 Electric Pizza Baker and Grill

- Bakes delicious pizzas (frozen, mix or scratch).
- Versatile—also grills eggs, bacon, and sandwiches; warms hors d' oeuvres.
- Uses up to 75% less energy than gas or electric ovens.
- Variable temperature control.

12¾" diameter. Heat-resistant handles, legs and base. Acrylic-on-aluminum vented cover. 700 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 6.1 lbs., approx. cube 1.231 cu. ft.

WEST BEND®

electronic timers



No. 40010 24 Hour Recall™ Timer

- Times 1 minute through 24 hours.
- Recall (memory) function lets you set desired time period and return to it as often as necessary.
- Convenient sized buttons make digit advancement easy.
- Handy pocket size (2⅜" diameter x ½" high). Includes a clip and magnet.
- Great for timing medication intervals, baking, suntanning and more.
- During last 10 minutes, counts down in minutes and seconds ("H" and "M" symbols disappear).
- 1.5 volt button battery included.
- Loud beeping alarm alerts you when timing is complete.

Large, easy-to-read digits. Liquid crystal display. Benefit-oriented colorful blister pack. Std. pk. of 6, approx. ship. wt. .8 lbs., approx. cube .080 cu. ft.


No. 40009 Repeat™ Timer

- Times 1 minute-99 minutes, plus seconds. Increase and Decrease Time Set Keys allow you to set desired time period.
- Handy pocket size (2⅜" diameter x ½" high) is designed to be used anywhere. Features a clip, magnet and metal stand for versatility.
- Memory function lets you set the desired time period and return to it again and again.
- Loud, beeping alarm alerts you when timing is complete.
- 1.5 volt button battery included.

LCD digital display has large, easy-to-read digits. Benefit-oriented colorful blister pack. Std. pk. of 6, approx. ship. wt. .8 lbs., approx. cube .077 cu. ft.

WEST BEND™

electronic timers



No. 40005 Electronic Timer

- Pocket-sized (2 5/16" x 2 7/16" x ½") and battery-operated Timer for maximum convenience. Handy clip, magnet stand and hanging hole let you use this Timer anywhere.
- Times from 100 minutes down to 1 second. LCD display plus custom-designed micro-processor chip offer extra-long battery life.
- Loud electronic tone tells you when time's up.
- 1.5 volt button battery included.

Uses 1.5 volt button cell battery. Benefit-oriented colorful blister pack. Std. pk. of 12, approx. ship. wt. 1.8 lbs., approx. cube .167 cu. ft.


No. 40007 Electronic Stopwatch/Timer

- Counts down for timing cooking, laundry, sunbathing and more. Counts up for jogging, phone calling, etc.
- Pocket-sized (2 5/16" x 2 7/16" x ½") and battery-operated Timer for maximum convenience. Handy clip, magnet, stand and hanging hole let you use this Timer anywhere.
- Counts down from 100 minutes in minutes and seconds. Counts up to 60 minutes then recycles automatically. LCD display plus custom-designed micro-processor chip offer extra-long battery life.
- When counting down, loud electronic tone lets you know when timing is complete.

1.5 volt button battery included. Benefit-oriented colorful blister pack. Std. pk. of 12, approx. ship. wt. 1.7 lbs., approx. cube .161 cu. ft.

WEST BEND™

electronic timers



No. 40012 Double Timer™ Electronic Timer

- Two timing channels, one 12-hour clock channel.
- Times from 20 hours down to one second in each channel; easy to set, reset and turn off.
- Memory function lets you set the desired time period and return to it again and again.
- Choose a signal light or an alarm to alert you when timing is complete. Each timing channel has a different alarm and flashing light sequence.
- Lightweight and fits easily in your hand.
- Uses two "AA" batteries.

Accurate quartz functions. Micro-computer controlled. Benefit-oriented colorful blister pack. Std. pk. of 6, approx. ship. wt. 1.7 lbs., approx. cube .105 cu. ft.

No. 40000 Triple Timer® Electronic Timer

- Accurate 3-channel timing in a portable unit.
- Fits easily in your hand; lightweight; works indoors or out.
- Times from 10 hours down to 1 second in each channel; easy to set, reset and turn off.
- Extra-long battery life—up to 2 years. Uses two "AA" batteries.

Micro-computer controlled. LCD digital display. Three distinct electronic tones. Benefit-oriented full-color chipboard container. Std. pk. of 6, ship. wt. 1.5 lbs., cube .064 cu. ft.

WEST BEND™

electronic timers



No. 40014 On-Call™ Pill Box Timer

- Designed to time medication intervals and store pills and tablets.
- Large time set buttons are easy to program, and feature rapid advancement for quick setting ability.
- Timing range: 23 hours 59 minutes down to 1 minute.
- Use memory function to remind yourself to take medication. Set alarm to ring every 4 or 6 hours, or as prescribed.
- Sliding door snaps shut to cover buttons and to hold medication in pill storage area.

Large easy-to-read LCD digital display. Battery included. Benefit-oriented colorful blister pack. Std. pk. of 12, approx. ship. wt. 1.7 lbs., approx. cube .147 cu. ft.

No. 40016 Telephone Timer

- Times the length of phone calls, in minutes and seconds, up to 1 hour. Can also time interviews and professional visits.
- Continuous-running electronic clock appears in display when not timing a phone call.
- Simple, one button operation. The large mode button starts and stops timing and changes display from the clock to the timing mode.
- Hang Timer near phone for convenience with wall mount on backside.

Large LCD digital readout features minutes and seconds in the timing mode; hours and minutes in the clock mode. Battery included. Benefit-oriented colorful blister pack. Std. pk. of 12, approx. ship. wt. 1.7 lbs., approx. cube .161 cu. ft.

WEST BEND™

sports stopwatches



No. 40100
Pro Model Stopwatch

- Large seven digit LCD display is easy to read.
- Range of stopwatch: 1/100 second, seconds, minutes; up to 10 hours.
- Lap function allows you to time one race participant's speed during various laps. Also useful when timing two closely-spaced competitors.
- Split time capability for timing various runners' speeds over a predetermined distance. Great for timing car, bike and motorcycle races, as well as many other athletic activities.
- Protective soft black case included.

Accurate quartz movement. Micro-computer controlled. 1.5 volt battery included. Benefit-oriented colorful blister pack. Std. pk. of 6, approx. ship. wt. 1.5 lbs., approx. cube .148 cu. ft.

No. 40101 Sports Model Stopwatch

- Stopwatch range 1/100 second, seconds, minutes. One hour maximum range.
- 12 hour clock with PM symbol.
- Timing various sports activities is easy with the split time capability.
- Convenient size to hold. This stopwatch is lightweight so it's comfortable to wear around your neck.
- LCD display is easy to read.

1.5 volt button battery included. Micro-computer controlled. Benefit-oriented colorful blister pack. Std. pk. of 12, approx. ship. wt. 1.4 lbs., approx. cube .122 cu. ft.


No. 40102 Ski & Cycle™ Stopwatch

- Stopwatch range: 1/100 second, seconds, minutes, hours; up to 24 hours.
- 12 hour/24 hour clock function with AM and PM designations.
- Fits easily on handlebars, ski poles, or wear it on your wrist to time marathon races (convenient band included).
- Split time capability. Water-resistant.

Micro-computer controlled. LCD digital display. 1.5 volt button battery included. Benefit-oriented colorful blister pack. Std. pk. of 6, approx. ship. wt. 1.3 lbs., approx. cube .131 cu. ft.

WEST BEND™

distance calculators



No. 40104 Digital Pedometer

- Measures walking distances in miles and 1/10 miles; up to 99.9 miles.
- Stride Adjust Lever matches the length of your stride.
- Digital Distance Counter counts your steps and records mileage.
- Quiet operation lets you enjoy your walk or hike—you won't even know it's there.
- Lightweight so you can use it during the day as you do housework, run errands, or go to the office.

Pedometer is most accurate when worn at the waistline. Clip makes it easy to attach. Maintains an accurate count of the miles you walk. Benefit-oriented colorful blister pack. Std. pk. of 12, approx. ship. wt. 1.3 lbs., approx. cube .137 cu. ft.

No. 40103 Digital Jogmeter

- Measures miles and 1/10 miles, up to 99.9 miles.
- Counts your strides and calculates jogging and running mileage.
- Set Stride Adjust Lever to the number corresponding to the length of your stride.
- Lightweight—won't slow you down or add unnecessary weight.
- Reset button allows you to return to 00.0 miles at any time. Use this button on a daily or weekly basis.

Clip attaches easily to a waistband or belt. Maintains an accurate count of the miles you jog. Benefit-oriented colorful blister pack. Std. pk. of 12, approx. ship. wt. 1.3 lbs., approx. cube .137 cu. ft.

WEST BEND™

WEST BEND®

2855-09-84

©1984, Dart Industries Inc.

Printed in U.S.A.