WEST BEND®

catalog 64
electronics/buffet appliances/
beveragemakers

quality products designed & fashioned to lend you a hand...



electronics

WEST BEND®

TRIPLE TIMER™ ELECTRONIC TIMER

· The timer that starts in the kitchen then goes with you to the office, darkroom, even outdoors · Compact; lightweight; portable · Times three activities simultaneously · Times from 1 second up to 10 hours in each channel · Accurate · Easy-to-use · Extra-long battery life—each set of batteries should last 1½ to 2 years under normal use · Easy-to-read LCD digital display.

No. 40000

Triple Timer™ Electronic Timer. Micro-computer controlled three-channel timer. Times hours, minutes, and seconds. LCD digital display. Three distinct electronic tones. Uses two "AA" batteries. Eye-catching full-color chipboard container. Std. pk. of 6, approx. ship. wt. 4 lbs.

TRIPLE TIMER PLUS™ ELECTRONIC CLOCK/TIMER

· Timer and clock in one unit · Three timing channels allow you to time up to three separate activities at once, without disturbing the working clock · Times from 1 second up to 20 hours in each channel · Micro-computer controls accurate to 6/1000th of a second · Large, easy-to-read LED digital display · AC powered · Versatile-great in the kitchen, office and darkroom, or for infant feedings, suntanning and homework.

No. 40001

Triple Timer Plus™ Electronic Clock/Timer. Micro-computer controlled clock and three timing channels. LED digital display. Electronic tone. Handy cord storage area in back of unit. 5 watts, 120 volts, AC only. UL listed. Eye-catching full-color container. Std. pk. of 3, ship. wt. 3.3 lbs.




KITCHEN CONTROLLER™ MULTI-FUNCTION ADVANCED APPLIANCE


· Innovative new appliance for complete kitchen management · Extremely versatile · Digital clock shows time of day in hours, minutes and seconds · Three independent timers can each be set to countdown for timing or set to alarm a particular time of day · Four-function calculator with memory and floating decimal point · "Bank" key fixes decimal point for easy checkbook balancing · Converts Metric to English and vice versa · Liquid and dry measure converter—converts teaspoons to tablespoons, gallons to quarts, cups to pints, ounces to pounds, etc. · Appliance switcher turns an attached appliance "on" and "off" at preset times · Large, custom-designed Vacuum Fluorescent Display · Compact size: 8½" wide; 4½" long; 2" high.

No. 40003

Kitchen Controller™ Multi-Function Advanced Appliance. Micro-computer controlled clock, three-channel timer, calculator, metric converter, and appliance switcher (for appliances up to 1800 watts). Clock has AM/PM indicator. Three distinct electronic tones. Large VFD digital display glows in the dark. 1800 watts, 120 volts, AC only. UL listed. Attractive full-color chipboard container. Std. pk. of 3, approx. ship. wt. 6 lbs.



For authentic French cuisine, the Kitchen Controller converts Metric measurements to English and vice versa.



Easily converts measurements for increasing or reducing recipes.




Unique on/off appliance feature turns an attached appliance on and off at preset times.




Special banking feature for easy checkbook balancing.



Three-channel timer times three activities at once; can also be set as an alarm clock.



Kitchen Controller™ is also a full four-function calculator.



convection skillets

WEST BEND®

CONVECTION PLUS™ Skillet/Broiler/Oven

· Uniquely combines convection cooking with a large skillet, plus a detachable broiler unit · It broils, roasts, fries, bakes and steams · Immersible and dishwasher-safe with heat control, fan and broiler unit removed · Easy-to-clean SilverStone® non-stick surface · Detachable fan in the cover continuously circulates hot air around the food cooking brown and even overall—plus it saves time, too.

No. 72102

Convection Plus™ Skillet/Broiler/Oven with SilverStone® non-stick surface. Brown porcelain-on-aluminum skillet base. Almond acrylic-on-aluminum cover. Vented high-dome cover. Detachable convection fan. Detachable broiler unit. Brown phenolic handles and legs. Removable Sensa-Temp® heat control (150° F to 425° F). Two-position steel rack. Skillet 1300 watts, Broiler 1450 watts, Fan 17 watts, 120 volts, AC only. UL listed. Attention-grabbing full-color full-panel graphic label. Extensive recipe/instruction booklet. Std. pk. of 2, ship. wt. 20.5 lbs.

CONVECTION PLUS™ SKILLET/OVEN

· Convection cooking plus skillet cooking in one appliance · It roasts, fries, bakes, and steams · Easy-to-use · Completely immersible and dishwasher-safe with heat control and fan removed · Convection cooking for even browning of cooked foods in 1/3 less time · No preheating for most foods · Versatile skillet for pancakes, bacon or scrambled eggs · Heavy-gauge aluminum construction · SilverStone® premium non-stick interior for easy cleaning.

No. 72103

Convection Plus® Skillet/Oven with SilverStone® non-stick surface. Brown porcelain-on-aluminum skillet base. Almond acrylic-on-aluminum cover. Vented high-dome cover. Detachable convection fan. Brown phenolic handles and legs. Removable Sensa-Temp® heat control (150° F to 425° F). Two-position steel rack. Skillet 1300 watts, Fan 17 watts, 120 volts, AC only. UL listed. Handsomely-styled full-color graphic label mounted on entire individual container. Exciting recipe/instruction booklet. Std. pk. of 2, ship. wt. 20.6 lbs.



electric skillets

BROILER/SKILLET

· A broiler, a skillet and a super server · Heavyweight aluminum construction · Lined with DuPont's SilverStone® premium non-stick surface · Immersible and dishwasher-safe · Sensa-Temp® heat control maintains accurate temperatures · Large 14½" x 10½" x 2½" base with vented high-dome cover for crowd-size meals.

No. 72104

Broiler Skillet with SilverStone® non-stick surface. Brown porcelain-on-aluminum skillet base. Almond acrylic-on-aluminum cover. Vented high-dome cover. Detachable broiler unit. Brown phenolic handles and legs. Removable Sensa-Temp® heat control (150°F to 425°F). Two-position steel rack. Skillet 1300 watts, Broiler 1450 watts, 120 volts, AC only. UL listed. Individual container has full-color graphic label. Std. pk. of 1, approx. ship. wt. 8.5 lbs.

OBLONG SKILLET WITH ROCKCOTE™

A SUPERIOR NON-STICK SURFACE

· Extra-large 14½" x 10½" x 2½" base and vented high-dome cover for preparing crowd-size servings of your favorite skillet meals · Surfaced with Rockcote,™ the non-stick that's three layers thick for added durability · Sensa-Temp® heat control maintains consistent temperatures.

No. 72106

Oblong Skillet with Rockcote™ non-stick surface. Heavyweight aluminum construction. Brown porcelain-on-aluminum skillet base. Almond acrylic-on-aluminum cover. Vented high-dome cover. Brown phenolic handles and legs. Removable Sensa-Temp® heat control (150°F to 425°F). 1300 watts, 120 volts, AC only. UL listed. Container has handsomely-designed full-color graphic label. Std. pk. of 1, approx. ship. wt. 7.5 lbs.

DU PONT APPROVED SilverStone PREMIUM NON-STICK SURFACE

ROCKCOTE™ A SUPERIOR NON-STICK SURFACE



electric skillets

WEST BEND®

12" ELECTRIC SKILLET WITH SILVERSTONE® NON-STICK SURFACE

· Lined with SilverStone® surface for non-stick cooking and easy clean-up · Sensa-Temp® heat control sets accurate temperature and maintains it · Completely immersible and dishwasher-safe with heat control removed · Attractive almond and brown exterior will accent any decor · Constructed of heavy-gauge aluminum for fast, even heating.

No. 1440

12" Electric Skillet with SilverStone® non-stick interior. Brown porcelain-on-aluminum skillet base. Almond and brown acrylic-on-aluminum cover. Heat-resistant handles and legs. Removable Sensa-Temp® heat control (150°F to 425°F). 1255 watts, 120 volts, AC only. UL listed. Individual container with colorful graphic label. Std. pk. of 1, ship. wt. 6.7 lbs.

11" ELECTRIC SKILLET WITH ROCKCOTE™ A SUPERIOR NON-STICK SURFACE

· Constructed of heavyweight aluminum and surfaced with Rockcote™ non-stick interior for the durability necessary for everyday use · Rockcote is three layers thick for added durability · Sensa-Temp® heat control provides consistently accurate temperatures · Completely immersible and dishwasher-safe with heat control removed.

No. 72119

11" Electric Skillet with Rockcote™ a superior non-stick surface. Almond porcelain-on-aluminum skillet base. Almond acrylic-on-aluminum cover. Adjustable cover vent. Heat-resistant trim. Detachable Sensa-Temp® heat control (150°F to 425°F). 1255 watts, 120 volts. AC only. UL listed. Individual container with full-color graphic label. Std. pk. of 1, approx. ship. wt. 6.1 lbs.

DU PONT APPROVED SilverStone PREMIUM NON-STICK SURFACE

ROCKCOTE™ A SUPERIOR NON-STICK SURFACE



11" ELECTRIC SKILLET WITH SILVERSTONE® NON-STICK SURFACE

· 11-inch size is great for breakfast, lunch and dinner, too · Heavy-gauge aluminum construction for fast, even heating · Sensa-Temp® heat control removes for dishwasher cleaning · Carefree cooking with SilverStone® premium non-stick surface.

No. 72109

11" Electric Skillet with SilverStone® non-stick surface. Brown porcelain-on-aluminum base with complementary almond acrylic-on-aluminum cover. Adjustable cover vent. Brown phenolic trim. Removable Sensa-Temp® heat control (150°F to 425°F). 1255 watts, 120 volts, AC only. UL listed. Container has eye-catching full-color graphic label. Std. pk. of 1, ship. wt. 6.1 lbs.

11" BUFFET SKILLETS

· Sensa-Temp® heat control maintains even heating; removes to make skillet totally immersible and dishwasher-safe · Non-stick interior for carefree clean-up · Vented high-dome cover · Available in Harvest Yellow and Eggshell White.

No. 1430 Harvest Yellow
No. 1435 Eggshell White

11" Electric Skillet with non-stick interior. Porcelain-on-aluminum skillet base. Acrylic-on-aluminum cover. Adjustable cover vent. Heat-resistant handles and knobs. Removable Sensa-Temp® heat control (150°F to 425°F). 1255 watts, 120 volts, AC only. UL listed. Individual container with full-color graphic label. Std. pk. of 1, ship. wt. 5.8 lbs.

DU PONT APPROVED SilverStone. PREMIUM NON-STICK SURFACE



food preparation system

WEST BEND®

FOOD PREPARATION SYSTEM


· Unique multi-position arm for five quality appliances in one · Extremely versatile—serves as a mixer, dough kneader, slicer/shredder, meat grinder and blender · Stylish compact size—uses only slightly more counter-space than a 2-slice toaster · Durable heavy-duty motor · Easy to use and clean · Thorough planetary mixing action—single beater turns in one direction while also revolving around the stationary bowl · Includes stirrer, whisk and dough hook · 3-cup glass blender jar · Durable 4-qt. plastic bowl · 5 stainless steel slicer/shredder blades · Efficiently grinds meat, nuts, cheese, crackers and much more.

No. 41001


Food Preparation System. One durable motor. Multi-position arm. Conserves countertop space. Control center is constructed of high-impact engineering plastic. Attachments include: Mixer, Dough Kneader, Slicer/Shredder, Meat Grinder and Blender. 250 watts, 120 volts, AC only. UL listed. Eye-catching full-color individual container. Std. pk. of 2, approx. ship. wt. 30 lbs.



MIXER/ DOUGH KNEADER




SLICER/SHREDDER



MEAT GRINDER



BLENDER



14" ROUND GRIDDLE WITH SILVERSTONE® NON-STICK SURFACE

· Constructed of heavy-gauge aluminum to spread heat evenly · Durable SilverStone® non-stick cooking surface for easy cleaning · Convenient grease well · Sensa-Temp® heat control removes for immersible or dishwasher cleaning · Round shape makes this griddle easy-to-store.

No. 76014

Round Electric Griddle with SilverStone® non-stick surface. Heavyweight aluminum construction. Heat-resistant handles and legs. Detachable heat control (150°F to 425°F). 1255 watts, 120 volts, AC only. UL listed. Individual container with full-color graphic label. Full-color point-of-purchase/instruction booklet. Std. pk. of 1, ship. wt. 5.5 lbs.

SLIMLINE™ AUTOMATIC GRIDDLES

· Large 17" x 11" surface is ideal for grilling, frying and serving your favorite meals and snacks · Made of extra-thick aluminum for quick, even heat distribution · Convenient grease well with pouring lip makes disposal easy · With heat control removed griddle is totally immersible and dishwasher-safe · Available with SilverStone® premium non-stick surface or with our regular fired-on non-stick surface.

No. 3550

Electric Griddle with SilverStone® non-stick surface. Heavy-gauge aluminum construction. Heat-resistant handles and legs. Detachable heat control (150°F to 425°F). 1470 watts, 120 volts, AC only. UL listed. Individual container with full-color graphic label. Std. pk. of 1, ship. wt. 7.2 lbs.

No. 13543

Electric Griddle with fired-on non-stick surface. Heavyweight aluminum construction. Heat-resistant handles and legs. Removable heat control (150°F to 425°F). 1470 watts, 120 volts, AC only. UL listed. Individual corrugated container. Std. pk. of 1, ship. wt. 7.5 lbs.



slow cookers

WEST BEND®

SLO-COOKER PLUS™ 6-QT. AUTOMATIC COOKER

· Conveniently-sized oblong pot fits larger cuts of meat or poultry · Pot doubles as a rangetop or oven cooker up to 350°F · Baking/roasting rack converts cooker into a small oven · Non-stick surface on pot and base · Base can be used as a handy griddle · Pot and glass cover are dishwasher-safe.

No. 5276

Slo-Cooker Plus™ 6-Qt. Automatic Cooker. Non-stick interior. Porcelain-on-aluminum pot. Heat-resistant handles and base. Steel rack. Inside dimensions of grilling area: 10⅝" x 7¼." 300 watts, 120 volts, AC only. UL listed. Individual container with full-color graphic label. Eye-catching point-of-purchase label. Std. pk. of 1, ship. wt. 8.2 lbs.

SLOW COOKER WITH ROCKCOTE™ A SUPERIOR NON-STICK SURFACE

· 4-qt. oblong pot slow cooks delicious, nutritious meals · Variable heat control from warm to boil · Pot removes from base for oven or rangetop use · Base converts to mini-grill · Rockcote™ surface, a durable three-layered non-stick, for complete cleaning ease · Glass cover doubles as a 1½-qt. casserole/serving dish.

No. 84114

4-Qt. Slow Cooker with Rockcote™ non-stick surface. Porcelain-on-aluminum pot. Heat-resistant base has non-stick surface. Inside dimensions of grilling area: 10⅝" x 7¼." 300 watts, 120 volts, AC only. UL listed. Container has full-color graphic label. Std. pk. of 1, approx. ship. wt. 7.5 lbs.



4-QT. AUTOMATIC SLOW COOKER

· Variable heat settings provide complete temperature control · Easy-to-clean non-stick interior · Pot lifts from base for use on rangetop or in the oven up to 350°F · Glass cover lets you watch food while it cooks · Pot is immersible and dishwasher-safe.

No. 4401

4-Qt. Automatic Slow Cooker. Non-stick interior. Porcelain-on-aluminum pot. Heat-resistant handles and base. 200 watts, 120 volts, AC only. UL listed. Individual container has eye-catching full-color graphic label. Std. pk. of 1, ship wt. 6 lbs.

4-QT. SLOW COOKER WITH SILVERSTONE® NON-STICK SURFACE

· Variable heat settings for complete temperature control · SilverStone® non-stick interior for carefree cooking and easy clean-up · Convenient 4-qt. size · Removable pot can be used in oven or on rangetop · Pot and glass cover are immersible and dishwasher-safe.

No. 84104

4-Qt. Slow Cooker with SilverStone® non-stick interior. Porcelain-on-aluminum pot. Brown phenolic handles (heat-resistant to a preheated 350°F oven). Glass cover. Separate brown phenolic heating base with steel inset. 200 watts, 120 volts, AC only. UL listed. Eye-catching individual container. Std. pk. of 1, ship. wt. 6.1 lbs.



electric wok

WEST BEND®


ELECTRIC WOK WITH SILVERSTONE® NON-STICK SURFACE


· Authentic Oriental shape makes stir-frying foods fun and easy · Aluminum construction for even heating · 5½-qt. size is perfect for stir-frying, steaming, and deep-frying larger quantities of food · Lined with SilverStone® premium non-stick for extra-easy clean-up · Dishwasher-safe with heat control removed · Free Madame Wong Oriental Cookbook packed inside.

No. 5109X

5½-qt. Electric Wok with SilverStone® premium non-stick surface. Mandarin Red exterior. Porcelain-on-aluminum base. Acrylic-on aluminum cover. Heat-resistant handles, legs and cover knob. 1000 watts, 120 volts, AC only. UL listed. Eye-catching individual container with full-color graphic label. Includes an extensive 250-page Oriental cookbook. Std. pk. of 1, ship. wt. 7.5 lbs.


DU PONT APPROVED SilverStone PREMIUM NON-STICK SURFACE





STEAMING

STIR-FRYING



TEMPURA



THE POPPERY™ HOT AIR CORN POPPER

· Makes up to 4 quarts of delicious, nutritious popcorn—FAST · No oil means less calories and less mess · Automatic temperature control maintains even heat distribution · Highest wattage and deepest popping chamber for fewer unpopped kernels · Removable butter cup doubles as a measuring cup · Awarded the Popcorn Institute Seal of Approval.

No. 5459

The Poppery™ Hot Air Corn Popper. 4-qt. capacity. See-thru polycarbonate cover. Heat-resistant phenolic base. Convenient "on-off" switch. Removable measuring/butter cup. 1500 watts, 120 volts, AC only. UL listed. Individual full-color Pre-lith® container. Std. pk. of 3, ship. wt. 20.4 lbs.

STIR CRAZY® 6-QT. CORN POPPER

· Automatic stirring rod pops 2 to 6 quarts of bigger, fluffier great tasting popcorn · Pops up to 25% more popcorn than ordinary poppers using the same amount of corn and less oil · Fast—pops 6 full quarts in about six minutes · Special buttering device melts and butters the corn while it pops · Cover flips over to become a serving bowl · Awarded the Popcorn Institute Seal of Approval.

No. 5346

Stir Crazy® 2 to 6 Qt. Corn Popper. Automatic stirring rod. Non-stick coated popping surface. Heat-resistant base. See-thru cover. Plastic butter cup cover. 1000 watts, 120 volts, AC only. UL listed. Eye-catching individual container. Colorful wraparound point-of-purchase label. Std. pk. of 1, ship. wt. 5.3 lbs.

BUTTER-MATIC® 4-QT. CORN POPPER

· Pops up to 4 quarts of fluffy, delicious popcorn in only 7 minutes · See-thru cover flips over to become a serving bowl · Automatically shuts off when popping is complete · Fired-on non-stick popping surface for quick clean-ups · Built-in butter cup.

No. 25467

Butter-Matic® Automatic Corn Popper. 4-quart heat and break-resistant cover with built-in butter cup. Yellow polyethylene plastic cap. Brown heat-resistant base. Non-stick popping surface. 525 watts, 120 volts, AC only. UL listed. Handsome container is sure to attract attention. Std. pk. of 1, ship. wt. 4 lbs.



convenience appliances

WEST BEND®

AUTOMATIC EGG COOKER

· Poaches up to 4 eggs · Soft or hard-cooks up to 8 eggs · Easy-to-use · Unit shuts off automatically and "On" light goes out when eggs are done.

No. 86618

Automatic Egg Cooker. Includes egg rack, poaching pan, and measuring cup. Heat-resistant base. See-thru cover. 600 watts, 120 volts, AC only. UL listed. Individual container with full-color graphic label. Colorful point-of-purchase label. Std. pk. of 3, ship. wt. 9.8 lbs.

ELECTRIC PIZZA BAKER AND GRILL

· Bakes delicious pizzas—frozen, mixed or from scratch · Grills eggs, bacon, sausage, sandwiches, and hamburgers—warms hors d' oeuvres, too · Variable temperature control · Uses up to 75% less energy than gas or electric ovens.

No. 5388

Electric Pizza Baker and Grill. 12¼" diameter. Heat-resistant handles, legs and base. Acrylic-on-aluminum vented cover. 700 watts, 120 volts, AC only. UL listed. Individual container is extremely eye-catching. Std. pk. of 1, ship. wt. 6.1 lbs.



Poaching pan has fired on non-stick finish for easy cleaning; handy measuring cup included.

HOT 'N HANDY™ POT

· Makes hot instant beverages and snacks quickly · Also slowly warms delicate sauces · Non-stick interior for easy clean-up · Unique round shape makes stirring extra-easy · Lock-on cover · Stick handle and pouring spout for serving ease · 32-oz. capacity.

No. 53704

Hot 'n Handy™ Pot. Variable temperature control. Bright orange acrylic on seamless aluminum. Heat-resistant base, cover and handles. Detachable cord. 600 watts, 120 volts, AC only. UL listed. Individual corrugated container with full-color graphic label. Std. pk. of 3, ship. wt. 6.6 lbs.

POTATO BAKERY™ OVEN

· Bakes from 1 to 4 light, tasty potatoes in about ½ hour · Easy-to-use—simply place each potato on a baking pin and place the rack in the baker · Potatoes bake on the inside and out at the same time, so they're crisp on the outside, soft and hot on the inside · Saves up to 70% in energy over your conventional oven · Includes extensive potato cookbook.

No. 74207

Potato Bakery™ Oven. Brown phenolic base. Amber glass cover. Measures 8" x 8" x 10½." Four-pronged chrome-plated baking rack. 450 watts, 120 volts, AC only. UL listed. Individual container with two-panel full-color graphic label. Std. pk. of 3, ship. wt. 22.4 lbs.



WEST BEND®

ULTRA POT™ 2-CUP HEAT AND SERVER

· Heats water rapidly for instants; warms soups, stews, and hot chocolate; serves them, too · 5 accurate temperature settings for complete heating control · Cast aluminum construction for fast, even heat distribution · Lock-on cover helps minimize accidental spillage · 12-oz. capacity—interior has graduated markings for measuring ease · Easy-to-handle shape; exterior remains cool for comfortable handling.

No. 53103

Ultra Pot™ 2-Cup Heat and Server. Almond polypropylene exterior on heavy-gauge cast aluminum. Brown phenolic base. Almond polypropylene cover. Detachable cord. 1000 watts, 120 volts, AC only. UL listed. Full-color chipboard container and eye-catching point-of-purchase label. Std. pk. of 3, ship. wt. 9.5 lbs.

INSTANT HOT POT™ 2-6 CUP HEAT AND SERVERS

· Quickly heats water for instant tea, coffee, soup and other beverages · Secure lock-on lid minimizes accidental spillage · Convenient and versatile for use in dorms, mobile homes; everywhere · Great for students, travelers or singles · 36-oz. capacity; boils up to 6 cups of water.

No. 53106 Almond
No. 3253 Hot Pepper

Hot Pot™ Heat and Server. Adjustable heat control for boiling water or warming soups and stews. Acrylic finish on seamless aluminum. Detachable cord. 600 watts, 120 volts, AC only. UL listed. Eye-catching individual container. Std. pk. of 3, ship. wt. 5.7 lbs.

No. 3255

Butterscotch Hot Pot™ Heat and Server. Constant temperature. Acrylic finish on seamless aluminum. Black heat-resistant base, handle and cover. Detachable cord. 500 watts, 120 volts, AC only. UL listed. Individual container with full-color graphic label. Std. pk. of 3, ship. wt. 6 lbs.



automatic percolators

ANYTIME™ 5-9 CUP PERCOLATOR

· Constructed of lightweight polished aluminum for easy handling · Automatic temperature control—brews 5 to 9 cups of coffee and keeps it ready-to-serve · Lock-on cover minimizes accidental spillage · Durable plastic basket with "cool-tip" removal.

No. 9466

Anytime™ Automatic Percolator. Polished aluminum construction. Heat-resistant spout, cover, handle and base. 600 watts, 120 volts, AC only. UL listed. Individual corrugated container with full-color graphic label. Std. pk. of 3, ship. wt. 6.8 lbs.

3-5 CUP AUTOMATIC PERKS

· Quickly brews 3 to 5 cups of coffee then keeps it hot automatically · Available in handsome polished aluminum or contemporary almond with brown stripes · Cup level markings on the interior for easier filling · Lock-on cover helps prevent spillage · Perfect for students and singles.

No. 52005 Polished Aluminum
No. 52105 Almond

3-5 Cup Automatic Coffeemaker. Heat-resistant trim. 500 watts, 120 volts, AC only. UL listed. Individual container with attractive full-color graphic label. Std. pk. of 3, ship. wt. 6.2 lbs.

5-9 CUP AUTOMATIC PERCOLATORS

· Brews great-tasting coffee fast then keeps it ready for serving · Durable plastic basket features "cool-tip" removal for easy cleaning · Lock-on cover helps prevent accidental spills.

No. 9448 Harvest with Decoration
No. 9449 Almond with Decoration
No. 54119 Almond with Brown Stripes

5-9 Cup Automatic Coffeemaker. Acrylic finish on aluminum. Heat-resistant trim. 600 watts, 120 volts, AC only. UL listed. Individual container with full-color graphic label. Std. pk. of 3, ship. wt. 6.8 lbs.



party perks

WEST BEND®

12-22 and 12-30 CUP PARTY PERKS

· Large capacity is convenient for parties or special occasions · Durable plastic basket is easy-to-clean · Two-way, no-drip faucet · Special lock-on lid minimizes accidental spillage.

No. 58122

Automatic 12-22 Cup Party Perk. Polypropylene lock-on-lid. Phenolic base and handles. 600 watts, 120 volts, AC only. UL listed. Detachable cord. Container has full-color graphic label. Std. pk. of 1, ship. wt. 4.1 lbs.

No. 58030 Polished
No. 58130 Almond
No. 58330 Harvest

Automatic 12-30 Cup Party Perk. Convenient serving light. Polypropylene lock-on lid. Phenolic base and handles. Overall height 15½"; base diameter 7⅝." 1090 watts, 120 volts, AC only. UL listed. Container has full-color graphic label. Eye-catching point-of-purchase label. Std. pk. of 1, ship. wt. 4.5 lbs.



insulated party perks

12-30 CUP INSULATED PARTY PERKS

· Double-wall insulated perks brew from 12-30 cups of coffee; then keeps coffee ready for serving with NO electricity for up to 2 hours · Serve light indicates when brewing cycle is complete · Durable "cool-tip" basket for easy removal and cleaning · Two-way, no-drip faucet offers continuous flow or individual cup serving · Special lock-on lid helps minimize accidental spillage · Available in Almond or Harvest.

No. 57130 Almond
No. 57330 Harvest

12-30 Cup Insulated Party Perk. Polypropylene lock-on lid. Phenolic handles and legs. Enameled steel exterior and natural finish aluminum interior with trapped-air space between. 1090 watts, 120 volts, AC only. UL listed. Container has full-color graphic label. Std. pk. of 1, ship. wt. 6 lbs.



WEST BEND®

large capacity perks

INSTITUTIONAL-SIZE PERKS

· Made of lightweight polished aluminum for easy handling and long-lasting beauty · Water level markings make measuring easy · Two-way, no-drip faucet offers continuous flow or single cup filling · Choice of three sizes for large capacity needs · Serve light indicates when coffee is ready-to-serve.

No. 33600

40-100 Cup Percolator. Tubular glass coffee level gauge. 1500 watts, 120 volts, AC only. UL listed for household and commercial use. Individual corrugated container. Std. pk. of 1, ship. wt. 10.2 lbs.

No. 13500

25-55 Cup Percolator. Tubular glass coffee level gauge. 1500 watts, 120 volts, AC only. UL listed for household and commercial use. Individual corrugated container. Std. pk. of 1, ship. wt. 8.8 lbs.

No. 43536

12-36 Cup Percolator. 1090 watts, 120 volts, AC only. UL listed for household and commercial use. Individual corrugated container. Std. pk. of 1, ship. wt. 5.8 lbs.



drip coffeemakers

2-10 CUP FLAVO-DRIP® AUTOMATIC COFFEEMAKER

· Perfect for home or office · Quickly brews up to 10 cups of flavorful coffee · Attractive Almond and Brown color · Warming plate keeps coffee ready for serving · Also makes tea, hot chocolate and other instants · Utilizes regular size paper filters.

No. 5977


2-10 Cup Flavo-Drip® Automatic Coffeemaker. "On" light. Paper filters included. 1440 watts, 120 volts, AC only. UL listed. Individual container with full-color graphic label. Std. pk. of 1, ship. wt. 6.2 lbs.

4-12 CUP QUIK-DRIP® COFFEEMAKER

· Brews just the amount of coffee you need FAST · Convenient warming plate keeps coffee ready for serving · Permanent polyester filter · Built-in temperature control.

No. 56102

4-12 Cup Quik-Drip® Automatic Coffeemaker. On-off switch. Permanent polyester filter. Paper filters included. Almond and brown color. Individual container with full-color graphic label. Std. pk. of 1, ship. wt. 6.8 lbs.



Permanent polyester filter (Model 56102 only).



drip coffeemakers/servers/filters

WEST BEND®

10-CUP GLASS DECANTER

· Perfect for serving and/or storing hot and cold beverages · Heat-resistant glass carafe with convenient cup markings · Includes handle, cover and band.

No. 5974

10-Cup Glass Decanter. Individual corrugated container. Std. pk. of 4, ship. wt. 7.4 lbs.

PAPER FILTERS

· Fits all West Bend® and most other brands of automatic drip coffeemakers · Convenient for use with permanent polyester filters; keeps filters clean longer.

No. 1933

Paper Filters. Individual container of 100 fluted filters. Std. pk. of 12; ship. wt. 6.5 lbs.

2-16 CUP QUIK-DRIP® EXECUTIVE® COFFEEMAKER

· Ideal for offices or home entertaining · Brews from 2 to 8 cups quickly, then the second carafe lets you brew another pot · Two warming plates each keep up to 8 cups of coffee ready for serving · Versatile—makes tea, hot chocolate and other instants · Permanent polyester filter.

No. 5942

2-16 Cup Quik-Drip® Executive® Coffeemaker. On-off switches. 1500 watts, 120 volts, AC only. UL listed for household and commercial use. Individual corrugated container. Std. pk. of 1, ship. wt. 9 lbs.



merchandising aids

ATTRACTIVE CARTONS AND POINT-OF-PURCHASE LABELS

Each piece of advertising material is designed to be a "silent salesman." Descriptive and attractive, they're certain to grab that impulse buyer's attention.

EXTENSIVE RECIPE/ INSTRUCTION BOOKLETS

All instruction booklets are designed for the consumer's convenience. Complete with tasty recipes, these instruction booklets will be used again and again for years.

UL LISTED

It is West Bend Company policy that all electric products be UL listed.

COUNTER DISPLAYS

Attractive and eye-catching counter displays are available for all 3 West Bend electronic products: Triple Timer™ Electronic Timer, Triple Timer Plus™ Electronic Clock/Timer, and Kitchen Controller™ Multi-Function Advanced Appliance. Each smoked acrylic display is designed to quickly teach your customers all about these exciting products. 100 handout brochures are included.

D390 Triple Timer Counter Display. Overall size: 9¼" wide, 9¼" high, 7½" deep. Shipped with one No. 40000 Triple Timer attached.

D388 Triple Timer Plus Counter Display. Overall size: 16" wide, 9½" high, 8" deep. Shipped with one No. 40001 Triple Timer Plus attached.

D391 Kitchen Controller Counter Display. Overall size: 16" wide, 9" high, 8¼" deep.





a product of THE WEST BEND COMPANY, West Bend, Wisconsin 53095

2412-05-81

© 1981, Dart Industries Inc.

Printed in U.S.A.