

[illegible]

WEST BEND®

1984 CATALOG 67

Table of Contents

	Page
Electric Kettles, Buffet Server	3
Electric Woks	4-5
Slow Cookers	6-7
Electric Skillets	8-9
Corn Poppers	10-11
Heat and Servers	12
Percolators	13
Party Perks	14-15
Institutional Urns	16
Drip Coffeemakers	17
Specialty Electrics	18-19
Electronic Timers	20-21
Sports Stopwatches	22
Distance Calculators	23

Electric Kettles, Buffet Server



No. 88105 5 Qt. West Bend Country Kettle® Automatic Cooker

- Durable porcelain-on-aluminum construction. Exterior is stain-resistant and fade-proof.
- Silverstone® non-stick interior from DuPont prevents sticking and resists scratching.
- Deep-fry/steam basket (3 qt. capacity) features a removable handle, drain hook and support legs.
- It can simmer, steam, deep-fry, stew, roast, saute, slow cook and keep foods warm.
- Sensa-Temp® heat control maintains accurate temperatures up to 425°F; has a handy cooking temperature guide.

Heat-resistant handle/legs and cover knob. Immersible and dishwasher-safe with heat control removed. Heat control range: warm to 425°F. 1150 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 5.9 lbs., approx. cube .73 cu. ft.



Cost: _____

Usage: _____

No. 89005 Stainless Steel Country Kettle® Automatic Cooker

- Simmer, steam, deep-fry, stew, roast, saute, slow cook and serve in this kettle.
- Constructed of quality stainless steel for durability, cleaning ease and good looks.
- Great for family-size meals or entertaining.
- Thick aluminum base plate spreads heat quickly and evenly.
- 3 qt. deep-fry/steam basket has removable handle, drain hook and support legs that allow oil and steam to circulate.

5 qt. size. Heat-resistant handles, pedestal base and cover knob. Accurate Sensa-Temp® heat control (warm to 425°F); removable kettle is fully immersible. 1150 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. weight 5.5 lbs., approx. cube 1.096 cu. ft.



Cost: _____

Usage: _____

No. 89010 Stainless Steel Buffet Server II

- It's a warming tray and convenient serving unit all in one.
- Designed to keep hot foods at ready to serve temperatures.
- High-quality stainless steel construction provides beautiful, care-free service.
- Tray has a 22" x 10" heating surface with a non-skid grid pattern.
- Serving unit holds three dishes (two 1½ qt. glass dishes and one 3 qt. stainless steel dish).

Variable temperature control (low to high). Heat-resistant, brown phenolic trim makes it easy to handle. Three stainless steel covers help keep food warm. 350 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 21.5 lbs., approx. cube 1.8 cu. ft.



Cost: _____

Usage: _____

WEST BEND®

Electric Woks

No. 79525X 6-Qt. Electric Wok

- Designed for versatility, you can stir-fry, deep-fry, steam, stew, simmer and serve in this handy wok.
- Quality aluminum construction and variable temperature settings provide fast, even heating.
- Non-stick interior makes clean-up easy.
- Colorful acrylic-on-aluminum pan and cover are stain and fade-resistant.
- Tempura rack included.
- Free Better Homes and Gardens booklet includes dozens of delicious recipes.

Heat-resistant base, handles and cover knob. Non-immersible. Heat control range: Lo to Hi. 1000 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 5.7 lbs., approx. cube 1.492 cu. ft.



Cost: _____

Usage: _____

No. 79505 Electric Wok

- 5¼ qt. capacity.
- Heavy-gauge aluminum spreads heat evenly.
- Porcelain-on-aluminum pan; acrylic-on-aluminum cover.
- Rockcote®, a superior non-stick surface, makes clean-up simple.
- Stir-fry or deep-fry with professional results.
- Free Better Homes and Gardens recipe booklet packed inside.

Sensa-Temp® heat control maintains accurate temperatures from 'warm' to 425°F. Dishwasher-safe with heat control removed. 1000 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 7.5 lbs., approx. cube .8223 cu. ft.



Cost: _____

4 Usage: _____

Electric Woks



No. 79506X 6½-Qt. Electric Wok

- Large size, aluminum construction and Sensa-Temp® heat control for efficient stir-frying, deep-frying and steaming.
- SilverStone® non-stick surface for extra-easy clean-up.
- Tempura rack included.
- Immersible and dishwasher-safe with heat control removed.
- Includes deluxe 96-page recipe booklet. Features recipes using common ingredients. Many color photos.

Porcelain-on-aluminum base; acrylic-on-aluminum high-dome cover. Heat-resistant handles, legs and cover knob. Heat control range: 150°-425°F. 1000 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 5.9 lbs., approx. cube 1.20 cu. ft.



Cost: _____

Usage: _____



No. 80005 Stainless Steel Electric Wok

- Constructed of heavyweight stainless steel for durability, easy cleaning and good looks.
- Family size with high-dome cover.
- Sensa-Temp® heat control and aluminum base plate let you stir-fry, steam, deep-fry and serve with professional results.
- Completely immersible with heat control removed.
- Includes steaming rack, tempura rack, two wooden spoons and 10 wooden chopsticks.

5¼-Qt. size. Heat-resistant pedestal base and cover knob. Heat control range: 150°-425°F. 1000 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 6.1 lbs., approx. cube .963 cu. ft.

Cost: _____

Usage: _____



Slow Cookers

No. 84904 The Little Black Kettle with Non-Stick Interior

- Variable heat settings for complete temperature control (serve, low, medium and high).
- Removable kettle features a metal handle for carrying ease.
- Non-stick interior makes cooking and cleaning easy.
- Attractive charcoal exterior.
- Graceful metal kettle and cover are immersible and dishwasher-safe.

4 qt. capacity. Separate phenolic heating base with steel inset. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 5.8 lbs., approx. cube .463 cu. ft.



Cost: _____

Usage: _____

No. 84124 4-Qt. Slow Cooker with Rockcote® A Superior Non-Stick Surface

- Variable heat settings for complete temperature control.
- Rockcote® non-stick surface is triple thick for added durability.
- Removable porcelain-on-aluminum pot can be used in oven or on rangetop.
- Pot and glass cover are immersible; dishwasher-safe.

Separate phenolic heating base with steel inset. 200 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 6.1 lbs., approx. cube .463 cu. ft.



Cost: _____

Usage: _____



Slow Cookers



No. 84114 4-Qt. Slow Cooker with Rockcote® A Superior Non-Stick Surface

- Slow cooker tenderizes meats, maintains the vitamins many high temperatures destroy; variable heat control.
- Oblong pot may also be used on the range or in a preheated 350°F oven; interior is surfaced with Rockcote®, the non-stick that's triple thick for added durability.
- Base is a handy grill for quick meals; fired-on non-stick surface makes cleaning extra easy.
- Oven-safe glass cover doubles as a 1½-Qt. casserole/serving dish.
- Porcelain-on-aluminum pot is fade and stain-resistant; pot and cover are dishwasher-safe.

Heat-resistant base has 10⅝" x 7¼" grilling surface. 300 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented container. Std. pk. of 1, ship. wt. 7.7 lbs., cube .638 cu. ft.

Cost: _____

Usage: _____

No. 84306 Country Forge™ 6-Qt. Multi-Purpose Cooker

- Variable temperature control for versatility—slow cooks, roasts, grills, bakes, warms and serves.
 - Oblong porcelain-on-aluminum pot is ideal for a wide variety of foods; doubles as a rangetop or oven utensil (up to preheated 350° F.).
 - Easy clean-up with regular non-stick coated pot and grilling surface of base; pot and cover are dishwasher-safe.
- Includes roasting rack. Heat-resistant handles and base with 10⅝" x 7¼" grilling surface. 300 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 6.8 lbs., cube .579 cu. ft.



Cost: _____

Usage: _____



No. 85005 Round Stainless Steel Slow Cooker

- Heavyweight stainless steel construction provides durability, easy cleaning and a gleaming appearance.
- Brown phenolic trim and base are heat-resistant, make pot safe and easy to handle.
- Clear glass cover with cover knob.
- Heat setting ranges: serve, low, medium and high.

5 qt. capacity. Separate heating base. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 6.5 lbs., approx. cube .463 cu. ft.

Cost: _____

Usage: _____



Electric Skillets



No. 72129 11-In. Electric Skillet with Rockcote® A Superior Non-Stick Surface

- 11-In. size is convenient for cooking, serving and storing; easy-to-clean Rockcote® non-stick interior is triple thick for added durability.
- Removable Sensa-Temp® heat control and heavyweight aluminum construction provide accurate, even heating. Skillet is dishwasher-safe with heat control removed.
- Base exterior is fade, stain-resistant.

Porcelain-on-aluminum skillet base; acrylic-on-aluminum high-dome cover with handsome silk-screened design. Heat-resistant trim. Heat control range: 150°-425°F. 1255 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 5.8 lbs., cube 1.003 cu. ft.

Cost: _____

Usage: _____

No. 72109 11-In. Electric Skillet with Silverstone® Non-Stick Surface

- Silverstone® non-stick surface, provides stick-free cooking and easy cleaning.
- Completely immersible and dishwasher-safe with heat control removed.
- Heavyweight aluminum construction and Sensa-Temp® heat control for even, accurate heating.

Porcelain-on-aluminum skillet base; acrylic-on-aluminum high dome cover. Heat-resistant trim. Heat control range: 150°-425°F. 1255 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 4.8 lbs., approximate cube .555 cu. ft.



Cost: _____

Usage: _____



No. 1440 12-In. Skillet with SilverStone® Non-Stick Surface


- Large skillet with SilverStone® non-stick surface for cooking big meals with easy clean-up.
- Heavy-gauge aluminum heats food quickly and evenly.
- Accurate temperatures are maintained by Sensa-Temp® heat control (removable so skillet can go in dishwasher).

Porcelain-on-aluminum base; acrylic-on-aluminum high-dome cover with silkscreened design. Heat-resistant handle/legs, cover knob. Heat control range: 150°-425°F. 1255 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 6.7 lbs., cube 1.110 cu. ft.

Cost: _____

Usage: _____

Electric Skillets



No. 72106 Oblong Skillet with Rockcote® A Superior Non-Stick Surface

- Extra-large base (14½ x 10½ x 2½-in.) and vented high-dome cover are ideal for preparing crowd-size meals.
- Surfaced with Rockcote®, a superior non-stick that's triple thick for added durability.
- Excellent heating with heavyweight aluminum and Sensa-Temp® heat control (removed so skillet is dishwasher-safe).

Porcelain-on-aluminum base and acrylic-on-aluminum cover are fade, stain-resistant. Heat-resistant handle/legs. 1300 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship wt. 7.8 lbs., cube 1.547 cu. ft.



Cost: _____

Usage: _____

No. 73010 Stainless Steel 12-In. Electric Skillet

- Constructed of heavyweight stainless steel for durability, easy cleaning and good looks.
- Superior heat conduction with aluminum plate brazed to bottom.
- Sturdy pedestal base, heat-resistant trim for safe handling.
- High-dome cover fits larger cuts of meat.

Accurate Sensa-Temp® heat control (150°-425°F.); remove and skillet is fully immersible. 1000 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 7.0 lbs., approx. cube .861 cu. ft.



Cost: _____

Usage: _____

No. 82204 Butter-matic® II 4-Qt. Corn Popper

- Quickly and automatically pops and butters up to four quarts of popcorn.
- Popper shuts off automatically to help prevent scorching or burning.
- Compact size uses little counter and storage space.
- Cover flips for serving.

Heat-resistant cover with built-in butter well, plastic cap. Heat-resistant base with non-stick popping surface. Detachable cord. 525 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 4.5 lbs., cube .564 cu. ft.



Cost: _____

Usage: _____

No. 82805 The Popcorn Flavor Center™ Corn Popper

- 5 qt. capacity.
- Makes popcorn and caramel corn, plus cheese, taco, sour cream and chive, and chocolate mint flavored corn in just minutes. These and other snacks are inexpensive to make.
- Easy-to-use—pop the corn, stir up the coating and mix—all in the popper.
- Fresher and less expensive than store-bought snacks.
- Free recipe booklet packed inside. More than 50 pages are filled with delicious recipes for flavored popcorn.

Non-stick popping surface on heat-resistant base. Heat-resistant cover with automatic buttering device, plastic cap (cover flips for serving). Aluminum mixing ring. Detachable cord. 600 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 5.5 lbs., cube .635 cu. ft.



Cost: _____

Usage: _____

Corn Poppers



No. 5346 Stir Crazy® 6 Qt. Corn Popper

- *EXCLUSIVE stirring rod stirs kernels for bigger, fluffier, great-tasting puffs—up to 25% more popcorn using the same amount of kernels and less oil.*
- *FAST—pops 6 quarts in about 6 minutes.*
- *Butter well and stirring rod action combine for even distribution of butter as corn pops.*
- *Awarded the Popcorn Institute Seal of Approval for quality performance.*

Non-stick popping surface on heat-resistant base. Cover flips for serving. Detachable cord. 1000 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 4.6 lbs., cube .756 cu. ft.



Cost: _____

Usage: _____

No. 82102 Poppery® II 4-Qt. Hot Air Corn Popper

- *FASTEST corn popper around—pops 4 quarts in about 3 minutes.*
- *Advanced compact design allows easy storage.*
- *No oil means fewer calories, less cholesterol and less mess.*
- *Pops regular kernels into fluffier, great-tasting popcorn.*

Heat-resistant base. Removable measuring/butter cup. 1200 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 2.6 lbs., cube .328 cu. ft.



Cost: _____

Usage: _____



Heat and Servers



Hot Pot™ Heat and Servers

- Variable temperature control boils up to 36 ounces of water, then keeps it hot for hours.
- Also warms leftovers and canned foods; or heats milk for puddings and chowders.
- Convenient for use in the home, office, dorm, while traveling.

No. 3253 Hot pepper.

No. 53106 Almond with brown stripes.

Acrylic finish on seamless aluminum. Lock-on lid. Heat-resistant base, handle and cover. Markings for easy measuring. Detachable cord. 600 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, ship. wt. 5.6 lbs., cube .940 cu. ft.

Cost: 3253

Cost: 53106

Usage: _____

No. 53206 Hot Pot™ Heat and Server

- Quickly heats up to 36 ounces of water for instant tea, coffee or soup.
- Secure lock-on lid minimizes accidental spillage.
- Great for singles, students or travelers.
- Mocha color.

Constant temperature. Acrylic finish on seamless aluminum. Heat-resistant base, handle and cover. Water level markings. Detachable cord. 500 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, ship. wt. 6.0 lbs., cube .905 cu. ft.



Cost: _____

Usage: _____



Polished Aluminum Percolators

- Automatic temperature control brews great-tasting coffee then keeps it ready-to-serve.
- Lock-on cover minimizes accidental spillage.
- Heat-resistant spout, cover, handle and base; durable plastic "cool-tip" basket.
- Water level markings.

No. 52005 3-5 Cup Perk. 500 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, ship. wt. 6.2 lbs., cube 1.018 cu. ft.

No. 9466 Anytime® 5-9 Cup Perk. 600 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, ship. wt. 6.8 lbs., cube 1.183 cu. ft.

Cost: 52005

Cost: 9466

Usage: _____

5 or 9 Cup Percolators



5 to 9 Cup Percolators

- Brews great-tasting coffee fast then keeps it ready for serving.
- Durable plastic basket features "cool tip" removal for easy cleaning.
- Lock-on cover helps prevent accidental spills.

No. 54119 Almond with brown stripes, cover, spout.

No. 9447 Almond with brown stripes.

No. 9449 Almond with brown decoration.

Acrylic finish on aluminum. Heat-resistant base, handle, cover. Water level markings. 600 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, ship. wt. 6.8 lbs., cube 1.131 cu. ft.

Cost: 54119

Cost: 9447

Cost: 9449


Usage: _____



No. 54019 5 to 9 Cup Anodized Aluminum Percolator

- Anodized aluminum construction is designed for years of beautiful, trouble-free service.
- Brews coffee at cup-a-minute speed, then keeps it at perfect serving temperature.
- Cover locks securely into place to help prevent spillage.
- Durable plastic basket features "cool tip" removal; plastic spreader soaks grounds completely.
- Choose mild to strong strength coffee with brew selector.

Heat-resistant handle and base. Water level markings. Clear cover knob allows you to watch coffee percolate. 1000 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, approx ship. wt. 8.25 lbs., approx. cube 1.179 cu. ft.



Cost: _____

Usage: _____

No. 55019 Stainless Steel 5 to 9 Cup Percolator

- The 5-9 cup capacity is versatile enough to accommodate a family breakfast or a small dinner party.
- Gleaming stainless steel construction will last for years without wear.
- Lock-on cover minimizes accidental spillage.
- Stainless steel basket, stem and spreader; heat-resistant handle and base.
- Brew view gauge indicates water and coffee levels.

Brews coffee at cup-a-minute speed; select mild to strong flavor. See coffee percolate in clear cover knob. 1000 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, approx. ship wt. 10.8 lbs., approx. cube 1.179 cu. ft.

Cost: _____

Usage: _____





Party Percolators

No. 58122 12-22 Cup Almond Party Perk

- Automatic temperature control brews delicious coffee then keeps it hot for hours.
- Two-way dripless faucet for single cup or continuous flow serving.
- Heat-resistant lock-on lid, base, handles and basket for safer use.

Water-level lines, detachable cord. 600 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 4.1 lbs., cube .893 cu. ft.

Cost: _____

Usage: _____



No. 58030 12-30 Cup Party Perk

- Brews 30 cups of fresh coffee in ½ hour; automatic temperature control keeps it hot...perfect for parties!
- Serving light indicates when coffee is ready; single cup or continuous flow serving with two-way, no-drip faucet.
- Water level markings for easy measuring.

Polished aluminum construction. Heat-resistant lock-on lid, base and handles. Detachable cord. 1090 watts, 120 volts, AC only. UL listed. Four-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 4.5 lbs., cube 1.148 cu. ft.



Cost: _____

Usage: _____

No. 58130 (Almond)/No. 58200 (Mocha) 12-30 Cup Party Perks

- Large capacity is great for parties, offices.
- Delicious coffee brews at cup-a-minute speed; automatic temperature control keeps it piping hot.
- Single cup or continuous flow serve with two-way, dripless faucet.
- Convenient serving light; heat-resistant lock-on lid, base and handles for safety.

Water-level lines; detachable cord. 1090 watts, 120 volts, AC only. UL listed. Four-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 4.5 lbs., cube 1.148 cu. ft.

Cost: 58130 _____

Cost: 58200 _____

14 Usage: _____



Party Percolators



No. 57130 12-30 Cup Insulated Perk

- Brews 12-30 cups of fresh coffee that stay hot for up to 2 hours without electricity. Features double-wall insulation.
- Serving light indicates when coffee is ready; two-way dripless faucet offers continuous flow or single cup serving.
- "Cool tip" basket of durable plastic for safe removal, easy cleaning.

Almond steel exterior and natural finish aluminum interior with trapped air space between. Heat-resistant lock-on lid, handles, legs and basket. Water level markings. 1090 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship wt. 6.0 lbs., cube 1.021 cu.ft.



Cost: _____

Usage: _____



No. 59013 30 Cup Stainless Steel Coffeemaker

- Large 30-cup capacity and heavyweight stainless steel construction handle home or away entertaining needs with ease. Classic styling.
- Both single cup and continuous flow serving with two-way dripless faucet; lock-on lid helps prevent spills.
- Fast brewing—a dozen cups of coffee in 15 minutes, 30 cups in about 30 minutes.
- Serving light glows when coffee's ready; coffee is kept at the right serving temperature with automatic temperature control.

Heat-resistant base and handles; "cool-tip" plastic basket, stainless steel stem. Graduated water level markings, lock-on lid. 1000 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 6.6 lbs., approx. cube 1.234 cu. ft.

Cost: _____

Usage: _____

No. 43536 12-36 Cup Percolator

- Polished aluminum perk is durable and easy to maintain; lock-on lid for added safety.
- Automatic temperature control brews delicious coffee at cup-a-minute speed, then keeps it ready-to-serve hot for hours.
- Easy coffeemaking instructions printed on faceplate for convenient reference.
- Two-way, dripless faucet for single serve or continuous flow; convenient serving light.

Heat-resistant base, handles and cover knob. Water level markings; serving light. 1090 watts, 120 volts, AC only. UL listed for household and commercial use. Benefit-oriented carton. Std. pk. of 1, ship. wt. 5.8 lbs., cube 1.434 cu. ft.

Cost: _____

Usage: _____



No. 13500 25-55 Cup Perk

- Aluminum construction for easy handling, long life. Lid locks on to prevent accidental spillage.
- Delicious coffee is brewed at cup-a-minute speed; stays piping hot with automatic temperature control.
- Tubular glass coffee level gauge; serving light; heat-resistant base, handles and cover knob.

Two-way dripless faucet, water level markings, on/off switch, instructions on faceplate. 1500 watts, 120 volts, AC only. UL listed for household and commercial use. Benefit-oriented carton. Std. pk. of 1, ship. wt. 8.8 lbs., cube 1.928 cu. ft.

Cost: _____

Usage: _____

No. 33600 40-100 Cup Percolator

- Aluminum construction for easy cleaning and durability.
- Water level markings, serving light and tubular glass coffee gauge for convenient coffeemaking; instructions on faceplate.
- Heat-resistant base, handles and cover knob for safe handling.
- Lock-on lid for added safety.

Automatic temperature control; two-way dripless faucet; on/off switch. 1500 watts, 120 volts, AC only. UL listed for household and commercial use. Benefit-oriented carton. Std. pk. of 1, ship. wt. 10.3 lbs., cube 2.479 cu. ft.

Cost: _____

Usage: _____



Drip Coffeemakers and Accessories



No. 5977 2-10 Cup Flavo-Drip® Automatic Coffeemaker

- Brews great-tasting coffee at cup-a-minute speed.
- Warming plate with built-in temperature control keeps coffee ready for serving; ideal for home and office.
- Soft almond and brown color; uses regular paper filters (included).

"On" light. 1440 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented container. Std. pk. of 1, ship. wt. 6.2 lbs., cube 1.176 cu. ft.

No. 5942 2-16 Cup Quik Drip® Executive® Coffeemaker

- Double brewing capacity in one compact coffee-maker: brews from 2 to 8 cups quickly, then the second carafe lets you brew another pot (two warming plates).
- Permanent polyester filter makes paper filters unnecessary; money-saving!
- Makes more than coffee—can also be used for tea, hot chocolate and other instants. Easy to clean.

On/off switches. 1500 watts, 120 volts, AC only. UL listed for household and commercial use. Benefit-oriented carton. Std. pk. of 1, ship. wt. 9.0 lbs., cube 1.298 cu. ft.



No. 1933 Paper Filters

- Ensures pure, rich coffee flavor by filtering out sediment.
- Fits all West Bend and most other brands of automatic drip coffeemakers.
- Also can be used with permanent polyester filters to keep them clean longer.

Individual four-color container holds 100 fluted filters. Std. pk. of 12, ship. wt. 6.5 lbs., cube .993.

Glass Decanters

- Serves and stores hot and cold beverages.
- Convenient cup markings on heat-resistant glass carafe.
- Includes stay-cool handle and cover.

No. 5967 8-Cup. Also is a replacement carafe for Quik Drip® Executive® Coffeemaker. Individual corrugated container. Std. pk. of 4, ship. wt. 6.8 lbs., cube 1.226 cu. ft.

No. 5974 10-Cup. Also is a replacement carafe for Flavo-Drip® and Quik Drip® Coffeemakers. Individual corrugated container. Std. pk. of 4, ship. wt. 7.4 lbs., cube 1.248 cu. ft.



Specialty Electrics

WEST BEND®



No. 76208 Electric Griddle

- Large 17" x 11" cooking surface.
- Thick, heavy-gauge aluminum construction provides fast, even heating.
- Rockcote® a superior non-stick surface, is three layers thick for added durability and easy cooking and cleaning.
- Sensa-Temp® heat control has variable settings (from 'warm' to 425° F) and a convenient temperature guide.
- Grease well traps juices; two pouring lips make disposal easy.

Immersible and dishwasher-safe with heat control removed. Heat-resistant handle/legs. 1470 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 4.4 lbs., approx cube .73 cu. ft.

Cost: _____

Usage: _____

No. 5388 Electric Pizza Baker and Grill

- Bakes delicious pizzas (frozen, mix or scratch).
- Versatile—also grills eggs, bacon, and sandwiches; warms hors d'oeuvres.
- Uses up to 75% less energy than gas or electric ovens.
- Variable temperature control.

12¼" diameter. Heat-resistant handles, legs and base. Acrylic-on-aluminum vented cover. 700 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 6.1 lbs., cube 1.231 cu. ft.



Cost: _____

Usage: _____



No. 86618 Automatic Egg Cooker

- *Makes the most of your eggs—poaches up to 4, soft or hard-boils up to 8.*
- *Easy to use—unit shuts off automatically and “on” light goes out when eggs are done. Convenient—no guesswork about proper timing and temperatures.*

Includes egg rack, poaching pan and measuring cup. Heat-resistant base. 600 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, ship. wt. 9.8 lbs., cube 1.248 cu. ft.

Cost: _____

Usage: _____

No. 88502 Electric Fondue Pot

- *Variable heat control features settings for preparing and serving meat, cheese and dessert fondue. Maintains exact, even temperatures.*
- *Includes four stainless steel forks with heat-resistant handles. Color-coded for easy identification.*
- *Non-stick interior is scratch-resistant and easy to clean.*
- *Porcelain-on-aluminum construction is fade, chip and stain-resistant.*
- *Removable ring with eight fork slots holds forks in place while foods cook.*

2 qt. capacity. Recipe booklet contains dozens of delicious recipes. Heat-resistant handle/legs. Immersible with heat control removed. 600 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 3.2 lbs., approx. cube .3916 cu. ft.



Cost: _____

Usage: _____



Electronic Timers

No. 40009 Repeat™ Timer

- Times 1 minute-99 minutes, plus seconds. Increase and Decrease Time Set Keys allow you to set desired time period.
- Handy pocket size (2 $\frac{3}{8}$ " diameter x $\frac{1}{2}$ " high) is designed to be used anywhere. Features a clip, magnet and metal stand for versatility.
- Memory function lets you set the desired time period and return to it again and again.
- Loud, beeping alarm alerts you when timing is complete.
- 1.5 volt button battery included.

LCD digital display has large, easy-to-read digits. Dynamic display pack. Std. pk. of 12, approx. ship. wt. 1.7 lbs., approx. cube .216 cu. ft.



(Actual Size)


Cost: _____

Usage: _____

No. 40010 24 Hour Recall™ Timer

- Times 1 minute through 24 hours.
- Recall (memory) function lets you set desired time period and return to it as often as necessary.
- Convenient sized buttons make digit advancement easy.
- Handy pocket size (2 $\frac{3}{8}$ " diameter x $\frac{1}{2}$ " high). Includes a clip, magnet and metal stand.
- Great for timing medication intervals, baking, suntanning and more.
- During last 10 minutes, counts down in minutes and seconds ("H" and "M" symbols disappear).
- 1.5 volt button battery included.
- Loud beeping alarm alerts you when timing is complete.

Large, easy-to-read digits. Liquid crystal display. Benefit-oriented display pack. Std. pk. of 12, approx. ship. wt. 1.7 lbs., approx. cube .216 cu. ft.



(Actual Size)

Cost: _____

Usage: _____

No. 40005 Electronic Timer

- Pocket-sized (2 $\frac{5}{16}$ x 2 $\frac{7}{16}$ x $\frac{1}{2}$ -in.) and battery-operated Timer for maximum convenience. Handy clip, magnet stand and hanging hole let you use this Timer anywhere.
- Times from 100 minutes down to 1 second. LCD display plus custom-designed micro-processor chip offer extra-long battery life.
- Loud electronic tone tells you when time's up.
- 1.5 volt button battery included.

Uses 1.5 volt button cell battery. Eye-catching display pack. Std. pk. of 12, approx. ship. wt. 2.0 lbs., approx. cube .1857 cu. ft.



(Actual Size)

Cost: _____

Usage: _____

Electronic Timers



No. 40012 Double Timer™ Electronic Timer

- Two timing channels, one 12-hour clock channel.
- Times from 20 hours down to one second in each channel; easy to set, reset and turn off.
- Choose a signal light or an alarm to alert you when timing is complete. Each timing channel has a different alarm and flashing light sequence.
- Lightweight and fits easily in your hand.
- Uses two "AA" batteries.

Accurate quartz functions. Micro-computer controlled. Benefit-oriented full-color blister pack. Std. pk. of 12, approx. ship. wt. 3 lbs., approx. cube .332 cu. ft.


Cost: _____

Usage: _____

No. 40000 Triple Timer® Electronic Timer


- Accurate 3-channel timing in a portable unit.
- Fits easily in your hand; lightweight; works indoors or out.
- Times from 10 hours down to 1 second in each channel; easy to set, reset and turn off.
- Extra-long battery life—up to 2 years. Uses two "AA" batteries.

Micro-computer controlled. LCD digital display. Three distinct electronic tones. Benefit-oriented full-color chipboard container. Std. pk. of 6, ship. wt. 1.5 lbs., cube .064 cu. ft. Benefit-oriented full-color blister pack (No. 40000X); Std. pk. of 12, ship. wt. 3.0 lbs., cube .332 cu. ft.



Cost: _____

Usage: _____



No. 40007 Electronic Timer/Stopwatch

- Counts down for timing, cooking, laundry, sunbathing and more. Counts up for jogging, phone calling, etc.
- Pocket-sized ($2\frac{5}{16} \times 2\frac{7}{16} \times \frac{1}{2}$ -In.) and battery-operated Timer for maximum convenience. Handy clip, magnet, stand and hanging hole let you use this Timer anywhere.
- Counts down from 100 minutes in minutes and seconds. Counts up to 60 minutes then recycles automatically. LCD display plus custom-designed micro-processor chip offer extra-long battery life.
- When counting down, loud electronic tone lets you know when timing is complete.

1.5 volt button battery included. Eye-catching display pack. Std. pk. of 12, approx. ship. weight 2.0 lbs., approx. cube .1857 cu. ft.

Cost: _____

(Actual Size)

Usage: _____



Sports Stopwatches



No. 40101 The Sports Model Stopwatch

- Stopwatch range: 1/100 second, seconds, minutes. One hour maximum range.
- 12 hour clock with PM symbol.
- Month, day and day of week.
- Timing various sports activities is easy with the split time capability.
- Convenient size to hold. This stopwatch is lightweight so it's comfortable to wear around your neck.
- LCD display is easy to read.

1.5 volt button battery included. Micro-computer controlled. Benefit-oriented display pack. Std. pk. of 12, approx. ship. wt. 1.7 lbs., approx. cube .25 cu. ft.

Cost: _____

Usage: _____

No. 40100 The Pro Model Stopwatch

- Large seven digit LCD display is easy to read.
- Range of stopwatch: 1/100 second, seconds, minutes; up to 10 hours.
- Lap function allows you to time one race participant's speed during various laps. Also useful when timing two closely-spaced competitors.
- Split time capability for timing various runners' speeds over a predetermined distance. Great for timing car, bike and motorcycle races, as well as many other athletic activities.
- Lightweight and convenient to hold. Hang cord attached to stopwatch around your neck or use the stand to set it upright on a flat surface.
- Protective soft black case included.

Accurate quartz movement. Micro-computer controlled. 1.5 volt battery included. Dynamic display pack. Std. pk. of 6, approx. ship. wt. 1.2 lbs., approx. cube .194 cu. ft.

Cost: _____

Usage: _____



No. 40102 Ski & Cycle™ Stopwatch

- Stopwatch range: 1/100 second, seconds, minutes, hours; up to 24 hours.
- 12 hour/24 hour clock function with AM and PM designations.
- Month, day and day of the week.
- Fits easily on handlebars. Use it with touring bikes, motorcycles, mopeds, exercise bikes and BMX bikes; for boating, cross-country and downhill skiing. Or, wear it on your wrist to time marathon races (convenient band included).
- Easy to use—great for kids and adults.
- Split time capability. Water-resistant.

Micro-computer controlled. LCD digital display. 1.5 volt button battery included. Eye-catching display pack. Std. pk. of 12, approx. ship. wt. 1.9 lbs., approx. cube .649 cu. ft.

Cost: _____

Usage: _____



Distance Calculators

WEST BEND®

No. 40103 Digital Jogmeter

- Measures miles and 1/10 miles, up to 99.9 miles.
- Counts your strides and calculates jogging and running mileage.
- Set Stride Adjust Lever to the number corresponding to the length of your stride.
- Lightweight—won't slow you down or add unnecessary weight.
- Reset button allows you to return to 00.0 miles at any time. Use this button on a daily or weekly basis.

Clip attaches easily to a waistband or belt. Maintains an accurate count of the steps and miles you put on. Dynamic display pack. Std. pk. of 12, approx. ship. wt. 1 lb., approx. cube .273 cu. ft.



Cost: _____

Usage: _____

No. 40104 Digital Pedometer

- Measures walking distances in miles and 1/10 miles; up to 99.9 miles.
- Stride Adjust Lever matches the length of your stride.
- Digital Distance Counter counts your steps and records mileage.
- Quiet operation lets you enjoy your walk or hike—you won't even know it's there.
- Lightweight so you can use it during the day as you do housework, run errands, or go to the office.

Pedometer is most accurate when worn at the waistline. Clip makes it easy to attach. Maintains an accurate count of the steps and miles you put on. Dynamic display pack. Std. pk. of 12, approx. ship. wt. 1 lb., approx. cube .273 cu. ft.



Cost: _____

Usage: _____

Printed in U.S.A.