


Quality Products for Better Living

CATALOG 66



WEST BEND®

1983

Table of Contents

	Page
Electric Woks	3
Electric Skillets	4-5
Corn Poppers	6-7
Heat and Servers	8
Percolators	9
Party Perks	10-11
Institutional Urns	12
Drip Coffeemakers	13
Slow Cookers	14
Electronic Timers	15
Specialty Electrics	16
Humidifiers	17-20
Humidifier Accessories	21
Humidifier Displays	22
Tea Kettles/Odds 'n Eggs® Pan	23
Cookware	24-29
Specialty Cookware Items	30-31
Bakeware	32

Electric Woks



No. 80005 Stainless Steel Electric Wok

- Constructed of heavyweight stainless steel for durability, easy cleaning and good looks.
- Family size with high-dome cover.
- Sensa-Temp® heat control and aluminum base plate let you stir-fry, steam, deep-fry and serve with professional results.
- Completely immersible with heat control removed.
- Includes steaming rack, tempura rack, two wooden spoons and 10 wooden chopsticks.

5¼-Qt. size. Heat-resistant pedestal base and cover knob. Heat control range: 150°-425°F. 1000 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 6.1 lbs., approx. cube .963 cu. ft.

No. 79506 6½-Qt. Electric Wok

- Large size, aluminum construction and Sensa-Temp® heat control for efficient stir-frying, deep-frying and steaming.
- SilverStone® non-stick surface for extra-easy clean-up.
- Immersible and dishwasher-safe with heat control removed.
- Free Better Homes & Gardens recipe book packed inside.

Porcelain-on-aluminum base; acrylic-on-aluminum high-dome cover. Heat-resistant handles, legs and cover knob. Heat control range: 150°-425°F. 1000 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 5.9 lbs., approx. cube 1.20 cu. ft.





Electric Skillets



No. 72129 11-In. Electric Skillet with Rockcote™ A Superior Non-Stick Surface

- 11-In. size is convenient for cooking, serving and storing; easy-to-clean Rockcote™ non-stick interior is triple thick for added durability.
- Removable Sensa-Temp® heat control and heavyweight aluminum construction provide accurate, even heating. Skillet is dishwasher-safe with heat control removed.
- Base exterior is fade, stain-resistant.

Porcelain-on-aluminum skillet base; acrylic-on-aluminum high-dome cover with handsome silkscreened design. Heat-resistant trim. Heat control range: 150°-425°F. 1255 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 5.8 lbs., cube 1.003 cu. ft.

No. 72110 12-In. Electric Skillet with Rockcote™ A Superior Non-Stick Surface

- Rockcote™ non-stick surface is triple thick for the durability necessary for everyday use.
- Completely immersible and dishwasher-safe with heat control removed.
- Heavyweight aluminum construction and Sensa-Temp® heat control for even, accurate heating.
- Large economical 12-In. size.

Porcelain-on-aluminum skillet base; acrylic-on-aluminum cover. Adjustable cover vent. Heat-resistant trim. Heat control range: 150°-425°F. 1255 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 6.7 lbs., approximate cube 1.110 cu. ft.



No. 1440 12-In. Skillet with SilverStone® Non-Stick Surface

- Large skillet with SilverStone® non-stick surface for cooking big meals with easy clean-up.
- Heavy-gauge aluminum heats food quickly and evenly.
- Accurate temperatures are maintained by Sensa-Temp® heat control (removable so skillet can go in dishwasher).

Porcelain-on-aluminum base; acrylic-on-aluminum high-dome cover with silkscreened design. Heat-resistant handle/legs, cover knob. Heat control range: 150°-425°F. 1255 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 6.7 lbs., cube 1.110 cu. ft.



Electric Skillets



No. 73010 Stainless Steel 12-In. Electric Skillet

- *Constructed of heavyweight stainless steel for durability, easy cleaning and good looks.*
- *Superior heat conduction with aluminum plate brazed to bottom.*
- *Sturdy pedestal base, heat-resistant trim for safe handling.*
- *High-dome cover fits larger cuts of meat.*

Accurate Sensa-Temp® heat control (150°-425°F.); remove and skillet is fully immersible. 1000 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 7.0 lbs., approx. cube .861 cu. ft.



No. 72106 Oblong Skillet with Rockcote™ A Superior Non-Stick Surface

- *Extra-large base (14½ x 10½ x 2½-In.) and vented high-dome cover are ideal for preparing crowd-size meals.*
- *Surfaced with Rockcote™ a superior non-stick that's triple thick for added durability.*
- *Excellent heating with heavyweight aluminum and Sensa-Temp® heat control (removes so skillet is dishwasher-safe.)*

Porcelain-on-aluminum base and acrylic-on-aluminum cover are fade, stain-resistant. Heat-resistant handle/legs. 1300 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 7.8 lbs., cube 1.547 cu. ft.



Corn Poppers

WEST BEND®

No. 5346 Stir Crazy® 6-Qt. Corn Popper

- *EXCLUSIVE* stirring rod stirs kernels for bigger, fluffier, great-tasting puffs—up to 25% more popcorn using the same amount of kernels and less oil.
- *FAST*—pops 6 quarts in about 6 minutes.
- Butter well and stirring rod action combine for even distribution of butter as corn pops.
- Awarded the Popcorn Institute Seal of Approval.


Non-stick popping surface on heat-resistant base. Cover flips for serving. Detachable cord. 1000 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 4.6 lbs., cube .756 cu. ft.



No. 25467 Butter-matic® 4-Qt. Corn Popper

- Pops 4 quarts of delicious, fluffy popcorn in only 7 minutes.
- Butter melts evenly over corn as it pops.
- Automatically shuts off to prevent scorching and burning.

Heat-resistant cover with butter well, plastic cap (cover flips for serving). Heat-resistant base with non-stick popping surface. Detachable cord. 525 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 4.0 lbs., cube .770 cu. ft.



No. 82204 Butter-matic II™ 4-Qt. Corn Popper

- Quickly and automatically pops and butters up to four quarts of popcorn.
- Popper shuts off automatically to help prevent scorching or burning.
- Compact size uses little counter and storage space.
- Cover flips for serving.


Heat-resistant cover with built-in butter well, plastic cap. Heat-resistant base with non-stick popping surface. Detachable cord. 525 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 4.5 lbs., cube .564 cu. ft.



No. 82205 Butter-matic 5™ 5-Qt. Corn Popper

- For 5 quarts of hot, buttered popcorn automatically in only minutes.
- Compact size stores away easily.
- Automatically shuts off to help prevent scorching and burning.
- Cover flips for serving.

Heat and break-resistant cover with built-in butter well, plastic cap. Heat-resistant base with non-stick popping surface. Detachable cord. 600 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 5.5 lbs., cube .635 cu. ft.



WEST BEND®

Corn Poppers



No. 82102 Poppery II™ 4-Qt. Hot Air Corn Popper

- *FASTEST* corn popper around—pops 4 quarts in less than 3 minutes.
- *Advanced compact design* allows easy storage.
- *No oil* means fewer calories, less cholesterol and less mess.
- *Pops regular kernels into fluffier, great-tasting popcorn.*

Heat-resistant base. Removable measuring/butter cup. 1200 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, ship. wt. 9.2 lbs., cube 1.617 cu.ft.

No. 82805 The Popcorn Center™ Caramel Corn Maker

- *Makes popcorn, caramel corn, cheese corn and other snacks in minutes at an affordable price.*
- *Easy-to-use—pop the corn, stir up the caramel coating and mix—all in the popper.*
- *Fresher and less expensive than store-bought snacks.*

Non-stick popping surface on heat-resistant base. Heat-resistant cover with automatic buttering device, plastic cap (cover flips for serving). Aluminum mixing ring. Detachable cord. 600 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 5.5 lbs., cube .635 cu. ft.



No. 82800 Stir Crazy® Popcorn/Caramel Corn Maker

- *Makes popcorn, caramel corn and other snacks that are less expensive than store-bought snacks.*
- *Stirring rod* allows for bigger, fluffier popcorn with fewer unpopped kernels; also automatically stirs the caramel mixture.
- *Largest capacity popper— makes up to 10 quarts of popcorn; 4 quarts of caramel corn.*

Non-stick coated popping surface on heat-resistant base. Butter well and plastic cap (cover flips for serving). Aluminum mixing ring. Detachable cord. 1000 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 5.9 lbs., cube 1.186 cu. ft.





Heat and Servers

Hot Pot™ Heat and Servers

- Variable temperature control boils up to 36 ounces of water, then keeps it hot for hours.
- Also warms leftovers and canned foods; or heats milk for puddings and chowders.
- Convenient for use in the home, office, dorm, while traveling.

No. 3253 Hot pepper.

No. 53106 Almond with brown stripes.

Acrylic finish on seamless aluminum. Lock-on lid. Heat-resistant base, handle and cover. Markings for easy measuring. Detachable cord. 600 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, ship. wt. 5.6 lbs., cube .940 cu. ft.



No. 3255 Hot Pot™ Heat and Server

- Quickly heats up to 36 ounces of water for instant tea, coffee or soup.
- Secure lock-on lid minimizes accidental spillage.
- Great for singles, students or travelers.

Constant temperature. Acrylic finish on seamless aluminum. Heat-resistant base, handle and cover. Water level markings. Detachable cord. 500 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, ship. wt. 6.0 lbs., cube .905 cu. ft.



No. 53504 ManyMeal™ Heat and Server

- Round shape is ideal for making hot snacks, sauces, beverages; stick handle and pouring spout for serving ease; 32-ounce capacity.
- Variable temperature control from warm to boil.
- Non-stick interior for quick and easy clean-ups.

Acrylic finish on seamless aluminum. Lock-on cover. Heat-resistant base, cover and handle. Cup markings. Detachable cord. 600 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, ship. wt. 6.6 lbs., cube 1.059 cu. ft.



5 or 9 Cup Percolators



5 to 9 Cup Percolators

- Brews great-tasting coffee fast then keeps it ready for serving.
- Durable plastic basket features "cool tip" removal for easy cleaning.
- Lock-on cover helps prevent accidental spills.

No. 9447 Almond with brown stripes.

No. 9449 Almond with brown decoration.

Acrylic finish on aluminum. Heat resistant base, handle, cover. Water level markings. 600 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, ship. wt. 6.8 lbs., cube 1.131 cu. ft.



No. 54119 5 to 9 Cup Percolator

- Brews great-tasting coffee fast then keeps it ready for serving.
- Durable plastic basket features "cool-tip" removal for easy cleaning.
- Lock-on cover helps prevent accidental spillage.

Almond with brown stripes; acrylic finish on aluminum. Heat-resistant base, handle, cover and spout. Water level markings. 600 watts, 120 volts, AC only. UL listed. Benefit-oriented carton. Std. pk. of 3, ship. wt. 6.6 lbs., cube 1.183 cu. ft.

Polished Aluminum Percolators

- Automatic temperature control brews great-tasting coffee then keeps it ready-to-serve.
- Lock-on cover minimizes accidental spillage.
- Heat-resistant spout, cover, handle and base; durable plastic "cool-tip" basket.
- Water level markings.

No. 52005 3-5 Cup Perk. 500 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, ship. wt. 6.2 lbs., cube 1.018 cu. ft.

No. 9466 Anytime™ 5-9 Cup Perk. 600 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, ship. wt. 6.8 lbs., cube 1.183 cu. ft.





Party Percolators

No. 58122 12-22 Cup Almond Party Perk

- Automatic temperature control brews delicious coffee then keeps it hot for hours.
- Two-way dripless faucet for single cup or continuous flow serving.
- Heat-resistant lock-on lid, base, handles and basket for safer use.

Water-level lines, detachable cord. 600 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 4.1 lbs., cube .893 cu. ft.



No. 58030 12-30 Cup Party Perk

- Brews 30 cups of fresh coffee in $\frac{1}{2}$ hour; automatic temperature control keeps it hot...perfect for parties!
- Serving light indicates when coffee is ready; single cup or continuous flow serving with two-way, no-drip faucet.
- Water level markings for easy measuring.

Polished aluminum construction. Heat-resistant lock-on lid, base and handles. Detachable cord. 1090 watts, 120 volts, AC only. UL listed. Four-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 4.5 lbs., cube 1.148 cu. ft.



No. 58130 (Almond)/No. 58330 (Harvest) 12-30 Cup Party Perks

- Large capacity is great for parties, offices.
- Delicious coffee brews at cup-a-minute speed; automatic temperature control keeps it piping hot.
- Single cup or continuous flow serve with two-way, dripless faucet.
- Convenient serving light; heat-resistant lock-on lid, base and handles for safety.

Water-level lines; detachable cord. 1090 watts, 120 volts, AC only. UL listed. Four-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 4.5 lbs., cube 1.148 cu. ft.



Party Percolators



No. 57130 12-30 Cup Insulated Perk

- Brews 12-30 cups of fresh coffee that stay hot for up to 2 hours without electricity. Features double-wall insulation.
- Serving light indicates when coffee is ready; two-way dripless faucet offers continuous flow or single cup serving.
- "Cool tip" basket of durable plastic for safe removal, easy cleaning.

Almond steel exterior and natural finish aluminum interior with trapped air space between. Heat-resistant lock-on lid, handles, legs and basket. Water level markings. 1090 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship wt. 6.0 lbs., cube 1.021 cu.ft.



No. 59013 30 Cup Stainless Steel Coffeemaker

- Large 30-cup capacity and heavyweight stainless steel construction handle home or away entertaining needs with ease. Classic styling.
- Both single cup and continuous flow serving with two-way dripless faucet; lock-on lid helps prevent spills.
- Fast brewing—a dozen cups of coffee in 15 minutes, 30 cups in about 30 minutes.
- Serving light glows when coffee's ready; coffee is kept at the right serving temperature with automatic temperature control.

Heat-resistant base, handles and basket. "Cool-tip" plastic basket, aluminum stem. Graduated water level markings, lock-on lid. 1000 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 6.6 lbs., approx. cube 1.234 cu. ft.





Institutional-Size Perks

No. 43536 12-36 Cup Percolator

- *Polished aluminum perk is durable and easy to maintain; lock-on lid for added safety.*
- *Automatic temperature control brews delicious coffee at cup-a-minute speed, then keeps it ready-to-serve hot for hours.*
- *Easy coffeemaking instructions printed on faceplate for convenient reference.*
- *Two-way, dripless faucet for single serve or continuous flow; convenient serving light.*

Heat-resistant base, handles and cover knob. Water level markings; serving light. 1090 watts, 120 volts, AC only. UL listed for household and commercial use. Benefit-oriented carton. Std. pk. of 1, ship. wt. 5.8 lbs., cube 1.434 cu. ft.



No. 13500 25-55 Cup Perk

- *Aluminum construction for easy handling, long life.*
- *Delicious coffee is brewed at cup-a-minute speed; stays piping hot with automatic temperature control.*
- *Tubular glass coffee level gauge; serving light; heat-resistant base, handles and cover knob.*

Two-way dripless faucet, water level markings, on/off switch, instructions on faceplate. 1500 watts, 120 volts, AC only. UL listed for household and commercial use. Benefit-oriented carton. Std. pk. of 1, ship. wt. 8.8 lbs., cube 1.928 cu. ft.



No. 33600 40-100 Cup Percolator

- *Aluminum construction for easy cleaning and durability.*
- *Water level markings, serving light and tubular glass coffee gauge for convenient coffeemaking; instructions on faceplate.*
- *Heat-resistant base, handles and cover knob for safe handling.*

Automatic temperature control; two-way dripless faucet; on/off switch. 1500 watts, 120 volts, AC only. UL listed for household and commercial use. Benefit-oriented carton. Std. pk. of 1, ship. wt. 10.3 lbs., cube 2.479 cu. ft.



Drip Coffeemakers and Accessories



No. 5977 2-10 Cup Flavo-Drip® Automatic Coffeemaker

- Brews great-tasting coffee at cup-a-minute speed.
- Warming plate with built-in temperature control keeps coffee ready for serving; ideal for home and office.
- Soft almond and brown color; uses regular paper filters (included).

"On" light. 1440 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented container. Std. pk. of 1, ship. wt. 6.2 lbs., cube 1.176 cu. ft.

No. 5942 2-16 Cup Quik Drip® Executive Coffeemaker

- Double brewing capacity in one compact coffee-maker: brews from 2 to 8 cups quickly, then the second carafe lets you brew another pot (two warming plates).
- Permanent polyester filter makes paper filters unnecessary; money-saving!
- Makes more than coffee—can also be used for tea, hot chocolate and other instants. Easy to clean.

On/off switches. 1500 watts, 120 volts, AC only. UL listed for household and commercial use. Benefit-oriented carton. Std. pk. of 1, ship. wt. 9.0 lbs., cube 1.298 cu. ft.



No. 1933 Paper Filters

- Ensures pure, rich coffee flavor by filtering out sediment.
- Fits all West Bend, most other brands of automatic drip coffeemakers.
- Also can be used with permanent polyester filters to keep them clean longer.

Individual four-color container holds 100 fluted filters. Std. pk. of 12, ship. wt. 6.5 lbs., cube .993.

Glass Decanters

- Serves and stores hot and cold beverages.
- Convenient cup markings on heat-resistant glass carafe.
- Includes stay-cool handle and cover.

No. 5967 8-Cup. Also is a replacement carafe for Quik Drip® Executive® Coffeemaker. Individual corrugated container. Std. pk. of 4, ship. wt. 6.8 lbs., cube 1.226 cu. ft.

No. 5974 10-Cup. Also is a replacement carafe for Flavo-Drip® and Quik Drip® Coffeemakers. Individual corrugated container. Std. pk. of 4, ship. wt. 7.4 lbs., cube 1.248 cu. ft.



No. 84124 4-Qt. Slow Cooker with Rockcote™ A Superior Non-Stick Surface

- Variable heat settings for complete temperature control.
- Rockcote™ non-stick surface is triple thick for added durability.
- Removable porcelain-on-aluminum pot can be used in oven or on rangetop.
- Pot and glass cover are immersible; dishwasher-safe.

Separate phenolic heating base with steel inset. 200 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 6.1 lbs., approx. cube .463 cu. ft.



No. 84114 4-Qt. Slow Cooker with Rockcote™ A Superior Non-Stick Surface

- Slow cooker tenderizes meats, maintains the vitamins many high temperatures destroy; variable heat control.
- Oblong pot may also be used on the range or in a preheated 350° F. oven; interior is surfaced with Rockcote™ the non-stick that's triple thick for added durability.
- Base is a handy grill for quick meals; fired-on non-stick surface makes cleaning extra easy.
- Oven-safe glass cover doubles as a 1½-Qt. casserole/serving dish.
- Porcelain-on-aluminum pot is fade and stain-resistant; pot and cover are dishwasher-safe.

Heat-resistant base has 10½" x 7¼" grilling surface. 300 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented container. Std. pk. of 1, ship. wt. 7.7 lbs., cube .638 cu. ft.



No. 84306 Country Forge® 6-Qt. Multi-Purpose Cooker

- Variable temperature control for versatility—slow cooks, roasts, grills, bakes, warms and serves.
 - Oblong porcelain-on-aluminum pot is ideal for a wide variety of foods; doubles as a rangetop or oven utensil (up to preheated 350° F.).
 - Easy clean-up with regular non-stick coated pot and grilling surface of base; pot and cover are dishwasher-safe.
- Includes roasting rack. Heat-resistant handles and base with 10½" x 7¼" grilling surface. 300 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 6.8 lbs., cube .579 cu. ft.





Electronic Timers


No. 40005 Electronic Timer

- Pocket-sized ($2\frac{5}{16} \times 2\frac{7}{16} \times \frac{1}{2}$ -In.) and battery-operated timer for maximum convenience. Handy clip, magnet, stand and hanging hole let you use this timer anywhere.
- Times from 100 minutes down to 1 second. LCD display plus custom-designed micro-processor chip offer extra-long battery life.
- Loud electronic tone tells you when time's up.

Uses 1.5 volt button cell battery. Eye-catching display pack. Std. pk. of 12, approx. ship. wt. 2.0 lbs., approx. cube .1857 cu. ft.



(Actual Size)



(Actual Size)

No 40007 Electronic Timer/Stopwatch

- Counts down for timing cooking, laundry, sunbathing and more. Counts up for jogging, phone calling, etc.
- Pocket-sized ($2\frac{5}{16} \times 2\frac{7}{16} \times \frac{1}{2}$ -In.) and battery-operated timer for maximum convenience. Handy clip, magnet, stand and hanging hole let you use this timer anywhere.
- Counts down from 100 minutes in minutes and seconds. Counts up to 60 minutes then recycles automatically. LCD display plus custom-designed micro-processor chip offer extra-long battery life.
- When counting down, loud electronic tone lets you know when time is finished.

Uses 1.5 volt button cell battery. Eye-catching display pack. Std. pk. of 12, approx. ship. weight 2.0 lbs., approx. cube .1857 cu. ft.

No. 40000 Triple Timer™ Electronic Timer

- Accurate 3-channel timing in a portable unit.
- Fits easily in your hand; lightweight; works indoors or out.
- Times from 10 hours down to 1 second in each channel; easy to set, reset and turn off.
- Extra-long battery life—up to 2 years. Uses two "AA" batteries.

Micro-computer controlled. LCD digital display. Three distinct electronic tones. Benefit-oriented full-color chipboard container. Std. pk. of 6, ship. wt. 1.5 lbs., cube .092 cu. ft. Benefit-oriented full-color blister pack (No. 40000X): Std. pk. of 12, ship. wt. 3.0 lbs., cube .204 cu. ft. Matching counter display with 12 blister-packed timers (No. 400-109): Std. pk. of 1, ship. wt. 4.8 lbs., cube .103 cu. ft.






Specialty Items

No. 86618 Automatic Egg Cooker

- *Makes the most of your eggs—poaches up to 4, soft or hard-boils up to 8.*
- *Easy to use—unit shuts off automatically and "on" light goes out when eggs are done. Convenient—no guesswork about proper timing and temperatures.*

Includes egg rack, poaching pan and measuring cup. Heat-resistant base. 600 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, ship. wt. 9.8 lbs., cube 1.248 cu. ft.



No. 5388 Electric Pizza Baker and Grill

- *Bakes delicious pizzas (frozen, mix or scratch).*
- *Versatile—also grills eggs, bacon, and sandwiches; warms hors d'oeuvres.*
- *Uses up to 75% less energy than gas or electric ovens.*
- *Variable temperature control.*

12¼" diameter. Heat-resistant handles, legs and base. Acrylic-on-aluminum vented cover. 700 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 6.1 lbs., cube 1.231 cu. ft.



No. 13543 Electric Griddle with Rockcote™ A Superior Non-Stick Surface

- *Large 17" x 11" surface is ideal for grilling family-size meals.*
- *Rockcote™ non-stick surface is triple thick for added durability; longer griddle life.*
- *Smooth, even heating with extra-thick aluminum construction.*
- *With Sensa-Temp® heat control removed, griddle is immersible and dishwasher-safe.*
- *Convenient grease well with pouring lip; heat-resistant handles and legs.*

1470 watts, 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 7.5 lbs., cube 1.094 cu. ft.



Humidifiers



No. 4017 Tabletop Humidifier


- Compact size for apartments, offices, mobile homes, dormitories, bedrooms and studios.
- Unique filter wheel is air-powered. Brake device stops wheel when humidifier needs refilling.
- Directional air grills let you adjust air flow; humidified air flows out top minimizing floor-level drafts.

Capacity up to 650 sq. ft. Output: approx. 2½ gal./24 hrs. Polystyrene cabinet. One-speed fan control. In-line on/off switch. 14 x 9½ x 20¼-in. 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 10.6 lbs., cube 2.335 cu. ft.

No. 4009 Tabletop Humidifier

- Perfect size for apartments, offices, wherever space is at a premium.
- Freshly-humidified air flows out top; directional air grills let you adjust air flow.
- Air-powered filter wheel; brake device stops wheel when humidifier needs refilling.

Capacity up to 500 sq. ft. Output: approx. 2½ gal./24 hrs. Woodgrained polystyrene cabinet. One-speed fan control. In-line on/off switch. 13½ x 8¾ x 16¾-in. 120 volts, AC only. UL listed. Benefit-oriented corrugated carton. Std. pk. of 1, ship. wt. 9.3 lbs., cube 1.687 cu. ft.



No. 3021 Vapor All® 1-Speed Humidifier

- Efficient waterwheel moisturizing action.
- Capacity up to 2,000 sq. ft. Output: approx. 8 gal./24 hrs.
- Automatic humidistat keeps home humidity at desired level.
- Rugged rustproof reservoir.

Sturdy steel cabinet with simulated walnut-grain finish. One-speed fan control. 25½ x 11½ x 24½-in. 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 33.5 lbs., cube 5.769 cu. ft.



- A. EASY-ROLL CASTORS.
B. CONVENIENT CONTROL DIAL.
C. AIR FLOW FROM TOP MINIMIZES FLOOR LEVEL DRAFTS.



WEST BEND®

Humidifiers

No. 3023 Vapor All® 2-Speed Humidifier

- Capacity over 2,500 sq. ft. Output: approx. 10.8 gal./24 hrs.
- Humidifier shuts off automatically when it needs refilling.
- Efficient waterwheel moisturizing action and two-speed fan control.
- Directional air grills and automatic humidistat.

Woodgrained vinyl bonded to steel cabinet with corrosion-resistant chassis. 25 x 13 x 26¼-In. 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 46.3 lbs., cube 6.846 cu. ft.



- A. REFILL LIGHT/WATER LEVEL GAUGE.
B. HIDDEN FILL CHANNEL GUIDES WATER TO RESERVOIR.
C. 9½ GALLON POLYPROPYLENE RESERVOIR REMOVES FOR CLEANING.



No. 4032 Classic 2500 2-Speed Humidifier

- Capacity up to 2,500 sq. ft. Output: approx. 10 gal./24 hrs.
- Efficient waterwheel moisturizing action.
- Air flow out top minimizes floor-level drafts.
- Automatic humidistat and easy-roll castors.
- Includes leatherette panels that increase your decorating options.

Walnut finish injection molded cabinet. Two-speed fan control. 22 x 12½ x 23-In. 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 29.3 lbs., cube 5.392 cu. ft.



- A. LIFT-OUT POWER PAK.
B. REMOVABLE RESERVOIR.
C. REFILL LIGHT/WATER LEVEL GAUGE.





Humidifiers

No. 4031 Towne House 1900™ 3-Speed Humidifier

- Trim size is ideal for apartments, townhouses, offices and studios.
- Capacity up to 1,900 sq. ft. Output: approx. 7 gal./24 hrs.
- Three-speed fan control; automatic humidistat; water level indicator.

Sturdy molded cabinet with woodgrain finish. 13½ x 14 x 24-In. 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 20.3 lbs., cube 4.278 cu. ft.

- A. SUMMER COVER CONVERTS HUMIDIFIER INTO TABLE.
B. ADJUSTABLE GRILLS DIRECT AIR FLOW.
C. CONVENIENT CONTROL PANEL.




No. 4037 Classic 2-Speed Humidifier

- Capacity up to 2,500 sq. ft. Output: approx. 10 gal./24 hrs.
- Efficient waterwheel moisturizing action.
- Air flows out top minimizing floor-level drafts.
- Automatic humidistat, automatic shut-off, and easy-roll castors.

Walnut-tone injection molded cabinet. 22 x 12½ x 23-In. 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 31.0 lbs., cube 5.392 cu. ft.



- A. REFILL LIGHT/WATER LEVEL GAUGE.
B. LIFT-OUT POWER PAK.





Humidifiers


No. 3027 Ultra Variable-Speed Humidifier

- Capacity up to 2,600 sq. ft. Output: approx. 11 gal./24 hrs.
- Efficient waterwheel moisturizing action; variable-speed fan control.
- Directional air grills; air flows out top minimizing floor-level drafts.
- Automatic humidistat and easy-roll castors.

Woodgrained vinyl bonded to steel cabinet with corrosion-resistant chassis. 25 x 13 x 26¼-in. 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 46.4 lbs., cube 6.846 cu. ft.



- A. REFILL LIGHT/WATER LEVEL GAUGE.
B. 9½ GALLON POLYPROPYLENE RESERVOIR REMOVES FOR CLEANING.
C. HIDDEN FILL CHANNEL GUIDES WATER TO RESERVOIR.




No. 4026 Ultra Variable-Speed Humidifier

- Solid state components allow you to vary fan speed between 650 and 1350 RPM as needed to maintain comfort.
- Capacity up to 2,800 sq. ft. Output: approx. 12 gal./24 hrs.
- Efficient waterwheel moisturizing action.
- Air flow out top minimizes floor-level drafts.
- Automatic humidistat and hidden easy-roll castors.

Walnut-finish injection molded cabinet. 13⅝ x 27½ x 23⅔-in. 120 volts, AC only. UL listed. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 35.8 lbs., cube 6.117 cu. ft.

- A. LIFT-OUT POWER PAK.
B. REMOVABLE RESERVOIR.
C. CONCEALED CONTROL PANEL.



Humidifier Accessories



No. 1001 Filler Funnel

- Fits securely into top-fill humidifiers (4022, 4023, 4024, 4025, 4026, 4032 and 4077) for no-spill fillings.
- 11 $\frac{3}{4}$ " long x 7 $\frac{1}{4}$ " wide x 5 $\frac{1}{2}$ " deep.
- Stores conveniently inside certain humidifiers (4026 and 4077).

Polystyrene construction. Individually shrink-wrapped to display board for easy merchandising. Hanging ring. Std. pk. of 6, ship. wt. 5.0 lbs., cube 2.183 cu. ft.

No. 1940 Humidifier Reservoir Liners

- Protects reservoirs from minerals in water that cause lime build-up.
- Helps eliminate scouring.

Rugged polyethylene liners fit West Bend® and most other console humidifiers with removable reservoirs. Std. pk. of 12 bags (3 liners each), ship. wt. 7.0 lbs., cube .614 cu. ft.

No. 1002 Humidifier Replacement Parts Kit

- For easy repair of worn-out parts on most West Bend console humidifiers.
- Includes: One P127-79 Rubber Drive Wheel, One P141-79D Idler Wheel, One P4-236 Drive Belt and Two P23-80 Wear Pads.

Individual clam shell style see-thru package with hanging ring for a colorful display. Std. pk. of 12, ship. wt. 1.5 lbs., cube .194 cu. ft.

Replacement Filter Belts

- West Bend filters provide peak performance.
- Individually polybagged.

No. 4035 Medium 5-In. Belt

Fits most models after 1972 (24021F and after). Std. pk. of 12, ship. wt. 1.9 lbs., cube .963 cu. ft.

No. 4036 Wide 6-In. Belt

Fits new credenza-styled models (1975 and after). Std. pk. of 12, ship. wt. 2.2 lbs., cube 1.018 cu. ft.

No. 1005 Towne House Filter Belt

Fits No. 4029/4031 humidifiers. Std. pk. of 12, ship. wt. 4.0 lbs., cube 1.741 cu. ft.

No. 4016 Small Filter Disc

Fits West Bend tabletop models. Std. pk. of 12, ship. wt. 2.5 lbs., cube .813.



No. 1998 Humidity Gauge

- Determines what home humidity level should be; easy-to-use.
- Helps prevent over-and-under humidification.

Eye-catching individual blister-pack. Std. pk. of 12, ship. wt. 3.5 lbs., cube .290 cu. ft.

No. 1007 Humidity Gauge and Thermometer

- Tells you home humidity level and temperature; essential for maximum comfort; stands upright or hangs.
- Includes a Relative Humidity Comfort Guide.

Individual blister-pack with attractive header. Std. pk. of 12, ship. wt. 4.1 lbs., cube .468 cu. ft.

No. 1960 Water Treatment Liquid

- Helps prevent clogged or limed up humidifier parts and filters.
- Works to keep water and air fresh, odor-free.

One quart unbreakable bottles. Std. pk. of 12, ship. wt. 28.9 lbs., cube .802 cu. ft.

No. 1942 Water Treatment Tablets

- Helps prevent clogged or limed up humidifier parts and filters.
- Works to keep water and air fresh, odor-free.

Twenty-four tablets per box. Std. pk. of 12 display boxes, ship. wt. 4.4 lbs., cube .266 cu. ft.

No. 1971 Bacteria Treatment

- A capful per gallon of water helps control bacteria/algae growth in portable humidifiers.
- Helps eliminate unpleasant odors.

One pint unbreakable bottles. Std. pk. of 12, ship. wt. 14.5 lbs., cube .384 cu. ft.







Humidifier Displays

No. D-389 Humidifier Display

- Product features and benefits clearly depicted.
- Full-color header panel.
- Individualized price cards.
- "Take One" literature packet with 100 folders.

Individual jumbo price tags and "Why Humidify" sign. Fits all console humidifiers. Std. pk. of 1, ship. wt. 13.0 lbs., cube 1.143 cu.ft.



No. D-395 Accessories Counter Display

- Attractively displays 12 filter belts, 8 bottles of liquid Water Treatment, 6 boxes of Water Treatment tablets and 4 bottles of Bacteria Treatment.
- Only 20" wide x 16" deep x 20" high.

Std. pk. of 1, ship. wt. 3.8 lbs., cube 3.896 cu. ft.

Tea Kettles and Specialty Items



Tea Kettles

- Convenient 2½-Qt. size.
- Featuring trigger-operated whistling spouts.
- Heat-resistant handles.


No. 4522 Stainless Steel Tea Kettle. Fast-heating copper bottom. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, ship. wt. 4.7 lbs., cube .986 cu. ft.

No. 2644 Aluminum Tea Kettle. Eggshell-colored acrylic exterior with brown and gold striping. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, ship. wt. 4.0 lbs., cube 1.031 cu. ft.

No. 1834 Aluminum Tea Kettle. Goldenrod yellow acrylic exterior. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, ship. wt. 4.0 lbs., cube .995 cu. ft.

No. 10122 Aluminum Tea Kettle. Almond acrylic exterior. Full-color graphic label on benefit-oriented carton. Std. pk. of 3, ship. wt. 4.0 lbs., cube 1.008 cu. ft.

No. 10122X Aluminum Tea Kettle. Almond acrylic exterior. Benefit-oriented display pack. Std. pk. of 12, ship. wt. 15.8 lbs., cube 4.199 cu. ft.



No. 5804 Odds 'n Eggs® Pan

- Great for cooking 4-egg omelets, 2 poached eggs, bacon, sausage.
- Fast, even heating aluminum; fade and stain resistant porcelain exterior.
- Non-stick surface on pan interior and egg cup inset for fast clean-ups.

Heat-resistant handle. Benefit-oriented point-of-purchase label. Std. pk. of 6, ship. wt. 7.2 lbs., cube .666 cu. ft.

Country Forge®

Heavy-Gauge Cookware



No. 193-102 Sandstone 10-Piece Cookset

Includes: 1 and 1¼-Qt. Covered Sauce Pans, 2½-Qt. Covered Hi-Boy Sauce Pan, 5-Qt. Covered Dutch Oven, 7½ and 10-In. Open Skillets (10-In. uses Dutch Oven Cover). Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 15 lbs., cube 1.724 cu. ft.

No. 193-101 Sandstone 8-Piece Cookset

Includes: 1¼-Qt. Covered Sauce Pan, 2½-Qt. Covered Hi-Boy Sauce Pan, 5-Qt. Covered Dutch Oven, 7½ and 10-In. Open Skillets (10-In. uses Dutch Oven Cover). Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 12.0 lbs., cube 1.542 cu. ft.

No. 193-100 Sandstone 7-Piece Cookset

Includes: 1¼-Qt. Covered Sauce Pan, 2½-Qt. Covered Hi-Boy Sauce Pan, 5-Qt. Covered Dutch Oven and 10-In. Open Skillet (uses Dutch Oven Cover). Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 11.6 lbs., cube 1.343 cu. ft.

Griddles

- Fast, even heating with EXTRA HEAVY-GAUGE aluminum construction.
- Convenient 11-In. square size.
- Porcelain exteriors match West Bend's Country Forge® Cookware; fade and stain-resistant.

No. 16309 Sandstone Griddle. Std. pk. of 2, approx. ship. wt. 8 lbs., approx. cube 1.000 cu. ft.

No. 16919 Flagstone Griddle. Std. pk. of 2, approx. ship. wt. 8 lbs., approx. cube 1.000 cu. ft.

Heavy-Gauge



Country Forge®

Heavy-Gauge Cookware



- Fast, even heating with EXTRA HEAVY-GAUGE aluminum construction.
- Durable SilverStone® non-stick interior from DuPont for stick-free cooking and easy clean-up.
- Country-styled porcelain exterior adds a charming touch; resists staining, fading and scratching.

No. 199-102 Flagstone 10-Piece Cookset

Includes: 1 and 1¼-Qt. Covered Sauce Pans, 2½-Qt. Covered Hi-Boy Sauce Pan, 5-Qt. Covered Dutch Oven, 7½ and 10-In. Open Skillets (10-In. uses Dutch Oven Cover). Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 15 lbs., cube 1.724 cu. ft.

OPEN STOCK:

Sauce Pans:

No. 19301 (Sandstone), No. 19901 (Flagstone) 1-Qt. Covered Sauce Pan. Benefit-oriented carton. Std. pk. of 1, ship. wt. 2.6 lbs., cube .248 cu. ft.

No. 19306 (Sandstone), No. 19906 (Flagstone) 1¼-Qt. Covered Sauce Pan. Benefit-oriented carton. Std. pk. of 1, ship. wt. 3.2 lbs., cube .277 cu. ft.

No. 19302 (Sandstone), No. 19902 (Flagstone) 2½-Qt. Covered Hi-Boy Sauce Pan. Benefit-oriented carton. Std. pk. of 1, ship. wt. 3.5 lbs., cube .423 cu. ft.

No. 199-101 Flagstone 8-Piece Cookset

Includes: 1¼-Qt. Covered Sauce Pan, 2½-Qt. Covered Hi-Boy Sauce Pan, 5-Qt. Covered Dutch Oven, 7½ and 10-In. Open Skillets (10-In. uses Dutch Oven Cover). Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 12.0 lbs., cube 1.542 cu. ft.

Skillets:

No. 19307 (Sandstone), No. 19907 (Flagstone) 7½-In. Open Skillet. Benefit-oriented carton. Std. pk. of 1, ship. wt. 5.4 lbs., cube .391 cu. ft.

No. 19308 (Sandstone), No. 19908 (Flagstone) 10-In. Open Skillet. Benefit-oriented carton. Std. pk. of 1, ship. wt. 5.0 lbs., cube .391 cu. ft.

No. 19309 (Sandstone), No. 19909 (Flagstone) 10-In. Covered Skillet. Benefit-oriented carton. Std. pk. of 1, ship. wt. 6.0 lbs., cube .615 cu. ft.

No. 199-100 Flagstone 7-Piece Cookset

Includes: 1¼-Qt. Covered Sauce Pan, 2½-Qt. Covered Hi-Boy Sauce Pan, 5-Qt. Covered Dutch Oven and 10-In. Open Skillet (uses Dutch Oven Cover). Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 11.6 lbs., cube 1.343 cu. ft.

Dutch Oven:

No. 19305 (Sandstone), No. 19905 (Flagstone) 5-Qt. Covered Dutch Oven. Benefit-oriented carton. Std. pk. of 1, ship. wt. 5.1 lbs., cube .611 cu. ft.

WEST BEND®

Decorated Cookware

No. 16-97 8-Piece Cookset

- Heavy-gauge aluminum for fast, even heating.
- Durable SilverStone® non-stick interiors are easy-to-clean; resist chipping and peeling.
- Attractively-designed porcelain exteriors are fade and stain-resistant.

Includes 1 and 2-Qt. Covered Sauce Pans; 5-Qt. Covered Dutch Oven; 10-In. Open Skillet (uses Dutch Oven Cover); and Roasting Rack. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 8.2 lbs., cube .972 cu. ft.



No. 16-98 11-Piece Cookset

- Heavy-gauge aluminum for fast, even heating.
- Durable SilverStone® non-stick interiors are easy-to-clean; resist chipping and peeling.
- Attractively-designed porcelain exteriors are fade and stain-resistant.

Includes 1, 2 and 3-Qt. Covered Sauce Pans; 5-Qt. Covered Dutch Oven; 8 and 10-In. Open Skillets (use 3-Qt. and Dutch Oven covers); and Roasting Rack. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 11.4 lbs., cube 1.112 cu. ft.





Decorated Cookware Open Stock



Open Stock Pieces with SilverStone® Non-Stick Interiors

- Heavyweight aluminum construction with easy-to-clean SilverStone® interiors.
- Decorated porcelain exteriors are fade and stain-resistant.
- Heat-resistant phenolic trim.

No. 1173 3-Qt. Covered Sauce Pan _____

Std. pk. of 3, ship. wt. 7.8 lbs., cube 1.450 cu. ft.

No. 1178 8-In. Covered Skillet _____

Std. pk. of 2, ship. wt. 6.3 lbs., cube .862 cu. ft.

No. 1444 11-In. Square Griddle _____

Std. pk. of 6, ship. wt. 13.0 lbs., cube 1.318 cu. ft.

No. 4133 8-In. Saute Skillet _____

Std. pk. of 4, ship. wt. 5 lbs., cube .576 cu. ft.

No. 4134 10-In. Saute Skillet _____

Std. pk. of 4, ship. wt. 7 lbs., cube .774 cu. ft.

No. 4135 12-In. Saute Skillet _____

Std. pk. of 4, ship. wt. 8 lbs., cube .964 cu. ft.

No. 4163 12-In. High-Dome Covered Skillet _____

Full-color graphic label on benefit-oriented carton. Std. pk. of 3, ship. wt. 12.1 lbs., cube 2.352 cu. ft.

Heavy Gauge Cookware



No. 151-100 7-Pc. Cookware Set

- Constructed of heavyweight aluminum for fast, even heating.
- Rockcote™ non-stick surface is 3 layers thick for added durability.
- Almond porcelain exteriors are fade and stain-resistant.

Set includes 1 and 2-Qt. Covered Sauce Pans; 5-Qt. Covered Dutch Oven; and 10-In. Open Skillet (uses Dutch Oven Cover). Heat-resistant handles and cover knobs. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 8.0 lbs., cube .944 cu. ft.



No. 151-101 10-Pc. Cookware Set

- Rockcote™ non-stick surface is 3 layers thick for added durability.
- Fast, even heating with heavy-gauge aluminum.
- Fade and stain-resistant porcelain exteriors.

Set includes 1, 2 and 3-Qt. Covered Sauce Pans; 5-Qt. Covered Dutch Oven; and 8 and 10-In. Open Skillets (use 3-Qt. and Dutch Oven covers). Heat-resistant trim. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 11 lbs., cube 1.131 cu. ft.







Saute Skillets

No. 151-102 2-Piece Breakfast Set

- Includes 8-In. Saute Skillet and 8-In. Bruncher/Skillet.
- Heavyweight aluminum for fast, even heating; porcelain exterior.
- Easy-to-clean Rockcote™ non-stick surface is triple thick for added durability.

Eye-catching point-of-purchase packaging. Std. pk. of 6, ship. wt. 12.8 lbs., cube 1.139 cu. ft.



Saute Skillets (15108-15119-15110)

- Heavyweight aluminum for fast, even heating and Rockcote™ non-stick interior for easy cleaning.
- Available in 3 sizes: 8, 10 and 12-In.
- Almond porcelain exteriors are fade and stain-resistant.

No. 15108 (8-In.): Std. pk. of 6, ship. wt. 6.5 lbs., cube .389 cu. ft. No. 15119 (10-In.): Std. pk. of 6, ship. wt. 10.8 lbs., cube 1.164 cu. ft. No. 15110 (12-In.): Std. pk. of 6, ship. wt. 15.5 lbs., cube 2.461. Each skillet individually polybagged with eye-catching point-of-purchase label.



Specialty Items



No. 15100 12-In. High-Dome Covered Skillet

- Extra-large size for family servings of casseroles, chicken and more.
- Constructed of heavy-gauge aluminum, Rockcote™ non-stick interior, and fade and stain-resistant porcelain exterior.
- Available in shrink-wrapped gift box or in regular corrugated container.

No. 15100. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 4.0 lbs., cube .795 cu. ft.


No. 15100X Gift-Packed Skillet. Individual corrugated gift box with eye-catching point-of-purchase label. Std. pk. of 6, ship. wt. 25.0 lbs., cube 4.400 cu. ft.



No. 4275X Almond Bake 'N Broiler Pan

- Convenient for baking, broiling, roasting and cooling.
- Constructed of even-heating aluminum with non-stick interior.
- Chrome-plated broiling/cooling rack included.
- Dishwasher-safe.

Porcelain-on-aluminum. 13 x 9½-In. Std. pk. of 6, ship. wt. 8.2 lbs., cube 1.246 cu. ft.



No. 4274 Goldenrod Yellow Bake 'N Broiler Pan

- Fast, even heating aluminum construction; great for baking, broiling and roasting.
- Non-stick interior for easier clean-ups.
- Includes chrome-plated broiling/cooling rack.

Porcelain-on-aluminum. 13 x 9½-In. Std. pk. of 6, ship. wt. 8.2 lbs., cube 1.246 cu. ft.





Specialty Items

No. 5293 Carbon Steel Wok

- 5.3 qt. stovetop wok has reversible ring to fit large and small burners, gas or electric.
- Aluminum steamer rack fits Wok for steaming vegetables and other foods.
- Carbon steel for fast, even heating.

Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 5.7 lbs., cube .959 cu. ft.



No. 5294 Stainless Steel Wok Set

- Stir-fry, tempura, and simmer Oriental specialties on your gas or electric range—reversible heating ring fits both small and large burners.
- Chrome-plated tempura rack keeps foods hot after deep-frying.
- Includes 10 sets of wooden chopsticks.

Full-color graphic label on benefit-oriented carton. Std. pk. of 1, ship. wt. 6.3 lbs., cube .947 cu. ft.



No. 7-217 Bowl Set

- Durable stainless steel bowls in three convenient sizes: $\frac{3}{4}$ qt., $1\frac{1}{2}$ qt., and 3 qt. Dishwasher-safe.
- Bowls nest together for compact storage.

Benefit-oriented container. Std. pk. of 3, ship. wt. 4.5 lbs., cube .572 cu. ft.

No. 7053 Grip 'N Whip™ Mixing Bowl

- Sturdy handle on durable stainless steel bowl for easier mixing.
- Large 3 qt. capacity; convenient pouring lip.

Full-color graphic label on benefit-oriented carton. Std. pk. of 3, ship. wt. 3.8 lbs., cube .642 cu. ft.





Bakeware

Heavy-Gauge Aluminum Bakeware

- *Constructed of heavyweight aluminum for fast, even baking results.*
- *DuPont's new durable SilverStone® interiors for non-stick baking, easy clean-up.*
- *Dishwasher-safe.*

No. 30000 Loaf Pan. 9¼ x 5¼ x 2⅞-In. Std. pk. of 6, approx. ship. wt. 6.0 lbs., approx. cube .500 cu. ft.

No. 30003 Bake 'n Roast Pan. 13 x 9½ x 2-In. Std. pk. of 6, approx. ship. wt. 7.5 lbs., approx. cube .900 cu. ft.

No. 30005 Square Cake Pan. 9 x 9 x 2-In. Std. pk. of 6, approx. ship. wt. 6.5 lbs., approx. cube .600 cu. ft.

No. 30006 12-Cup Muffin Pan. 12¾ x 9¾-In. Std. pk. of 6, approx. ship. wt. 4.9 lbs., approx. cube .520 cu. ft.

No. 30009 Cookie & Bake Pan. 15½ x 10½ x 1-In. Std. pk. of 6, approx. ship. wt. 8.2 lbs., approx. cube .600 cu. ft.

No. 30017 Cookie Sheet. 15½ x 10-In. Std. pk. of 6, approx. ship. wt. 6.0 lbs., cube .396 cu. ft.



Quality Bakeware

- *Seamless aluminum construction for even heat distribution.*
- *Non-stick surface for easy clean-ups.*

No. 300-103 5-Piece Bakeware Set includes: Loaf Pan, Square Cake Pan, 12-Cup Muffin Pan, and two 15½ x 10-In. Cookie Sheets. Full-color graphic label on benefit-oriented carton. Std. pk. of 1, approx. ship. wt. 3.8 lbs., approx. cube .621 cu. ft.

OPEN STOCK

No. 4238 12-Cup Muffin Pan. 12¾ x 9¾-In. Std. pk. of 12, ship. wt. 8.0 lbs., cube .808 cu. ft.

No. 4245 Square Cake Pan. 9 x 2-In. Std. pk. of 12, ship. wt. 6.8 lbs., cube .392 cu. ft.

No. 4246 Cookie & Bake Pan. 15½ x 10½ x 1-In. Std. pk. of 6, ship. wt. 6.0 lbs., cube .396 cu. ft.

No. 4247 Loaf Pan. 9 x 5 x 3-In. Std. pk. of 12, ship. wt. 5.2 lbs., cube .267 cu. ft.

No. 4256 Cookie Sheet. 15½ x 12-In. Std. pk. of 12, ship. wt. 10.0 lbs., cube .174 cu. ft.

No. 4264 Bake & Roast Pan. 13 x 9½ x 2-In. Std. pk. of 6, ship. wt. 6.0 lbs., cube .578 cu. ft.

No. 30027 Cookie Sheet. 15½ x 10-In. Std. pk. of 12, approx. ship. wt. 9.0 lbs., approx. cube .170 cu. ft.

