

WEST BEND®



Catalog

TABLE OF Contents

Toaster•Oven•Broilers	1
Deep Fryers	1
Automatic Bread & Dough Makers . . .	2-3
Bread Slicing Guide	3
Slow Cookers	4
The Crockery™ Cookers	5
Skillets	6-7
Heart Smart™ Indoor Grill	7
Griddle	7
Drip Coffeemakers	8-9
Replacement Carafes	9
Iced Tea Makers	9
Woks	10
Fondue Pots	10
Steamer / Rice Cookers	10
Percolators	11
Tea Kettle	11
Hot Pots	11
Water Boiler	12
Large Capacity Coffeemakers	12-13
Commercial Quik Drip® Coffeemakers .	13
Corn Poppers	14
Mixers	15
Buffet Server	16
Egg Cooker	16
Clock / Timers	16
Company Profile	17

MISSION Statement

At The West Bend Company,
customers are the reason we exist.
Our mission is to provide products
and services that exceed
our customers' expectations.

We are committed to
Total Quality/Just-in-Time
operating philosophies
and implementing change
to achieve this goal.

To this end, we will:
Empower people

Continuously improve

Provide educational opportunities

Eliminate waste

Create partnerships with our customers,
both internal and external,
as well as our suppliers.

Color Selections




RED

- No. 84734; 4-Quart Slow Cooker
- No. 72172; 12" Skillet
- No. 79525; 6-Quart Wok
- No. 79506; 6 1/2-Quart Wok
- No. 88001; Fondue Pot
- No. 88003; The Entertainer™ Fondue Pot
- No. 53505; 5-Cup Hot Pot
- No. 3253; 6-Cup Hot Pot

GREEN

- No. 84744; 4-Quart Slow Cooker
- No. 72162; 12" Skillet
- No. 72046; Oblong Skillet



BLUE

- No. 72036; Oblong Skillet



Toaster•Oven•Broilers

Toast, bake and broil functions.

Adjustable temperature settings with operating light.

Light, medium and dark toasting options.

Two-position oven rack (6210 only).

Removable crumb tray.

Broil pan with rack.

1500 watts, 120 volts. AC only.
UL listed. Recyclable package.
Overpacked.



NEW - No. 6204

Black. / UPC 0-72244-06204-5

Std. pk. of 1,
approx. ship. wt. 10.0 lbs.,
approx. cube 1.240 cu. ft. China.

NEW - No. 6210

White. / UPC 0-72244-06210-6

Countertop Oven

- Large capacity accommodates a 9" cake pan or 4 1/2 lb. chicken.

Std. pk. of 1, approx. ship. wt. 20.1 lbs.,
approx. cube 2.28 cu. ft. China.

Deep Fryers

Temperature ready light (except 83804).

Wire mesh basket (except 83804).

Replaceable charcoal filter to minimize odors (except 83804).

Cool Touch walls (except 83804).

Easy-to-clean removable cover.

Cooking guide (except 83804).

Oil fill line.

1500 watts (except 83804),
120 volts.

AC only. UL listed.
Recyclable package.
Overpacked (except 83804).



NEW - No. 6225

White. / UPC 0-72244-06225-0

- Food capacity up to 1 1/2 lbs.
- Basket attaches to fryer for easy draining.
- Detachable basket handle.
- Side handles.

Std. pk. of 2, approx. ship. wt. 12.0 lbs.
approx. cube 2.434 cu. ft. China.

NEW - No. 6235

White. / UPC 0-72244-06235-9

Deluxe Deep Fryer

- Food capacity up to 2 lbs.
- Basket handle automatically raises and lowers wire mesh cooking basket.
- Adjustable temperature control.
- Cover latches when closed to reduce splatters.
- Operating light and cord storage.
- Non-stick interior for easy cleanup.
- Cover release button and cord storage.

Std. pk. of 2, approx. ship. wt. 17.4 lbs.,
approx. cube 3.21 cu. ft. China.




No. 83804

Black. / UPC 0-72244-83804-6

- Four-cup capacity.
- Includes slotted metal spoon, plastic storage cover and detachable cord.
- 1100 watts.

Std. pk. of 1, approx. ship. wt. 3.4 lbs.,
approx. cube .549 cu. ft.



2 LB. AUTOMATIC Bread & Dough Makers

2 lb. or 1½ lb. loaf capacity.

9- by 5-inch bread pan yields
Traditional Shape™ loaf
(except 41052, 41053).

Three crust color options:
light, medium and dark.

Dual knead bars (except 41052, 41053)
and non-stick coated bread pan.

Easy-to-use control panel
with LCD display.

Three-hour Keep Warm cycle and
13-hour programmable Start Timer.


Temporary power outage
protection.

Viewing window and
easy-to-clean removable cover.

Swing-open door (except 41052, 41053),
cord storage and built-in side handles.

Starter bread mix (except 41052, 41053)
and recipe/instruction booklet.

120 volts, AC only.
UL listed. Recyclable package.



NEW - No. 41053

With One-Hour Bread Express™
White. / UPC 0-7244-41053-2

- 7- by 5-inch bread pan yields horizontal style loaf.
- Five bread settings plus Dough cycle: basic, whole wheat, sweet, quick bread and One-Hour Bread Express™.
- 625 watts.

Std. pk. of 1, approx. ship. wt. 12.5 lbs.,
approx. cube 1.63 cu. ft.



NEW - No. 41052

White. / UPC 0-7244-41052-5

- 7- by 5-inch bread pan yields horizontal style loaf.
- Four bread settings plus dough cycle - basic, whole wheat, sweet and quick bread.
- 625 watts.

Std. pk. of 1, approx. ship. wt. 12.5 lbs.,
approx. cube 1.63 cu. ft.



No. 41090

Baker's Choice™ Plus
White. / UPC 0-72244-41090-7

- Seven bread settings plus dough cycle - basic, basic rapid, whole wheat, whole wheat rapid, sweet, quick and French.
- Extend rise feature and oven light.
- 825 watts. Shrink wrapped.

Std. pk. of 1, approx. ship. wt. 22.2 lbs.,
approx. cube 2.357 cu. ft.



NEW - No. 41089

White. / UPC 0-72244-41089-1

- Four bread settings plus dough cycle - basic, whole wheat, sweet and quick bread.
- 825 watts. Shrink wrapped.

Std. pk. of 1, approx. ship. wt. 21.5 lbs.,
approx. cube 2.033 cu. ft.

2 & 1 1/2 LB. AUTOMATIC Bread & Dough Makers

1 1/2 lb. or 1 lb. loaf capacity
(except 41072).

Three crust color options:
light, medium and dark.

Easy-to-use control panel.

Non-stick coated bread pan.

Viewing window and
easy-to-clean removable cover.

Three-hour Keep Warm cycle
and 13-hour programmable Start Timer
(except 41048).

Starter bread mix
(except 41048)
and recipe/instruction booklet.

575 watts, 120 volts, AC only.
UL listed. Recyclable package.

2 lb.



No. 41072

White. / UPC 0-72244-41072-3

- 2 lb. or 1 1/2 lb. loaf capacity.
 - Six bread settings plus dough cycle -
basic, basic rapid, whole wheat,
whole wheat rapid, sweet and French.
- Std. pk. of 1, approx. ship. wt. 17.6 lbs.,
approx. cube 1.841 cu. ft.


1 1/2 lb.



No. 41048

White. / UPC 0-72244-41048-8


- Three bread settings plus dough cycle -
basic, rapid and whole wheat.
 - 12-hour programmable Start Timer.
- Std. pk. of 1, approx. ship. wt. 15.1 lbs.,
approx. cube 1.698 cu. ft.



No. 41047

White. / UPC 0-72244-41047-1

- Two bread settings plus dough cycle -
basic/specialty and whole wheat.
- Std. pk. of 1, approx. ship. wt. 16.4 lbs.,
approx. cube 1.781 cu. ft.




No. 41044

White. / UPC 0-72244-41044-0

- Six bread settings plus dough cycle -
basic, basic rapid, whole wheat,
whole wheat rapid, sweet and French.
 - Shrink wrapped.
- Std. pk. of 1, approx. ship. wt. 16.6 lbs.,
approx. cube 1.781 cu. ft.

Slicing Guide



No. 6600X

White. / UPC 0-72244-06600-5

- Guides for quick, even slicing.
- Collapsible for easy storage.
- Rubber feet.

Std. pk. of 3, approx. ship. wt. 8.4 lbs.,
approx. cube .658 cu. ft. China.

4 & 6 QUART Slow Cookers

Adjustable temperature control.

Premium non-stick interior
(except 84606, 84654).

Cooking vessel is safe for use on base
and rangetop, in oven, freezer
and dishwasher.

Heat-resistant handles and base.

Base doubles as
small non-stick griddle
(except 84194).

300 watts, 120 volts, AC only
(except 84194).

UL listed. Recyclable package.

No. 84176

White with black design. / UPC 0-72244-84176-3

■ Includes roasting rack.

Std. pk. of 1, approx. ship. wt. 7.7 lbs.,
approx. cube .735 cu. ft.

6-Quart Oval

NEW - No. 84676

White. / UPC 0-72244-84676-8



■ Glass cover with handle.

Std. pk. of 1, approx. ship. wt. 7.0 lbs.,
approx. cube .735 cu. ft.

6-Quart Oblong



4-Quart Oblong



NEW - No. 84754

White. / UPC 0-72244-84754-3

■ Microwave-safe glass casserole cover.

Std. pk. of 1, approx. ship. wt. 7.6 lbs.,
approx. cube .623 cu. ft.

NEW - No. 84744


Green. / UPC 0-72244-84744-4

Same features as No. 84754.

NEW - No. 84734

Red. / UPC 0-72244-84734-5

Same features as No. 84754.



No. 84624

White with country blue design. / UPC 0-72244-84624-9

■ Microwave-safe glass casserole cover.

Std. pk. of 1, approx. ship. wt. 7.6 lbs.,
approx. cube .623 cu. ft.

No. 84654

White with gray design. / UPC 0-72244-84654-6

■ Plastic cover with handle.

■ Non-stick interior.

Std. pk. of 1, approx. ship. wt. 4.8 lbs.,
approx. cube .623 cu. ft.

No. 84606

White with Gray design. / UPC 0-72244-84606-5


■ Non-stick interior.

■ Microwave-safe glass casserole cover.

■ Includes roasting rack.

Std. pk. of 1, approx. ship. wt. 8.7 lbs.,
approx. cube .735 cu. ft.

4-Quart Round



No. 84194

White. / UPC 0-72244-84194-7

■ Glass cover with handle.

■ 200 watts, 120 volts, AC only.

UL listed. Recyclable package.

Std. pk. of 1, approx. ship. wt. 5.8 lbs.,
approx. cube .468 cu. ft.

Refer to color chart on inside cover.

3, 5 & 6 QUART The Crockery™ Cookers

Three heat settings:
Hi, Low and Auto.

■ Glass cover for easy viewing.

■ Auto setting automatically adjusts
temperature during cooking.

■ Removable crock liner.

■ Operating light,
side handles and
non-skid rubber feet.

■ 120 volts. AC only. UL listed.
Recyclable package. Overpacked.

5-Quart Oval



▲ NEW - No. 84405

White. / UPC 0-72244-84405-4

■ 325 watts.

Std. pk. of 2, approx. ship. wt. 30.5 lbs.,
approx. cube 2.479 cu. ft. China.

3½-Quart Oval



◀ NEW - No. 84423

White. / UPC 0-72244-84423-8

■ 275 watts.

Std. pk. of 2, approx. ship. wt. 22.0 lbs.,
approx. cube 1.81 cu. ft. China.

3-Quart Round




▲ NEW - No. 84403

White. / UPC 0-72244-84403-0

■ 228 watts.

Std. pk. of 2, approx. ship. wt. 22.2 lbs.,
approx. cube 1.974 cu. ft. China.

6-Quart Round



▲ NEW - No. 84406

White. / UPC 0-72244-84406-1

■ 301 watts.

Std. pk. of 2, approx. ship. wt. 28.2 lbs.,
approx. cube 2.261 cu. ft. China.

▲ NEW - No. 84416

Stainless steel and Black. / UPC 0-72244-84416-0

■ 301 watts.

Std. pk. of 2, approx. ship. wt. 28.4 lbs.,
approx. cube 2.261 cu. ft. China.

ELECTRIC Skillets

Premium non-stick interior
(except 72639, 72030).

Adjustable temperature control.

Heat-resistant handles.

Immersible and dishwasher safe
with temperature control removed.

High dome cover
(all non-glass covers).

Adjustable steam vent
(except 72020, 72639, all glass covers).

Glass cover doubles as
2 1/2-qt. (72030, 72040) or 4-qt. (72132)
microwave- and oven-safe casserole dish.

120 volts. AC only. UL listed.
Recyclable package.

Oblong



No. 72616

White and Blue. / UPC 0-72244-72616-9
Same features as No. 72036.
Std. pk. of 1, approx. ship. wt. 5.8 lbs.,
approx. cube 1.007 cu. ft.



NEW - No. 72036

White and Blue. / UPC 0-72244-72036-5


- Premium non-stick interior.
- Large 14 1/2" x 10 1/2" x 2 1/2" capacity.
- 1300 watts.

Std. pk. of 1, approx. ship. wt. 5.8 lbs.,
approx. cube 1.007 cu. ft.

NEW - No. 72046

White and Green. / UPC 0-72244-72046-4
Same features as No. 72036.
Std. pk. of 1, approx. ship. wt. 5.8 lbs.,
approx. cube 1.007 cu. ft.

12-Inch



No. 72032

White. / UPC 0-72244-72032-7

- 1200 watts.
- Std. pk. of 1, approx. ship. wt. 4.3 lbs.,
approx. cube .969 cu. ft.



NEW - No. 72172

Red. / UPC 0-72244-72172-0

- 1200 watts.
- Std. pk. of 1, approx. ship. wt. 4.3 lbs.,
approx. cube .969 cu. ft.

NEW - No. 72652

White. / UPC 0-72244-72652-7
Not pictured.

- 1200 watts.
- Std. pk. of 1, approx. ship. wt. 4.3 lbs.,
approx. cube .969 cu. ft.



NEW - No. 72162


White and Green. / UPC 0-72244-72162-1

- 1200 watts.
- Std. pk. of 1, approx. ship. wt. 4.3 lbs.,
approx. cube .969 cu. ft.

NEW - No. 72152

White and Black. / UPC 0-72244-72152-2
Not pictured.

- 1200 watts.
- Std. pk. of 1, approx. ship. wt. 4.3 lbs.,
approx. cube .969 cu. ft.



No. 72020

White. / UPC 0-72244-72020-4

- 1200 watts.
- Std. pk. of 1, approx. ship. wt. 3.9 lbs.,
approx. cube .746 cu. ft.

11-Inch

No. 72639

White and Black. / UPC 0-72244-72639-8

- Non-stick interior.
 - 1200 watts.
- Std. pk. of 1, approx. ship. wt. 3.9 lbs.,
approx. cube .746 cu. ft.



Refer to the color chart on inside cover.

12" Glass Covered



No. 72132

Black. / UPC 0-72244-72132-4

■ 1200 watts.

Std. pk. of 1, approx. ship. wt. 7.8 lbs.,
approx. cube .532 cu. ft.

10 1/4" Glass Covered



No. 72040

White. / UPC 0-72244-72040-2

■ 1200 watts.

Std. pk. of 1, approx. ship. wt. 8.0 lbs.,
approx. cube .537 cu. ft.



No. 72030

Black. / UPC 0-72244-72030-3

■ Non-stick, extra deep interior.

■ 1200 watts.

Std. pk. of 1, approx. ship. wt. 8.0 lbs.,
approx. cube .537 cu. ft.

Heart Smart™ Indoor Grill

NEW - No. 6100


Black. / UPC 0-72244-06100-0

- Adjustable temperature control.
- 1500 watts of power for quick heat recovery and sizzle.
- Ribbed grill surface plus side area for grilling vegetables.
- Non-stick grill and base are immersible and dishwasher safe with temperature control removed.
- Cooking guide and heat-resistant handles.
- Virtually smokeless — add water to interior water level markings in base.
- 1500 watts, 120 volts. AC only. UL listed. Recyclable package. Overpacked.

Std. pk. of 1, approx. ship. wt. 11.0 lbs.,
approx. cube .917 cu. ft. China.



Electric Griddle



No. 76212

Black. / UPC 0-72244-76212-9

- Large 17- by 11-inch premium non-stick surface.
- Adjustable temperature control.
- Immersible and dishwasher safe with temperature control removed.
- Grease trap along edge to catch juices.
- Two pouring lips make disposal easy.
- Heat-resistant handles.
- 1470 watts, 120 volts, AC only. UL listed. Recyclable package.

Std. pk. of 1, approx. ship. wt. 6.0 lbs.,
approx. cube .655 cu. ft.

10 & 12 CUP Drip Coffeemakers

Pause 'n Serve feature.

Swing-out basket
(56712, 56702, 56722, 56732)

or pull-out basket

(56642, 56652, 56640, 56650, 56660, 56630).

Non-stick warming plate.

Hinged carafe cover for easy filling.

Dishwasher-safe basket and carafe.

Covered water reservoir.

Second fuse for added safety.

900 watts, 120 volts, AC only.
UL listed. Recyclable package.



No. 56712

Black. / UPC 0-72244-56712-0

- Programmable clock/timer with digital display.
- Automatic shutoff.

Std. pk. of 1, approx. ship. wt. 4.4 lbs.,
approx. cube .653 cu. ft.

No. 56702

White. / UPC 0-72244-56702-1

Same features as No. 56712.

Std. pk. of 1, approx. ship. wt. 4.4 lbs.,
approx. cube .653 cu. ft.

12-Cup Programmable



No. 56642

White. / UPC 0-72244-56642-0

- Programmable clock/timer with digital display.
- Automatic shutoff.
- Overpacked.

Std. pk. of 2, approx. ship. wt. 10.4 lbs.,
approx. cube 1.459 cu. ft.


No. 56652

Black. / UPC 0-72244-56652-9

Same features as No. 56642.

Std. pk. of 2, approx. ship. wt. 10.4 lbs.,
approx. cube 1.459 cu. ft.

12-Cup Switch



No. 56722

White. / UPC 0-72244-56722-9

- Lighted on/off switch.

Std. pk. of 1, approx. ship. wt. 4.4 lbs.,
approx. cube .653 cu. ft.

No. 56732

Black. / UPC 0-72244-56732-8

Same features as No. 56722

Std. pk. of 1, approx. ship. wt. 4.4 lbs.,
approx. cube .653 cu. ft.

10-Cup Programmable



No. 56640

Black. / UPC 0-72244-56640-6

Same features as No. 56712.

Std. pk. of 2, approx. ship. wt. 10.9 lbs.,
approx. cube 1.317 cu. ft., overpacked.

No. 56650

White. / UPC 0-72244-56650-5

Same features as No. 56712.

Std. pk. of 2, approx. ship. wt. 10.9 lbs.,
approx. cube 1.317 cu. ft., overpacked.

10-Cup Switch



No. 56660

White. / UPC 0-72244-56660-4

- On/off switch.

Std. pk. of 1, approx. ship. wt. 4.2 lbs.,
approx. cube .599 cu. ft.

No. 56630

Black. / UPC 0-72244-56630-7

Same features as No. 56660.

Std. pk. of 1, approx. ship. wt. 3.8 lbs.,
approx. cube .564 cu. ft.

4 CUP Drip Coffeemakers

Pause 'n Serve feature.

Swing-out basket (56624, 56634)
or pull-out basket (56734, 56744).

On/off switch.

Non-stick warming plate.

Hinged carafe cover for easy filling.

Dishwasher-safe
basket and carafe.

Covered water reservoir.

Second fuse for added safety.

600 watts, 120 volts, AC only.
UL listed. Recyclable package.
Overpacked.

*Commercial 4-Cup
Coffeemakers featured
on page 13.*



NEW - No. 56744

White. / UPC 0-72244-56744-1
Std. pk. of 4, approx. ship. wt. 14.0 lbs.,
approx. cube 1.771 cu. ft.

NEW - No. 56734

Black. / UPC 0-72244-56734-2
Same features as No. 56744.
Std. pk. of 4, approx. ship. wt. 14.0 lbs.,
approx. cube 1.771 cu. ft.

No. 56624
White. / UPC 0-72244-56624-6
Same features as No. 56634.
Std. pk. of 4, approx. ship. wt. 13.5 lbs.,
approx. cube 1.726 cu. ft.

No. 56634
Black. / UPC 0-72244-56634-5
Std. pk. of 4, approx. ship. wt. 13.5 lbs.,
approx. cube 1.726 cu. ft.



Replacement Carafes

56642 & 56652
12-Cup Replacements
No. 5715

White. / UPC 0-72244-25715-1
Std. pk. of 4, approx. ship. wt. 7.0 lbs.
approx. cube 1.495 cu. ft.

No. 5702

Black. / UPC 0-72244-25702-1
Std. pk. of 4, approx. ship. wt. 7.0 lbs.,
approx. cube 1.495 cu. ft.

56702, 56712, 56722 & 56732
12-Cup Replacements

No. 5752

White. / UPC 0-72244-25752-6
Std. pk. of 4, approx. ship. wt. 6.8 lbs.
approx. cube 1.418 cu. ft.

No. 5762

Black. / UPC 0-72244-25762-5
Std. pk. of 4, approx. ship. wt. 6.8 lbs.
approx. cube 1.418 cu. ft.

56630, 56660, 56650 & 56640
10-Cup Replacements

No. 5721

White. / UPC 0-72244-25721-2
Std. pk. of 4, approx. ship. wt. 6.5 lbs.
approx. cube 1.307 cu. ft.

No. 5720

Black. / UPC 0-72244-25720-5
Std. pk. of 4, approx. ship. wt. 6.5 lbs.
approx. cube 1.307 cu. ft.

56624, 56344, 56734, 56744,
56754 & 56764
4-Cup Replacements

No. 5724

White. / UPC 0-72244-25724-3
Std. pk. of 4, approx. ship. wt. 3.6 lbs.
approx. cube .591 cu. ft.

No. 5734

Black. / UPC 0-72244-25734-2
Std. pk. of 4, approx. ship. wt. 3.6 lbs.
approx. cube .591 cu. ft.

ICED Tea Makers

2-Quart



No. 68002

White. / UPC 0-72244-68002-7

- Pitcher has water and ice markings.
- Automatic shutoff.
- Twist-lock cover.
- Pause 'n Serve.
- 625 watts, 120 volts, AC only.
UL listed. Recyclable package.

Std. pk. of 1, approx. ship. wt. 3.9 lbs.,
approx. cube .663 cu. ft.

3-Quart



No. 68003

White. / UPC 0-72244-68003-4

- Pitcher has water and ice markings.
- Automatic shutoff.
- Twist-lock cover.
- 625 watts, 120 volts, AC only.
UL listed. Recyclable package.
Overpacked.

Std. pk. of 4, approx. ship. wt. 18.2 lbs.,
approx. cube 2.999 cu. ft.

ELECTRIC Woks

- Quick-heating construction.
- Adjustable heat control.
- Heat resistant base and handles.
- 1000 watts, 120 volts, AC only.
- UL listed. Recyclable package.



6-Quart

No. 79525

Red and black. / UPC 0-72244-79525-7

- Five temperature settings.
- Non-stick surface.

Std. pk. of 1, approx. ship. wt. 5.4 lbs.,
approx. cube 1.207 cu. ft.



6 1/2-Quart

No. 79506

Red. / UPC 0-72244-79506-6

- Includes tempura rack and recipe booklet.
- Premium non-stick surface.
- Immersible and dishwasher safe.

Std. pk. of 1, approx. ship. wt. 6.4 lbs.,
approx. cube 1.464 cu. ft.

2 & 3 QUART Fondue Pots

- Adjustable temperature control.
- Premium non-stick interior and heat-resistant handles.
- Immersible and dishwasher safe with temperature control removed.
- Fondue forks included.
- 120 volts, AC only. UL listed.
- Recyclable package. Overpacked.


2-Quart

No. 88000

White. / UPC 0-72244-88000-7

- Includes 4 fondue forks.
- 600 watts.

Std. pk. of 2, approx. ship. wt. 6.7 lbs.,
approx. cube .844 cu. ft.



No. 88001

Red. / UPC 0-72244-88001-4

Same features as No. 88000.

Std. pk. of 2, approx. ship. wt. 6.7 lbs.,
approx. cube .844 cu. ft.



▲ NEW - No. 88003

The Entertainer™

Red. / UPC 0-72244-88003-8

- Includes 8 fondue forks and removable fork ring.
- 1000 watts.

Std. pk. of 2, approx. ship. wt. 7.3 lbs.,
approx. cube .950 cu. ft.

FOOD STEAMER/ Rice Cookers

- Oval shape accommodates more foods.
- Interior water level marks.
- Six-cup rice bowl included.
- Cover doubles as trivet.
- 600 watts, 120 volts, AC only.
- UL listed. Recyclable package.



No. 86601

White. / UPC 0-72244-86601-8

- Operating light.


Std. pk. of 1, approx. ship. wt. 3.6 lbs.,
approx. cube .594 cu. ft.

No. 86600

White. / UPC 0-72244-86600-1

- 60-minute timer with alarm.
- Timer activates automatic shutoff.
- Drip pan.
- Cooking guide printed on back.
- Overpacked.

Std. pk. of 2, approx. ship. wt. 10.6 lbs.,
approx. cube 1.391 cu. ft.



AUTOMATIC Percolators

Automatic temperature control.

Heat-resistant handle and base.

Lock-on cover (54129)
or twist-lock cover (51000, 51628).

Interior water level marks.

Cool-tip filter basket.

Safety fuse.

650 watts, 120 volts, AC only.
UL listed. Recyclable package.

5-9 Cup Percolator

No. 54129

Highly polished aluminum. / UPC 0-72244-54129-8
Std. pk. of 1, approx. ship. wt. 2.1 lbs.,
approx. cube .343 cu. ft.



4-8 Cup Percolators

No. 51628

White plastic with floral design.
UPC 0-72244-51628-9
Std. pk. of 1, approx. ship. wt. 1.8 lbs.,
approx. cube .309 cu. ft.

No. 51000

Black plastic with floral design.
UPC 0-72244-51000-3
Std. pk. of 1, approx. ship. wt. 1.8 lbs.,
approx. cube .309 cu. ft.

ELECTRIC Hot Pots

Adjustable temperature control
(3253, 53626)

or automatic temperature control
(53505, 53007, 53601).

Lock-on cover (3253, 53626)
or twist-lock cover (53505, 53007, 53601).

Interior water level marks.

Quick-heating, compact design.

Safety fuse.

600 watts, 120 volts, AC only.
UL listed. Recyclable package. Overpacked.


6-Cup

No. 3253


Red aluminum. / UPC 0-72244-23253-0
Std. pk. of 4, approx. ship. wt. 7.6 lbs.,
approx. cube 1.306 cu. ft.

No. 53626

White aluminum. / UPC 0-72244-53626-3
Std. pk. of 4, approx. ship. wt. 7.6 lbs.,
approx. cube 1.306 cu. ft.



5-Cup



No. 53601

White plastic. / UPC 0-72244-53601-0
Std. pk. of 4, approx. ship. wt. 6.0 lbs.,
approx. cube .832 cu. ft.

No. 53007

Black plastic. / UPC 0-72244-53007-0
Std. pk. of 4, approx. ship. wt. 6.0 lbs.,
approx. cube .832 cu. ft.

No. 53505

Red plastic. / UPC 0-72244-53505-1
Std. pk. of 4, approx. ship. wt. 6.0 lbs.,
approx. cube .832 cu. ft.


1-QUART Tea Kettle

No. 6400

White. / UPC 0-72244-26400-5

- Whistle blows when water begins to boil.
- Steam guard.
- Maximum fill indicator.
- Safety shutoff.
- 1000 watts, 120 volts, AC only.
UL listed. Recyclable package.
Overpacked.

Std. pk. of 2, approx. ship. wt. 5.0 lbs.,
approx. cube .640 cu. ft. China.



Refer to the color chart on inside cover.

LARGE CAPACITY Coffeemakers

Quick brewing — one cup per minute.

Two-way dripless faucet.

Twist-lock cover.

Interior water level marks.

Heat-resistant base and handles.

Serving light.

120 volts, AC only.

UL listed. Recyclable package.

**Commercial coffeemakers
on this page also feature:**

Filling area under faucet which
accommodates cup with saucer.

UL listing for commercial use.


25-55 Cup

NEW - No. 59045

Durable, highly polished stainless steel.
UPC 0-72244-59045-6

- Metal basket and cleaning tool included.
- Suited for commercial and household use.
- 1090 watts.

Std. pk. of 1, approx. ship. wt. 9.7 lbs.,
approx. cube 1.513 cu. ft.



40-100 Cup



No. 33600

Highly polished aluminum.
UPC 0-72244-33600-9

- Coffee level gauge.
- Instructions printed on faceplate.
- Metal basket and cleaning tool included.
- Suited for commercial and household use.
- On/off switch. 1500 watts.

Std. pk. of 1, approx. ship. wt. 10.8 lbs.,
approx. cube 2.383 cu. ft.


No. 13500

Highly polished aluminum.
UPC 0-72244-13500-8

- Coffee level gauge.
- Instructions printed on faceplate.
- Metal basket and cleaning tool included.
- Suited for commercial and household use.
- On/off switch. 1500 watts.

Std. pk. of 1, approx. ship. wt. 8.2 lbs.,
approx. cube 1.877 cu. ft.

Water Boiler




No. 59004

Durable, highly polished stainless steel.
UPC 0-72244-59004-3

- Heats/boils water for instant beverages.
- Adjustable heat control.
- Suited for commercial and household use.
- 1400 watts.

Std. pk. of 1, approx. ship. wt. 9.1 lbs.,
approx. cube 1.470 cu. ft.

12-36 Cup



No. 43536

Highly polished aluminum.
UPC 0-72244-43536-8

- Cool-tip filter basket.
- Cleaning tool included.
- Instructions printed on faceplate.
- Suited for commercial and household use.
- 1090 watts

Std. pk. of 1, approx. ship. wt. 5.5 lbs.,
approx. cube 1.402 cu. ft.

12-30 Cup



No. 58030

Highly polished aluminum.
UPC 0-72244-58030-3

- Cool-tip filter basket.
- Detachable cord.
- 1090 watts.

Std. pk. of 1, approx. ship. wt. 4.2 lbs.,
approx. cube 1.141 cu. ft.



▲ NEW - No. 57650

Brushed stainless steel. / UPC 0-72244-57650-4

- Double-wall insulation.
- Cool-tip filter basket.
- Detachable cord.
- 1090 watts.

Std. pk. of 1, approx. ship. wt. 5.6 lbs.,
approx. cube 1.087 cu. ft.

NEW - No. 57640

White aluminum. / UPC 0-72244-57640-5

Same features as No. 57650.

Std. pk. of 1, approx. ship. wt. 5.6 lbs.,
approx. cube 1.087 cu. ft.

12-42 Cup



▲ No. 58002

Highly polished aluminum.
UPC 0-72244-58002-0

- Cool-tip filter basket.
- Detachable cord.
- 1090 watts.

Std. pk. of 1, approx. ship. wt. 4.5 lbs.,
approx. cube 1.276 cu. ft.

COMMERCIAL 4-Cup

One-hour automatic shutoff.

■ On/off buttons and indicator light.

■ Printed instructions on top of unit.

■ Grounded cord and safety fuse.

■ 600 watts, 120 volts, AC only.

UL listed for commercial use.
Recyclable package. Overpacked.

12-22 Cup



▲ No. 58602

Aluminum. White with country blue design.
UPC 0-72244-58602-2

- Cool-tip filter basket.
- Detachable cord.
- 1090 watts.

Std. pk. of 1, approx. ship. wt. 4.0 lbs.,
approx. cube .992 cu. ft.



▲ NEW - No. 56764

White. / UPC 0-56764-9
Std. pk. of 6, approx. ship. wt. 21.7 lbs.,
approx. cube 2.665 cu. ft.

NEW - No. 56754

Black. / UPC 0-72244-56754-0
Std. pk. of 6, approx. ship. wt. 21.7 lbs.,
approx. cube 2.665 cu. ft.

HOT OIL Corn Poppers

Exclusive motorized stirring rod
stirs kernels to yield 25% more popcorn
than other poppers
(except 82224).

■ Non-stick interior.

■ Cover flips
to become serving bowl
with
built-in butter well.

■ 120 volts, AC only.
UL listed.
Recyclable package.



6-Quart Stir Crazy®

No. 82306X

Black. / UPC 0-72244-12306-7

■ Earned Popcorn Institute Seal of
Quality Performance.

■ 1000 watts.

Std. pk. of 1, approx. ship. wt. 4.5 lbs.,
approx. cube .808 cu. ft.

8-Quart Stir Crazy® 8



No. 82308

Black. / UPC 0-72244-82308-0

■ 1000 watts.

■ Overpacked.

Std. pk. of 2, approx. ship. wt. 11.0 lbs.,
approx. cube 1.641 cu. ft.

4-Qt. Buttermatic® II



No. 82224

Black. / UPC 0-72244-82224-3

■ 600 watts.

Std. pk. of 1, approx. ship. wt. 3.2 lbs.,
approx. cube .605 cu. ft.

HOT AIR Corn Poppers

No oil required — popcorn has
fewer calories and no cholesterol.

■ Chute directs popcorn
into bowl.

■ Designed to leave fewer
kernels unpopped.

■ 1200 watts, 120 volts, AC only.
UL listed. Recyclable package.



No. 82400

Teal/white. / UPC 0-72244-82400-1

■ Earned Popcorn Institute Seal of
Quality Performance.

■ Perfect for gourmet popcorn.

■ On/off switch. Overpacked.

Std. pk. of 4, approx. ship. wt. 13.8 lbs.,
approx. cube 1.890 cu. ft.

No. 82410

Black/ White. / UPC 0-72244-82410-0

■ Earned Popcorn Institute Seal of
Quality Performance.

Std. pk. of 1, approx. ship. wt. 2.8 lbs.,
approx. cube .427 cu. ft.



No. 82602

Poppery® II

White. / UPC 0-72244-82602-9

■ Pops up to four quarts of popcorn
in approximately three minutes.

Std. pk. of 1, approx. ship. wt. 2.5 lbs.,
approx. cube .343 cu. ft.

No. 82010

Black. / UPC 0-72244-82010-2

Same features as No. 82602.

Std. pk. of 1, approx. ship. wt. 2.5 lbs.,
approx. cube .343 cu. ft.



ELECTRIC Stand Mixers

Auto electronic control
senses mixing load
and automatically adjusts
speed and power.

Powerful 12-speed motor.

Automatic bowl rotation.

Two-position bowl rest.

1 1/2- and 4-qt. stainless steel
(41037, 41039)
or glass (41036) bowls.

Easy-to-use beater ejection.

Two heavy-duty dough hooks
and two large beaters included.

Convenient mixing guide.

120 volts, AC only. UL listed.
Recyclable package. Overpacked.



12-Speed

No. 41037

Black with Chrome. / UPC 0-72244-41037-2
Std. pk. of 1, approx. ship. wt. 10.2 lbs.,
approx. cube 1.217 cu. ft. China.

No. 41039

White with Chrome. / UPC 0-72244-41039-6
Std. pk. of 1, approx. ship. wt. 10.2 lbs.,
approx. cube 1.217 cu. ft. China.



No. 41036

White. / UPC 0-72244-41036-5
Std. pk. of 1, approx. ship. wt. 14.1 lbs.,
approx. cube 1.217 cu. ft. China.



No. 41019

White. / UPC 0-72244-41019-8
Std. pk. of 4, approx. ship. wt. 12.5 lbs.,
approx. cube .529 cu. ft.

10-Speed Hand Mixer

Super Surge™ button for extra power.

Heel rest to keep beaters off countertop.

Eject button to easily release beaters.

Beaters, stir paddles
and dough hooks included.

175 watts, 120 volts, AC only.
UL listed. Recyclable package.
Overpacked.

STAINLESS STEEL Buffet Server II



No. 89010

Stainless steel and black.
UPC 0-72244-89010-5

- Adjustable temperature control.
 - Includes one 3-qt. stainless steel dish and two 1 1/2-qt. microwave-safe glass dishes. All dishes are dishwasher safe.
 - Base doubles as 22" x 10" warming tray.
 - Heat-resistant handles, base and cover knobs.
 - 350 watts, 120 volts, AC only. UL listed. Recyclable package
- Std. pk. of 1, approx. ship. wt. 21.0 lbs., approx. cube 2.102 cu. ft.


ELECTRONIC Clock / Timers

Easy-to-read LCD display.

Clip, stand, magnet, and hanging hole (except 40032).

AAA battery included (except 40032).

Full color blister cards. Overpacked.



No. 40022X

Clock/Timer II

White. / UPC 0-72244-10022-8

- Counts to and from 24 hours.
- Continuous running clock displays hours, minutes and seconds and AM/PM mode.
- Memory recalls previous time setting.

Std. pk. of 6, approx. ship. wt. 1.0 lbs., approx. cube 0.054 cu. ft. China.


No. 40005X

Timer

White. / UPC 0-72244-10005-1

- Counts down from 100 minutes and up to 60 minutes.

Std. pk. of 6, approx. ship. wt. 1.0 lbs., approx. cube .076 cu. ft. China.




No. 40032

Triple Timer®

White. / UPC 0-72244-40032-8

- Times three activities at once.
- Three distinctive alarms.
- Each timer counts from ten hours.

Std. pk. of 6, approx. ship. wt. 1.9 lbs., approx. cube .161 cu. ft. China.



No. 40035

Timer

White. / UPC 0-72244-40035-9

- Memory recalls previous time setting.
- Counts to and from 100 minutes.
- Jumbo display.

Std. pk. of 6, approx. ship. wt. 0.9 lbs., approx. cube .068 cu. ft. China.

No. 40031X


Clock Timer

White. / UPC 0-72244-40031-1

- Two timing channels count to and from 24 hours.
- Alarm beeps for one minute and counts elapsed time.
- Continuous running clock displays hours, minutes and seconds.
- Memory recalls previous time setting.

Std. pk. of 6, approx. ship. wt. 1.5 lbs., approx. cube .096 cu. ft. China.

AUTOMATIC Egg Cooker



No. 86618

White. / UPC 0-72244-86618-6


- Soft or hard cooks 8 eggs or poaches 4.
- Timed cooking cycle with automatic shutoff.
- Operating light.
- Clear cover and heat-resistant base.
- Includes egg rack, poaching pan with non-stick interior and measuring cup.
- 600 watts, 120 volts, AC only. UL listed. Recyclable package.

Std. pk. of 1, approx. ship. wt. 3.2 lbs., approx. cube .408 cu. ft.

COMPANY Profile

Since its beginning in 1911, The West Bend Company has strived to surpass its customers' expectations. Committed to Total Quality and Just-in-Time operating philosophies, the company is continuously improving products. The final result is products that offer great value to consumers.


Competitive Edge



The West Bend Company maintains its competitive edge in the breadmaker market through dedication to consumers' needs and continuous product improvement.




State-of-the-Art





Engineers use state-of-the-art programs such as the Pro-Engineer 3-D Solid Modeling System to create quality West Bend® parts and products. The software provides visual design and styling capabilities through all phases of product development, from initial layouts through final production.

Quality



All West Bend® products complete automated assembly line testing to ensure that each product meets quality and safety requirements.



WEST BEND®

400 Washington Street
West Bend, Wisconsin 53095

©The West Bend Company

3753-715-07-98

Printed in U.S.A