

FIRE CONTROL LOG

Handwritten signature

TAYLOR, F. W.

FRED W. TAYLOR F.C. 3/2
U.S.S. BOSTWICK DE 103
F.P.O. N.Y. N.Y. -

Fred W. Taylor

RESTRICTED

INFORMATION

50174

Manufactured by
U. S. Government Printing Office

INDEX

FIRE CONTROL
MAIN BATTERY LOG.
U.S.S. BOSTWICK DE 103.

1
A DESTROYER ESCORT'S MAIN BATT.
IS COMPOSED OF THREE (3), 3" 50
CALIBER GUNS. THESE BEING MOUNTED
AS FOLLOWS:

GUN 31:

ON MAIN DECK JUST
AHEAD OF MK 10 Hedge Hog
MOUNT.

GUN 32:

ON GUN DECK ABOVE
AND BEHIND Hedge Hog MOUNT.
DIRECTLY ABOVE OFFICERS STATE
ROOMS

GUN 33


ON FANTAIL JUST AFT OF
40 MM MOUNT. DIRECTLY ABOVE
C-202-d C-203-L

FORWARD DIRECTOR MK 51

DIRECTLY IN CENTER OF
FLYING BRIDGE ON ELEVATED
PLATFORM.

AFTER DIRECTOR

ON ELEVATED PLATFORM
LOCATED BETWEEN TORPEDO TUBES
AND 40 MM MOUNT ON BOAT
DECK.



- 3" 50 CAL Firing & Lighting SYSTEM -

FIRING

THE FIRING CIRCUIT IS
COMPOSED OF THE FOLLOWING
GEAR.

1. FIRING Key
MK 16 MOD 8
2. GUN FIRING SOLENOID.
either - MK 5 MOD 3
OR - MK 14 MOD 1
3. TRANSFER SWITCH ~~PER~~
MK 5 MOD 16
4. 115 A.C. Supply -

