

RIMSHERD

CAT. # 283

Temper SHELL

Dimensions :

Lip Th. 3.8

Diameter at Lip 290

Rim Hgth. 19

Minimum Diameter 280

Maximum Diameter _____

Decoration:

Lip NOTCHED

None _____

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____


Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



RIMSHERD

CAT. # 283

Temper SHELL

Dimensions :

Lip Th. 5.4

Rim Hgth. 29

Diameter at Lip ?

Minimum Diameter 330

Maximum Diameter _____

Decoration:

Lip _____ None X

Shoulder _____

Lines _____

Intaglio _____

Punctuation _____

Angle _____

Intaglio _____

Motif(s) _____

APPENDAGES

Form _____

Location _____

Decoration _____

RIM PROFILE:



OUT

CAT. # 281

RIMSHED

Temper SHALL

Dimensions :

Lip Th. _____

Rim Hgth. _____

Diameter at Lip _____

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip _____

None _____

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____

Motif(s) _____

APPENDAGES

Form LUG Location 7mm AVERAGE THICKNESS

Decoration _____

RIM PROFILE:



RIMSHERO

CAT. # 281

Temper SHELL

Dimensions :

Lip Th. 5.7

Rim Hgth. 20

Diameter at Lip 200

Minimum Diameter 190

Maximum Diameter _____

Decoration:

Lip PERFORATIONS None

Shoulder _____

Lines _____ Intaglio

Punctuation _____ Angle _____ Intaglio


Motif(s) _____

APPENDAGES

Form HANDLE Location 4 mm FROM LIP

Decoration PERFORATIONS

RIM PROFILE:



RIMSHERO

CAT. # 281

Temper SHELL

Dimensions :

Lip Th. 5.7

Rim Hgth. 2.5

Diameter at Lip 170

Minimum Diameter 150

Maximum Diameter

Decoration:

Lip None X

Shoulder

Lines Intaglio

Punctuation Angle Intaglio


Motif(s)

APPENDAGES

Form Location

Decoration

RIM PROFILE:



RIMSHERD

CAT. # 281

Temper SHELL

Dimensions :

Lip Th. 4.5

Rim Hgth. 19

Diameter at Lip ?

Minimum Diameter

Maximum Diameter

Decoration:

Lip None X

Shoulder

Lines Intaglio

Punctuation Angle Intaglio

Motif(s)

APPENDAGES

Form Location

Decoration

RIM PROFILE:



RIMSHED

CAT. # 281

Temper SHALL

Dimensions :

Lip Th. 5

Rim Hgth. 15

Diameter at Lip ?

Minimum Diameter

Maximum Diameter

Decoration:

Lip NOTCHED

None

Shoulder

Lines Intaglio

Punctuation Angle Intaglio


Motif(s)

APPENDAGES

Form Location

Decoration

RIM PROFILE:



CAT. # 281

RIMSHED

Temper SHELL

Dimensions :

Lip Th. 4.8

Rim Hgth. 3.3

Diameter at Lip 200

Minimum Diameter 170

Maximum Diameter _____

Decoration:

Lip _____ None X

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____

Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



OUT

RIMSHERD

CAT. # 281

Temper SHELL

Dimensions :

Lip Th. 5

Rim Hgth. 21

Diameter at Lip 3304

Minimum Diameter

Maximum Diameter

Decoration:

Lip None x

Shoulder

Lines Intaglio

Punctuation Angle Intaglio


Motif(s)

APPENDAGES

Form Location

Decoration

RIM PROFILE:



CAT. # 281

RIM-SHERD

Temper SHELL

Dimensions :

Lip Th. 5.5

Rim Hgth. 21

Diameter at Lip 240

Minimum Diameter 210

Maximum Diameter _____

Decoration:

Lip _____

None X

Shoulder _____

Lines _____

Intaglio _____

Punctuation _____

Angle e

Intaglio _____

Motif(s) _____

APPENDAGES

Form _____

Location _____

Decoration _____

RIM PROFILE:



OUT

RIMSHED

CAT. # 281

Temper SHELL

Dimensions :

Lip Th. 12.1

Rim Hgth. 16

Diameter at Lip 230

Minimum Diameter 220

Maximum Diameter _____

Decoration:

Lip NOTCHED None *

Shoulder _____

Lines _____ Intaglio

Punctuation _____ Angle _____ Intaglio

Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



OUT

CAT. # 281

RIMSHED

Temper SHELL

Dimensions :

Lip Th. 6

Rim Hgth. 35

Diameter at Lip 290

Minimum Diameter 250

Maximum Diameter _____

Decoration:

Lip _____ None X

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____

Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



OUT

RIMSHED

CAT. # 287

Temper SHELL

Dimensions :

Lip Th. 5.2

Rim Hgth. 31

Diameter at Lip 240

Minimum Diameter 210

Maximum Diameter _____

Decoration:

Lip _____

None X

Shoulder _____

Lines _____

Intaglio _____

Punctation _____

Angle _____

Intaglio _____

Motif(s) _____

APPENDAGES

Form _____

Location _____

Decoration _____

RIM PROFILE:



OUT

RIMSHARD

CAT. # 281

Temper SHELL

Dimensions :

Lip Th. 6

Rim Hgth. 48

Diameter at Lip 220

Minimum Diameter 210

Maximum Diameter

Decoration:

Lip

None X

Shoulder

Lines

Intaglio

Punctuation

Angle

Intaglio

Motif(s)


APPENDAGES

Form HANDLE

Location 14mm FROM LIP

Decoration

RIM PROFILE:



CAT. # 287

RIM/HERD

Temper SHELL

Dimensions :

Lip Th. 5

Rim Hgth. 29.4

Diameter at Lip 830+

Minimum Diameter 330

Maximum Diameter

Decoration:

Lip None X

Shoulder

Lines

Intaglio

Punctuation

Angle

Intaglio

Motif(s)

APPENDAGES

Form

Location

Decoration

RIM PROFILE:



OUT

CAT. # 281

RIMSHARD

Temper SHELL

Dimensions :

Lip Th. 5

Rim Hgth. 48

Diameter at Lip 330

Minimum Diameter 310

Maximum Diameter _____

Decoration:

Lip NOTCHED

None

Shoulder _____

Lines _____ Intaglio

Punctuation _____ Angle _____ Intaglio


Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



RIMSHERO

CAT. # 281

Temper SHELL

Dimensions :

Lip Th. 9 mm

Rim Hgth. 24

Diameter at Lip 320

Minimum Diameter 310

Maximum Diameter

Decoration:

Lip NOTCHED

None

Shoulder

Lines

Intaglio

Punctuation

Angle

Intaglio

Motif(s)

APPENDAGES

Form

Location

Decoration

RIM PROFILE:



001

RIMSHED

CAT. # 281

Temper SHELL

Dimensions :

Lip Th. 7

Rim Hgth. 29

Diameter at Lip 240

Minimum Diameter 230

Maximum Diameter _____

Decoration:

Lip _____

None X

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____

Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



RIMSHED

CAT. # 281

Temper SHELL

Dimensions :

Lip Th. 5

Rim Hgth. 30

Diameter at Lip 230

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip NOTCHED None _____

Shoulder _____

Lines _____ Intaglio _____

Punctation _____ Angle _____ Intaglio _____

Motif(s) _____

APPENDAGES

Form HANDLE Location 5mm FROM LIP

Decoration _____

RIM PROFILE:



CAT. # 281

RIM SHEED

Temper SHELL

Dimensions :

Lip Th. 4

Rim Hgth. 49

Diameter at Lip 300

Minimum Diameter 250

Maximum Diameter

Decoration:

Lip NOTCHED None

Shoulder

Lines Intaglio

Punctuation Angle Intaglio

Motif(s)

APPENDAGES

Form Location

Decoration

RIM PROFILE:



505

RIMSHED

CAT. # 281

Temper SHELL

Dimensions :

Lip Th. 4

Rim Hgth. 51

Diameter at Lip 290

Minimum Diameter

Maximum Diameter

Decoration:

Lip None X

Shoulder

Lines Intaglio

Punctuation Angle Intaglio

Motif(s)

APPENDAGES

Form Location

Decoration

RIM PROFILE:



OUT

RIMSHARD

CAT. # 281

Temper SHELL

Dimensions :

Lip Th. 5.3

Rim Hgth. 51.6

Diameter at Lip 280

Minimum Diameter 240

Maximum Diameter 290

Decoration:

Lip None X

Shoulder Intaglio

Lines Intaglio

Punctuation Angle Intaglio

Motif(s)

APPENDAGES

Form Location

Decoration

RIM PROFILE:



RIMSHARD

CAT. # 281

Temper SHELL

Dimensions :

Lip Th. 5.6

Rim Hgth. 38

Diameter at Lip 210

Minimum Diameter 180

Maximum Diameter 260

Decoration:

Lip NOTCHED None

Shoulder

Lines Intaglio

Punctuation Angle Intaglio

Motif(s)

APPENDAGES

Form Location

Decoration

RIM PROFILE:



RIMSHED

CAT. # 280

Temper SHELL

Dimensions :

Lip Th. 6

Rim Hgth. 32

Diameter at Lip 390+

Minimum Diameter

Maximum Diameter

Decoration:

Lip

None X

Shoulder

Lines

Intaglio

Punctuation

Angle

Intaglio

Motif(s)

APPENDAGES

Form HANDLE

Location 13mm FROM LIP

Decoration

RIM PROFILE:



OUT

RIMSHED

CAT. # 280

Temper SHELL

Dimensions :

Lip Th. 6.7

Rim Hgth. 35

Diameter at Lip 330+

Minimum Diameter 330

Maximum Diameter _____

Decoration:

Lip _____

None X

Shoulder _____

Lines _____

Intaglio

Punctuation _____

Angle _____

Intaglio

Motif(s) _____

APPENDAGES

Form _____

Location _____

Decoration _____

RIM PROFILE:



OUT

RIMSHED

CAT. # 280

Temper SHELL

Dimensions :

Lip Th. 7

Rim Hgth. 347

Diameter at Lip 330+

Minimum Diameter 330+

Maximum Diameter _____

Decoration:

Lip _____

None X

Shoulder _____

Lines _____

Intaglio _____

Punctuation _____

Angle _____

Intaglio _____

Motif(s) _____

APPENDAGES

Form _____

Location _____

Decoration _____

RIM PROFILE:



RIMSHERD

CAT. # 280

Temper SHELL

Dimensions :

Lip Th. 6.6

Rim Hgth. 36

Diameter at Lip 240

Minimum Diameter 230

Maximum Diameter _____

Decoration:

Lip _____ None X

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____

Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



RIMSHED

CAT. # 280

Temper SHELL

Dimensions :

Lip Th. 6

Rim Hgth. 37

Diameter at Lip 250

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip _____ None X

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____

Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



RIMSHED

CAT. # 280

Temper SHELL

Dimensions :

Lip Th. 6.7

Rim Hgth. 37.6

Diameter at Lip 250

Minimum Diameter 230

Maximum Diameter

Decoration:

Lip None

Shoulder POLISHED

Lines Intaglio

Punctuation Angle Intaglio

Motif(s)

APPENDAGES

Form Location

Decoration

RIM PROFILE:



RIMSHED

CAT. # 278

Temper SHELL

Dimensions :

Lip Th. 3.4 mm

Rim Hgth. 36.7 mm

Diameter at Lip 330+ mm

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip NOTCHED

None ~~*~~

Shoulder _____

Lines _____

Intaglio _____

Punctuation _____

Angle _____

Intaglio _____

Motif(s) _____

APPENDAGES

Form HANDLE

Location 5 mm FROM LIP

Decoration TRAILING

RIM PROFILE:



RIMSHERO

CAT. # 278

Temper SHELL

Dimensions :

Lip Th. 12 mm

Rim Hgth. 22 mm

Diameter at Lip 310 mm

Minimum Diameter 300

Maximum Diameter 310

Decoration:

Lip None X

Shoulder

Lines

Intaglio

Punctuation

Angle

Intaglio

Motif(s)

APPENDAGES

Form

Location

Decoration

RIM PROFILE:



RIMSHERD

CAT. # 278

Temper SNELL

Dimensions :

Lip Th. 5.6

Rim Hgth. 24.7

Diameter at Lip 210

Minimum Diameter 200

Maximum Diameter 210

Decoration:

Lip NOTCHED None

Shoulder

Lines Intaglio

Punctuation Angle Intaglio

Motif(s)

APPENDAGES

Form Location

Decoration

RIM PROFILE:



OUTSIDE

CAT. # 278

RIMSHED \$

Temper SHELL

Dimensions :

Lip Th. _____

Rim Hgth. _____

Diameter at Lip _____

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip _____

None _____

Shoulder _____

Lines _____

Intaglio _____

Punctuation _____

Angle _____

Intaglio _____

Motif(s) _____

APPENDAGES

Form HANDLE

^{THICKNESS}
Location MAX. - 21.5 MIN. 15.6

Decoration NONE

RIM PROFILE:



OUT

RIM-SHERD

CAT. # 280

Temper SHELL

Dimensions :

Lip Th. 8.6 mm

Rim Hgth. 39 mm

Diameter at Lip 210

Minimum Diameter 190

Maximum Diameter _____

Decoration:

Lip _____ None X

Shoulder _____

Lines _____

Intaglio _____

Punctuation _____

Angle _____

Intaglio _____

Motif(s) _____

APPENDAGES

Form HANDLE

Location 11 mm FROM LIP

Decoration NONE

RIM PROFILE:



RIMSHED

CAT. # 280

Temper SHELL

Dimensions :

Lip Th. 6 mm

Rim Hgth. 35.6 mm

Diameter at Lip 185 mm.

Minimum Diameter 150

Maximum Diameter 250

Decoration:

Lip

None X

Shoulder

Lines

Intaglio

Punctuation

Angle

Intaglio

Motif(s)


APPENDAGES

Form STRAP HANDLE

Location 7.5 mm FROM LIP 12 mm FROM NECK

Decoration NONE

RIM PROFILE:



RIMSHED

CAT. # 280

Temper SHELL

Dimensions :

Lip Th. 5.5 mm

Rim Hgth. 19 mm

Diameter at Lip 330+

Minimum Diameter 330+

Maximum Diameter 330+

Decoration:

Lip None

None X

Shoulder

Lines

Intaglio

Punctuation

Angle

Intaglio

Motif(s)

APPENDAGES

Form HANDLE

Location FROM LIP

Decoration

RIM PROFILE:




OUT

DECORATED BODY-HEAD TALLY SHEET

Site Number: 23 BN1

AT #	TOTAL	EX. SURF. FIN.			LINES						DEPTH		INT. DASH		PUNCT.
		SH/ TR	TR	OTH.	N	M	W	F	F/O		S	D	11	12	
288	60" LEVEL 10	1	2	3	4	5	6	7	8		9	10			13
				PLAIN											
	7 PLAIN			✓											
	1 DECORATED			✓											
				✓											
				✓											
				✓											
				✓											
				✓											
A	SHOULDER	✓			✓				1.8/2.7	✓					

A.



ROUND IMPRESSION AT END OF LINE INDICATES THAT A TUBE MUST HAVE BEEN USED TO MAKE THE LINES.

DECORATED BODY SHEET TALLY SHEET

Site Number: 23BN1


[illegible]

Site Number: 23 BN 1

Site Number: 23 BN 1

Site Number 23 BN 1

A.



DECORATED BODY SHEET TALLY SHEET

Site Number 23 BN 1

[illegible]

DECORATED BODY-SHERD TALLY SHEET


Site Number 23BN1

[illegible]

DECORATED BODY SHEET TALLY SHEET

Site Number 23BN1

A.



B



Site Number 23BN1

Site Number 23BN1

[illegible]

DECORATED BODY SHEET TALLY SHEET

Site Number 23 BN1

DECORATED BODYSHERD TALLY SHEET

Site Number 23BN1


[illegible]

DECORATED BODYSHERD TALLY SHEET

Site Number 230N1

AT. #	TOTAL	EX. SUBT. PIN.		LINES	DEPTH		INT. DASH		PUNCT.
		SH/ TR	OTH.	N M W F F/O	S D				
283	30" LEVEL 5	1	2	3 4 5 6 7 8	9 10		11 12		13
			PLAIN						
			✓						
			✓						
			✓						
			✓						
			✓						
			✓						
			✓						
			✓						
			✓						
			✓						
			✓						
			HANDLE						
			✓						
A		✓		✓	1/2.4	✓			✓ 1.8 deep
B		✓		✓	3/2	✓			✓ .9 deep
C		✓							
D		✓		✓	3/2.4	✓			
E			✓						✓

195 PLAIN
10 DECORATED



Site Number 23BN1

Site Number 23BN1



Site Number 23 BN1

Site Number 23 BN1

[illegible]

DECORATED POLYMER TALLY SHEET

Site Number 23BN1

[illegible]

DECORATED BODY-SHERD TALLY SHEET

Site Number: 23BN1

[illegible]

Site Number 23BN1

Site Number 23BN1

[illegible]

DECORATED BODYSHED TALLY SHEET



Site Number 23 BK1

Site Number 23 BN 1


Site Number 23 BN 1

Site Number: 23BN1



Site Number: 23BN1

[illegible]

Site Number: 23BN1



Site Number 23 BN 1



Site Number: 23 BN 1

Site Number 23BN1

Site Number 23BN1

DEGRADED BODYSHEED TALLY SHEET

Site Number 23BN1

Site Number: 23 BN 1

Site Number 23BN1

Site Number 23 BN 1

Site Number 23 BN 1

DECORATED BODY SHEET														
AT. #	TOTAL	EX. SURF. FIN.			LINES					DEPTH		INT. DASH		PUNCT.
		SM/TH	OTH.		N	M	W	F	F/O	S	D	11	12	
280	LEVEL 3	1	2	3	4	5	6	7	8	9	10			13
				PLAIN										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										
				✓										



SLIGHT POLISH

B


C

0.


A.

 β

C



D



Site Number 23BN1

Site Number 23BN1

A



B



C.



D



DECOATED POLYMER TALLY SHEET

Site Number 23BN1

[illegible]

DECORATED BODY SHEET TALLY SHEET

Site Number 23BN1

[illegible]

DECORATED POLYMER TALLY SHEET

Site Number: 23BW1

[illegible]

DECORATED BODYSHEED TALLY SHEET

Site Number 23BN1

[illegible]

DECORATED DOPYSHERD TALLY SHEET

Site Number 23 BN 1

[illegible]


Site Number 23 BN 1

DECORATED JODYSHERD TALLY SHEET


Site Number 23BN1

AT. #	TOTAL	BY SURF. FIN.			LINES						DEPTH		INT. DASH		PUNCT.
		SM	TR	OTH.	N	M	W	F	F/O		S	D	11	12	13
280	POT FRAG. LEVEL 3	1	2	3	4	5	6	7	8		9	10			
	FOUND RIGHT HAND SIDE			PLAIN											
	OTHER BAK OF POT AT			✓											
	SW. CORNER LEVEL 2			✓											
A		✓							✓ 1.1/9.5	✓					
B		✓			✓				1.5/2	✓					
C		✓			✓				1.4/1.8	✓					✓ 1.6 DEEP R.M.

29 PLAIN
3 DECORATED



B.



C.



DECORATED PODYSHED TALLY SHEET

Site Number: 23BN1

DECORATED BODY SHEET TALLY SHEET

Site Number 23BN1

AT. #	TOTAL	EX. SURF. FIN.			LINES						DEPTH		INT. DASH		PUNCT.
		SM. TR	OTH.	PLNW	N	M	W	F	P/O		S	D	11	12	13
279	12" LEVEL 2	1	2	3	4	5	6	7	8		9	10			
A	181 PLAIN	✓		✓					1/2.2	✓					
B	4 DECORATED	✓							1/8.9	✓					
C		✓							1.3/2	✓					
D		✓							1/2.6	✓					
				✓											
279	2 FT. SOUTH EDGE														
	WEST EDGE 3 FT.														
	POT FRAGMENTS														
	BOTTOM LEVEL 2														
	TOP LEVEL 3														
	4 PLAIN														
	1 DECORATED														
				✓											
				✓											
				✓											
				✓											
E		✓							1/4.1	✓					


A

B

C

D

E



DEGRADED POLYMER TALLY SHEET

Site Number 23BN1

[illegible]

DEGRADED BODY/SHED TALLY SHEET

Site Number 23BN1

Site Number 23BN1

Site Number 23BN1

[illegible]

Site Number 23BN1

Site Number 23BN1

DECORATED BODY SHEET TALLY SHEET

Site Number: 23 BN 1

Site Number 23BN1

Site Number 23BN1

[illegible]

Site Number 23 BW 1

Site Number 23 BW 1

[illegible]

A.



B

C

 D_{a} 

DEDICATED BODYSHED TALLY SHEET

Site Number 23BW1

Site Number: 23BN1

Site Number: 23BN1

DEGRADED BODY SHEET TALLY SHEET

Site Number 23 BNI

RIMMERD

CAT. 260

Temper SHELL

Dimensions :

Lip Th. 5

Rim Hgth. 32+

Diameter at Lip 250

Minimum Diameter

Maximum Diameter

Decoration:

Lip None

Shoulder

Lines Intaglio

Punctuation Angle Intaglio

Motif(s)

APPENDAGES

Form Location

Decoration

RIM PROFILE:



RIMSHARD

CAT. 260

Temper SHELL

Dimensions :

Lip Th. 5

Rim Hgth. 28.4

Diameter at Lip 330+

Minimum Diameter 320

Maximum Diameter

Decoration:

Lip NOTCHED 5.5 APART

None

Shoulder

Lines

Intaglio

Punctuation

Angle

Intaglio

Motif(s)

APPENDAGES

Form

Location

Decoration

RIM PROFILE:



OUT

RIMSHARD

CAT. # 260

Temper SHELL

Dimensions :

Lip Th. 3

Rim Hgth. 30

Diameter at Lip 170

Minimum Diameter 150

Maximum Diameter

Decoration:

Lip

None

Shoulder

Lines

Intaglio

Punctuation

Angle

Intaglio

Motif(s)

APPENDAGES

Form HANDLE REMAINS

Location OFF LIP

Decoration EXCISED LINES

RIM PROFILE:



OOT

RIMSHED

CAT. # 260

Temper. SHELL

Dimensions :

Lip Th. 5

Rim Hgth. 37

Diameter at Lip 140

Minimum Diameter 130

Maximum Diameter _____

Decoration:

Lip NOTCHED E. 40 APART

None

Shoulder _____

Lines _____ Intaglio

Punctuation _____ Angle _____ Intaglio

Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



RIMSHERO

CAT. # 205

Temper SHELL

Dimensions :

Lip Th. _____

Rim Hgth. _____

Diameter at Lip _____

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip _____

None _____

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____

Motif(s) _____

APPENDAGES

Form HANDLE Location 15-17 mm WIDE

Decoration LINES - S.T. BG/1.5

RIM PROFILE:



RIMSHERD

CAT. # 205

Temper SHELL

Dimensions :

Lip Th. 3.6

Rim Hgth. 3.0

Diameter at Lip 330+

Minimum Diameter

Maximum Diameter

Decoration:

Lip

None ☒

Shoulder

Lines

Intaglio

Punctuation

Angle

Intaglio

Motif(s)


APPENDAGES

Form

Location

Decoration

RIM PROFILE:



RIMSHED

CAT. # 205

Temper SHELL

Dimensions :

Lip Th. 4.6

Rim Hgth. 27

Diameter at Lip 140

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip PUNCTATION CIRC. APART None _____

Shoulder _____

Lines _____ Intaglio _____

Punctuation LP RM Angle STRAIGHT Intaglio _____

Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



OUT

RIMSHED

CAT. # 205

Temper SHELL

Dimensions :

Lip Th. 6

Rim Hgth. 10.4

Diameter at Lip 230

Minimum Diameter

Maximum Diameter

Decoration:

Lip PUNCTATION

None

Shoulder

Lines

Intaglio

Punctuation 30 RM

Angle ACUTE

Intaglio

Motif(s)

APPENDAGES

Form HANDLE REMAINS

Location 10-41 FROM LIP

Decoration

RIM PROFILE:



OUT

RIMSHED

CAT. # 205

Temper SHELL

Dimensions :

Lip Th. 2.8

Rim Hgth. 49

Diameter at Lip 330+

Minimum Diameter 330

Maximum Diameter _____

Decoration:

Lip _____ None ☒

Shoulder _____

Lines _____

Intaglio _____

Punctuation _____

Angle _____

Intaglio _____

Motif(s) _____

APPENDAGES

Form _____

Location _____

Decoration _____

RIM PROFILE:



OUT

RIMSHED

CAT. # 205

Temper SHELL

Dimensions :

Lip Th. 5

Rim Hgth. 2 1/2

Diameter at Lip 280

Minimum Diameter 250

Maximum Diameter _____

Decoration:

Lip _____

None ☒

Shoulder _____

Lines _____ Intaglio

Punctuation _____ Angle _____ Intaglio

Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



RIMSHED

CAT. / 206

Temper SHELL

Dimensions :

Lip Th. 2.6

Rim Hgth. 19

Diameter at Lip 260

Minimum Diameter

Maximum Diameter

Decoration:

Lip NONE 80 APART (AVERAGE) None

Shoulder

Lines Intaglio

Punctuation Angle Intaglio

Motif(s)

APPENDAGES

Form Location

Decoration

RIM PROFILE:

 OUT

RIMSHERD

CAT. # 206

Temper SHELL

Dimensions :

Lip Th. 5.3

Rim Hgth. 30

Diameter at Lip 330

Minimum Diameter

Maximum Diameter

Decoration:

Lip NOTCHED

None

Shoulder

Lines

Intaglio

Punctuation

Angle

Intaglio

Motif(s)

APPENDAGES

Form

Location

Decoration

RIM PROFILE:



OUT

RIMSHERD

CAT. # 206

Temper SHELL

Dimensions :

Lip Th. 3.5

Rim Hgth. 23 r

Diameter at Lip 220

Minimum Diameter

Maximum Diameter

Decoration:

Lip None ✓

Shoulder

Lines Intaglio

Punctuation Angle Intaglio

Motif(s)

APPENDAGES

Form Location

Decoration

RIM PROFILE:



001

RIMSHARD

CAT. # 204

Temper SHELL

Dimensions :

Lip Th. 2.6

Rim Hgth. 15.5

Diameter at Lip 80

Minimum Diameter 60

Maximum Diameter _____

Decoration:

Lip PUNCTATION None

Shoulder PUNCTATION + LINES

Lines 7/16 NARROW SHALLOW S.T. Intaglio

Punctuation SHARP POINTED Angle STRAIGHT Intaglio


Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



RIMSHED

CAT. # 204

Temper SHELL

Dimensions :

Lip Th. _____

Rim Hgth. _____

Diameter at Lip _____

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip _____

None _____

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____


Motif(s) _____

APPENDAGES

Form HANDLE Location 51 MAX WIDTH

Decoration FINGER TRAILED

RIM PROFILE:



RIMSHED

CAT. # 204

Temper SHELL

Dimensions :

Lip Th. 4.2

Rim Hgth. 3.7.4

Diameter at Lip 330

Minimum Diameter

Maximum Diameter

Decoration:

Lip NOTCHED CALCARE ALAB

None

Shoulder

Lines

Intaglio

Punctuation

Angle

Intaglio

Motif(s)


APPENDAGES

Form

Location

Decoration

RIM PROFILE:



RIMSHED

CAT. # 204

Temper SHELL

Dimensions :

Lip Th. 5.5

Rim Hgth. 31.3

Diameter at Lip 210

Minimum Diameter 190

Maximum Diameter _____

Decoration:

Lip NOTCHED 10.7 mm

None _____

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____

Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



OUT

RIMSHARD

CAT. # 1204

Temper SHELL

Dimensions :

Lip Th. 5.7

Rim Hgth. 49.4

Diameter at Lip 330

Minimum Diameter 320

Maximum Diameter

Decoration:

Lip None ✓

Shoulder

Lines

Intaglio

Punctuation

Angle

Intaglio

Motif(s)

APPENDAGES

Form Location

Decoration

RIM PROFILE:



OUT

RIMSHED

CAT. # 129

Temper SHELL

Dimensions :

Lip Th. 40

Rim Hgth. 20

Diameter at Lip 190

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip _____

None ☒

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____


Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



RIMSHERO

CAT. # 129

Temper SHELL

Dimensions :

Lip Th. 5.4

Rim Hgth. 32.4 +

Diameter at Lip 330r

Minimum Diameter

Maximum Diameter

Decoration:

Lip

None ✓

Shoulder

Lines Intaglio

Punctuation Angle Intaglio


Motif(s)

APPENDAGES

Form Location

Decoration

RIM PROFILE:



RIMSHED

CAT. # 129

Temper SHELL

Dimensions :

Lip Th. 6.5

Rim Hgth. 3.6

Diameter at Lip 330+

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip _____ None ☒

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____

Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



OUT

RIMSHED

CAT. # 129

Temper SHELL

Dimensions :

Lip Th. 3.8

Rim Hgth. 15t

Diameter at Lip ?

Minimum Diameter

Maximum Diameter

Decoration:

Lip NOTCHED

None

Shoulder

Lines

Intaglio

Punctuation

Angle

Intaglio

Motif(s)

APPENDAGES

Form

Location

Decoration

RIM PROFILE:



OUT

RIMSHERD

CAT. # 129

Temper SHELL

Dimensions :

Lip Th. _____

Rim Hgth. _____

Diameter at Lip _____

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip _____

None _____

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____

Motif(s) _____

APPENDAGES

Form HANDLE Location 52-29 WIDE

Decoration FINGER TRAILING

RIM PROFILE:



RIMSHED

CAT. # 129

Temper SHELL

Dimensions :

Lip Th. 6.3

Rim Hgth. 29

Diameter at Lip 7

Minimum Diameter

Maximum Diameter

Decoration:

Lip None ✓

Shoulder

Lines

Intaglio

Punctuation

Angle

Intaglio

Motif(s)

APPENDAGES

Form

Location

Decoration

RIM PROFILE:



OUT

RIMSHED

CAT. # 129

Temper SHELL

Dimensions :

Lip Th. _____

Rim Hgth. _____

Diameter at Lip _____

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip _____

None _____

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____

Motif(s) _____

APPENDAGES

Form HANDLE Location # 17.5 - 23 WIDE

Decoration SMOOTHER TAILED 1.9/4.7 W

RIM PROFILE:



RIMSHED

CAT. # 129

Temper *SHELL*

Dimensions :

Lip Th. 6.7

Rim Hgth. 28.7

Diameter at Lip 330 r

Minimum Diameter 330 r

Maximum Diameter _____

Decoration:

Lip _____

None ☒

Shoulder _____

Lines _____ Intaglio

Punctuation _____ Angle _____ Intaglio

Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



OUT

RIMSHED

CAT. # 129

Temper SHELL

Dimensions :

Lip Th. 8

Rim Hgth. 22

Diameter at Lip 250

Minimum Diameter 230

Maximum Diameter _____

Decoration:

Lip NOTCHED 10.4 APART AVERAGE None _____

Shoulder PENETRATION

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____

Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



OUT

RIMSHED

CAT. 7 129

Temper *SHELL*

Dimensions :

Lip Th. 5.6

Rim Hgth. 56.3

Diameter at Lip 330

Minimum Diameter 310

Maximum Diameter

Decoration:

Lip NOTCHED 23.3 APART None

Shoulder

Lines Intaglio

Punctuation Angle Intaglio

Motif(s)

APPENDAGES

Form Location

Decoration

RIM PROFILE:



OUT

RIMSHERD

CAT. # 129

Temper SHELL

Dimensions :

Lip Th. 5.6

Diameter at Lip 330+

Rim Hgth. 41.7

Minimum Diameter

Maximum Diameter

Decoration:

Lip NOTCHED 26.7 APART None

Shoulder

Lines Intaglio

Punctuation Angle Intaglio

Motif(s)

APPENDAGES

Form HANDLE REMAINS Location 7mm FROM LIP

Decoration

RIM PROFILE:



RIMSHED

CAT. # 129

Temper SHELL

Dimensions :

Lip Th. 5.6

Rim Hgth. 42.4

Diameter at Lip 190

Minimum Diameter 170

Maximum Diameter _____

Decoration:

Lip _____

None ☒

Shoulder _____

Lines _____

Intaglio

Punctuation _____

Angle _____

Intaglio

Motif(s) _____


APPENDAGES

Form _____

Location _____

Decoration _____

RIM PROFILE:



RIMSHED

CAT. # 127

Temper SHELL

Dimensions :

Lip Th. _____

Rim Hgth. _____

Diameter at Lip _____

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip _____

None _____

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____

Motif(s) _____

APPENDAGES

Form HANDLE Location _____

Decoration _____

RIM PROFILE:



OUT



RIMSHED

CAT. # 127

Temper SHELL

Dimensions :

Lip Th. 4

Rim Hgth. 18+

Diameter at Lip _____

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip _____ None ☒

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____


Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



RIMSHED

CAT. # 127

Temper SHELL

Dimensions :

Lip Th. _____

Rim Hgth. _____

Diameter at Lip

Minimum Diameter

Maximum Diameter

Decoration:

Lip _____

None

Shoulder _____

Lines _____

Intaglio

Punctuation _____

Angle _____

Intaglio

Motif(s) _____

APPENDAGES

Form HANDLE

Location 38.7 LONG 44-48.4 WIDE

Decoration

NONE

RIM PROFILE:



OUT



FRONT

RIMSHED

CAT. # 127

Temper SHELL

Dimensions :

Lip Th. 4

Rim Hgth. 54

Diameter at Lip

Minimum Diameter

Maximum Diameter

Decoration:

Lip

None

Shoulder

Lines

Intaglio

Punctuation

Angle

Intaglio

Motif(s)

APPENDAGES

Form HANDLE REMAINS

Location 22 mm FROM LIP

Decoration

RIM PROFILE:



OUT

RIMSHED

CAT. # 127

Temper SHELL

Dimensions :

Lip Th. 6

Rim Hgth. 40

Diameter at Lip 310

Minimum Diameter 270

Maximum Diameter 330+

Decoration:

Lip None ✓

Shoulder

Lines

Intaglio

Punctuation

Angle

Intaglio

Motif(s)

APPENDAGES

Form

Location

Decoration

RIM PROFILE:



OUT

RIMSHERO

CAT. # 127

Temper SHELL

Dimensions :

Lip Th. 4.5

Rim Hgth. 58

Diameter at Lip 320

Minimum Diameter 270

Maximum Diameter 330+

Decoration:

Lip

None ☒

Shoulder

Lines

Intaglio

Punctuation

Angle

Intaglio

Motif(s)


APPENDAGES

Form

Location

Decoration

RIM PROFILE:



RIMSHED

CAT. # 127

Temper SHELL

Dimensions :

Lip Th. 6

Rim Hgth. 3.7

Diameter at Lip 250

Minimum Diameter 220

Maximum Diameter 330+

Decoration:

Lip NOTCHED None

Shoulder FINGER TRILLED

Lines Intaglio

Punctuation Angle Intaglio

Motif(s)

APPENDAGES

Form Location

Decoration

RIM PROFILE:



RIMSHED

CAT. # 125

Temper SHELL

Dimensions :

Lip Th. _____

Rim Hgth. _____

Diameter at Lip _____

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip _____ None _____

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____

Motif(s) _____

APPENDAGES

Form HANDLE Location 52.1 LONG 20-48+ WIDE

Decoration NONE

RIM PROFILE:



OUT



FRONT

RIMSHED

CAT. # 125

Temper SHELL

Dimensions :

Lip Th. 3.6

Rin Hgth. 15

Diameter at Lip 80

Minimum Diameter

Maximum Diameter

Decoration:

Lip

None ✓

Shoulder

Lines

Intaglio

Punctuation

Angle

Intaglio


Motif(s)

APPENDAGES

Form Location

Decoration

RIM PROFILE:



RIMSHED

CAT. # 125

Temper SHELL

Dimensions :

Lip Th. 6

Diameter at Lip 330+

Rim Hgth. 34+

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip PUNCTATION

None _____

Shoulder _____

Lines _____ Intaglio _____

Punctuation RW ^{2.2 DEEP} ~~STRAIGHT~~ Angle STRAIGHT Intaglio _____


Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



RIMSHERD

CAT. # 125

Temper SHELL

Dimensions :

Lip Th. 4

Diameter at Lip 280

Rim Hgth. 23

Minimum Diameter

Maximum Diameter

Decoration:

Lip NOTCHED

None

Shoulder

Lines Intaglio

Punctuation Angle Intaglio


Motif(s)

APPENDAGES

Form Location

Decoration

RIM PROFILE:



RIMSHERD

CAT. # 125

Temper

Dimensions :

Lip Th. 2.6

Rim Hgth. 19

Diameter at Lip ?

Minimum Diameter

Maximum Diameter

Decoration:

Lip NOTCHED None

Shoulder FINGER TRAILING + TRAILING

Lines 2, N - S Intaglio

Punctuation Angle Intaglio

Motif(s)

APPENDAGES

Form Location

Decoration

RIM PROFILE:



OUT

RIMSHED

CAT. # 125

Temper SHELL

Dimensions :

Lip Th. 4

Rim Hgth. 26

Diameter at Lip 330+

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip _____ None ✓

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____


Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



RIMSHERD

CAT. # 125

Temper SHELL

Dimensions :

Lip Th. 4.5

Diameter at Lip 170

Rim Hgth. 41+

Minimum Diameter

Maximum Diameter

Decoration:

Lip NOTCHED

None

Shoulder

Lines Intaglio

Punctuation Angle Intaglio


Motif(s)

APPENDAGES

Form Location

Decoration

RIM PROFILE:



RIMSHED

CAT. # 125

Temper SHELL

Dimensions :

Lip Th. 5

Rim Hgth. 30

Diameter at Lip ?

Minimum Diameter ?

Maximum Diameter ?

Decoration:

Lip NOTCHED None ☒

Shoulder _____

Lines _____ Intaglio

Punctuation _____ Angle _____ Intaglio


Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



RIMSHED

CAT. # 125

Temper SHELL

Dimensions :

Lip Th. 4.5

Rim Hgth. 32

Diameter at Lip 140

Minimum Diameter 130

Maximum Diameter _____

Decoration:

Lip NOTCHED None _____

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____


Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



RIMSHED

CAT. # 125

Temper SHELL

Dimensions :

Lip Th. 0.4

Diameter at Lip 210

Rim Hgth. 42

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip NOTCHED

None _____

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____

Motif(s) _____

APPENDAGES

Form HANDLE REMAINS Location _____

Decoration _____

RIM PROFILE:



RIMSHERD

CAT. # 125

Temper SHELL

Dimensions :

Lip Th. 7

Rim Hgth. 51

Diameter at Lip 330+

Minimum Diameter 330+

Maximum Diameter _____

Decoration:

Lip _____ None ☒

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____

Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



OUT

RIMSHERD

CAT. # 123202

Temper SHELL

Dimensions :

Lip Th. _____

Rim Hgth. _____

Diameter at Lip _____

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip _____

None _____

Shoulder _____

Lines _____

Intaglio _____

Punctuation _____

Angle _____

Intaglio _____

Motif(s) _____

APPENDAGES

Form HANDLE

Location 42 LONG 26-37 WIDE

Decoration TAILED CHEVRONS

2 DEEP 4 WIDE

RIM PROFILE:



OUT



RIMSHERD

CAT. # 123 2012

Temper SHELL

Dimensions :

Lip Th. _____

Rim Hgth. _____

Diameter at Lip _____

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip _____

None _____

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____


Motif(s) _____

APPENDAGES

Form HANDLE Location 36mm LONG 17.5-21mm WIDE

Decoration NONE

RIM PROFILE:



RIMSHERD

CAT. # 123 of 2

Temper SHELL

Dimensions :

Lip Th. 6

Diameter at Lip 190

Rim Hgth. 23.8

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip _____ None _____

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____

Motif(s) _____

APPENDAGES

Form HANDLE REMAINS Location ~~From~~ FROM LIP

Decoration _____

RIM PROFILE:



OUT

RIMSHERD

CAT. 123 2RF2

Temper SHELL

Dimensions :

Lip Th. 4.2

Rim Hgth. 21.6

Diameter at Lip 130

Minimum Diameter

Maximum Diameter

Decoration:

Lip NOTCHED 5.7 APART

None

Shoulder

Lines

Intaglio

Punctuation

Angle

Intaglio

Motif(s)

APPENDAGES

Form

Location

Decoration

RIM PROFILE:



OUT

RIMSHED

CAT. # 123 2052

Temper SHELL

Dimensions :

Lip Th. 4.6

Diameter at Lip 130

Rim Hgth. 31.3

Minimum Diameter 120

Maximum Diameter _____

Decoration:

Lip NOTCHED

None _____

Shoulder _____

Lines _____ Intaglio _____

Punctation _____ Angle _____ Intaglio _____

Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



OUT

RIMSHERD

CAT. # 123 of 2

Temper SHELL

Dimensions :

Lip Th. 8

Rim Hgth. 25

Diameter at Lip 7

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip _____ None ☒

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____

Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



RIMSHERD

CAT. # 123 OF 2

Temper SHELL

Dimensions :

Lip Th. 7

Rim Hgth. 43 +

Diameter at Lip 240

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip NOTCHED None _____

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____

Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



OUT

RIMSHERD

CAT. # 123 1062

Temper SHELL

Dimensions :

Lip Th. 6

Rim Hgth. 26

Diameter at Lip 250

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip _____ None ☒

Shoulder _____

Lines _____ Intaglio

Punctuation _____ Angle _____ Intaglio

Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



007

RIMSHERD

CAT. # 123 11E2

Temper SHELL

Dimensions :

Lip Th. _____

Rim Hgth. _____

Diameter at Lip _____

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip _____ None _____

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____

Motif(s) _____

APPENDAGES

Form HANDLE Location 81 LONG 32-29 WIDE

Decoration FINGER TRAILER - VERT

RIM PROFILE:



OUT

RIM-SHERD

CAT. # 122

Temper SHGLL

Dimensions :

Lip Th. _____

Diameter at Lip _____

Rim Hgth. _____

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip _____

None _____

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____

Motif(s) _____

APPENDAGES

Form HANDLE Location 36mm LONG 32-36 WIDE

Decoration _____

RIM PROFILE:



RIM-SHERD

CAT. # 122

Temper SHELL

Dimensions :

Lip Th. _____

Rim Hgth. _____

Diameter at Lip _____

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip _____

None _____

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____

Motif(s) _____

APPENDAGES

Form HANDLE Location 108.2 mm LONG 41-28 WIDE

Decoration _____

RIM PROFILE:



OUT

RIM-SHERD

CAT. # 122

Temper SHELL

Dimensions :

Lip Th. 4.7

Rim Hgth. 19

Diameter at Lip 230

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip NOTCHED

None _____

Shoulder _____

Lines _____ Intaglio

Punctuation _____ Angle _____ Intaglio

Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



OUT

RIMSHERD

CAT. # 122

Temper SHELL

Dimensions :

Lip Th. 5

Diameter at Lip 210

Rim Hgth. 313

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip NOTCHED

None _____

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____

Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



RIMSHED

CAT. # 122

Temper *SHELL*

Dimensions :

Lip Th. 6

Rim Hgth. 27

Diameter at Lip 330+

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip _____ None ☒

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____

Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



OUT

RIMSHED

CAT. # 122

Temper SHELL

Dimensions :

Lip Th. 7

Diameter at Lip 110

Rim Hgth. 28.7

Minimum Diameter

Maximum Diameter

Decoration:

Lip

None ☒

Shoulder

Lines Intaglio

Punctuation Angle Intaglio

Motif(s)

APPENDAGES

Form Location

Decoration

RIM PROFILE:



RIMSHED

CAT. # 122

Temper SHELL

Dimensions :

Lip Th. 4

Rim Hgth. 52

Diameter at Lip 200

Minimum Diameter 190

Maximum Diameter _____

Decoration:

Lip _____ None ☒

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____

Motif(s) _____

APPENDAGES

Form HANDLE REMAINS Location FROM LIP

Decoration _____

RIM PROFILE:



RIMSHERD

CAT. # 122

Temper SHCLL

Dimensions :

Lip Th. 5

Rim Hgth. 40

Diameter at Lip 240

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip NOTCHED None _____

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____

Motif(s) _____

APPENDAGES

Form HANDLE REMAINS Location 7mm FROM LIP

Decoration _____

RIM PROFILE:



OUT

RIMSHERD

CAT. # 122

Temper SHELL

Dimensions :

Lip Th. 4

Rim Hgth. 31.5

Diameter at Lip 140

Minimum Diameter 130

Maximum Diameter _____

Decoration:

Lip PUNCTATION None

Shoulder _____

Lines _____ Intaglio _____

Punctuation SHARP POINTED Angle ACUTE Intaglio _____

Motif(s) _____

APPENDAGES

Form HANDLE Location 2mm FROM LIP TO SHOULDER

Decoration PUNCTATION - SHARP POINTED ACUTE ANGLE

RIM PROFILE:



OUT

RIMSHERD

CAT. # 120

Temper SHELL

Dimensions :

Lip Th. 5

Rim Hgth. 37

Diameter at Lip 250

Minimum Diameter 240

Maximum Diameter

Decoration:

Lip

None ✓

Shoulder

Lines Intaglio

Punctuation Angle Intaglio


Motif(s)

APPENDAGES

Form Location

Decoration

RIM PROFILE:



RIMSHERD

CAT. # 93

Temper SHELL

Dimensions :

Lip Th. 1.9

Diameter at Lip 50

Rim Hgth. 10

Minimum Diameter 40

Maximum Diameter 60

Decoration:

Lip None ~~✓~~

Shoulder VERTICLE LINES

Lines TRAILED NARROW Intaglio

Punctuation Angle Intaglio

Motif(s)

APPENDAGES

FORM HANDLE MARKINGS Location HANDLE WAS 17" LONG 2mm FROM LIP

Decoration

RIM PROFILE:



RIMSHERD

CAT. # 78

Temper SHELL

Dimensions :

Lip Th. 4

Rim Hgth. 51

Diameter at Lip 330+

Minimum Diameter 330r

Maximum Diameter 330+

Decoration:

Lip None

Shoulder

Lines Intaglio

Punctuation Angle Intaglio


Motif(s)

APPENDAGES

Form HANDLE Location 19mm FROM LIP 83mm LONG

Decoration FINGER TRILLED

RIM PROFILE:



RIMSHED

CAT. # 78

Temper SHELL

Dimensions :

Lip Th. 4

Rim Hgth. 27

Diameter at Lip 240

Minimum Diameter 230

Maximum Diameter _____

Decoration:

Lip NOTCHED

None _____

Shoulder _____

Lines _____

Intaglio _____

Punctuation _____

Angle _____

Intaglio _____

Motif(s) _____

APPENDAGES

Form _____

Location _____

Decoration _____

RIM PROFILE:



OUT

RIMSHERD

CAT. # 42

Temper SHELL

Dimensions :

Lip Th. 7

Rim Hgth. 12.6

Diameter at Lip 90

Minimum Diameter 80

Maximum Diameter 110

Decoration:

Lip PUNCTATIONS: SHARP - ACUTE None

Shoulder POLISHED

Lines DASHES 1.4mm NARROW Intaglio

Punctuation SHARP POINTED Angle ACUTE Intaglio


Motif(s) _____

APPENDAGES

Form HANDLES - 3 Location FROM LIP 28mm LONG

Decoration _____

RIM PROFILE:



RIMSHERD

CAT. # 42

Temper SHELL

Dimensions :

Lip Th. 7

Diameter at Lip 80

Rim Hgth. 12.7

Minimum Diameter 80

Maximum Diameter 110

Decoration:

Lip PUNCTATION None

Shoulder POLISH

Lines DASHES 1.4 m - NARROW Intaglio

Punctuation SHARP POINTED Angle ACUTE Intaglio

Motif(s) _____

APPENDAGES

Form HANDLE Location FROM LIP 30 mm LONG

Decoration _____

RIM PROFILE:



CUT

RIMSHERD

CAT. # 42

Temper SHELL

Dimensions :

Lip Th. 7

Rim Hgth. 12.6

Diameter at Lip 90

Minimum Diameter 80

Maximum Diameter 110

Decoration:

Lip PUNCTATION None

Shoulder POLISH

Lines DASHES 1.4 mm - NARROW Intaglio

Punctuation SHARP POINTED Angle ACUTE Intaglio

Motif(s) _____

APPENDAGES

Form HANDLE Location FROM LIP 30 mm LONG

Decoration _____

RIM PROFILE:



OUT

RIMSHED

CAT. # 42

Temper SHELL

Dimensions :

Lip Th. 7.7

Diameter at Lip 90

Rim Hgth. 12.5

Minimum Diameter 80

Maximum Diameter 110

Decoration:

Lip PUNCTATIONS

None

Shoulder POLISH

Lines DASHES - 1.4 mm. NARROW

Intaglio

Punctuation SHARP POINTED

Angle ACUTE

Intaglio

Motif(s) _____


APPENDAGES

Form HANDLE

Location FROM LIP 30 mm LONG

Decoration _____

RIM PROFILE:



DECORATED BODY SHEET TALLY SHEET

Site Number 23 BN 1

[illegible]


DECORATED BODY-SHERD TALLY SHEET

Site Number 23 BN 1

AT. #	TOTAL	EX. SURF. FIN.			LINES					DEPTH		INT. DASH		PUNCT.
		SM/ TR	OTH.		N	M	W	F	P/O	S	D	11	12	
260	WEST TRENCH OF WEST WALL	1	2	3	4	5	6	7	8	9	10			13
				PLAIN										
				✓										
				✓										
				✓										
				✓										
				INTERIOR RED PAINT										
				✓										
A		✓			✓				1/4.7	✓				

PLAIN 35
DECORATED 2

A.



Site Number 23BN1

[illegible]

Site Number 23 BNI

Site Number 23 BNI

A.



Site Number 23 BNL

Site Number **23 BNI**

[illegible]

Site Number Q3BN1

Site Number 2313N1

[illegible]

Site Number 23BN1

Site Number 23BN1

[illegible]

Site Number 23 BVI

Site Number 23 BVI

[illegible]

DECORATED BODYSHERD TALLY SHEET

Site Number 23BN1

AT.#	TOTAL	EX. SURF. FIN.			LINES						DEPTH		INT. DASH		PUNCT.
		SM/	TR	OTH.	N	M	W	F	F/O		S	D	11	12	
205	LEVEL I SURFACE	1	2	3	4	5	6	7	8		9	10			13
	TO PLow ZONE			PLAIN											
				✓											
				RED PAINT ON INTERIOR											
				✓											
				✓											
				✓											
A			✓		✓				6/2.6	✓					
B		✓			✓				4/2.1	✓					
C		✓			✓				1.4	✓					
D		✓				✓			6/4.7	✓					
	PLAIN 249														
	DECORATED 7														

A



B



C



D



DECORATED BODY-SHERD TALLY SHEET

Site Number 231341

[illegible]

DECORATED BODY-SHERD TALLY SHEET

Site Number **23BN1**

[illegible]

Site Number 23 BN1

Site Number 23 BN1

[illegible]

DECORATED BODY SHEET TALLY SHEET

Site Number 23 BNI

[illegible]

DECORATED BODY-SHERD TALLY SHEET

Site Number 23BN1

[illegible]

DECORATED BODY-SHERD TALLY SHEET

Site Number 23BN1

[illegible]

DECORATED BODY SHEET TALLY SHEET

Site Number 23 BN 1

[illegible]

Site Number 23 BN 1

Site Number 23 BN 1

[illegible]

DECORATED BODY SHEET TALLY SHEET

Site Number 23341

AT. #	TOTAL	EX. SURF. FIN.			LINES						DEPTH		INT.		DASH		PUNCT.
		SM/PR	TR	OTH.	N	M	W	F	P/O		S	D					
204	LEVEL 2 END OF PILOWZONE - 12"	1	2	3	4	5	6	7	8		9	10	11	12			13
				PLAIN													
				✓													
				✓													
				✓													
				✓													
				✓													
				✓													
				✓													
				✓													
				INTERIOR RED PAINT													
				✓													
				✓													
A		✓			✓					.3/2.7	✓						
	PLAIN 163 DECORATED 3																

A.



Site Number 23 BN1

Site Number 23 BVI

[illegible]

Site Number 23BN1

Site Number 23BN1

[illegible]

DECORATED BODY-SHERD TALLY SHEET

Site Number 23 BN1

[illegible]

DECORATED BODY-SHERD TALLY SHEET

Site Number 23 BN1

[illegible]

Site Number 23BN1

Site Number 23BN1


[illegible]

Site Number 23 BN1

Site Number 23 BN1

HOLE 6 mm WIDE
TO 3.1 mm

PLAIN 310
DECORATED 13



DECORATED BODY-SHERD TALLY SHEET

Site Number 23BN1

[illegible]

DECORATED BODY-SHERD TALLY SHEET

Site Number **23 BN 1**

[illegible]

Site Number 23 BN/

Site Number 23 BN/

[illegible]

Site Number 23BN1

Site Number 23BNI

[illegible]

Site Number 23 BN1

Site Number 23 BN1

[illegible]

Site Number 23 BNI

Site Number 23 BN1

[illegible]

DECORATED BODY SHEET TALLY SHEET

Site Number 23 BNI

[illegible]

DECORATED BODY SHEET TALLY SHEET

Site Number 23BN1

[illegible]

Site Number: 23 BNI

Site Number: 23 BNI

[illegible]

DECORATED BODY SHEET TALLY SHEET

Site Number 23BN1

[illegible]

Site Number 23 BN1

Site Number 23 BN1

[illegible]

A

A

DECORATED BODY SHEET TALLY SHEET

Site Number 23 BN1

[illegible]

DECORATED BODY SHEET TALLY SHEET

Site Number 23 BNI

[illegible]

Site Number 23 BN/

Site Number 23 BN/

[illegible]

DECORATED BODY SHEET TALLY SHEET

Site Number 23BN1

[illegible]

Site Number 23 BN1

Site Number 23 BN1

[illegible]

Site Number: 23 BN1

Site Number: 23 BN1

[illegible]

23 BN 1

SQUARE HHH

RIM SHERDS: 55

PLAIN BODY SHERDS: 1324

DECORATED BODY SHERDS: 60

RIMSHED

CAT. 279

Temper SHELL

Dimensions :

Lip Th. 6

Diameter at Lip 240

Rim Hgth. 43

Minimum Diameter 220

Maximum Diameter

Decoration:

Lip

None X

Shoulder

Lines

Intaglio

Punctuation

Angle

Intaglio

Motif(s)

APPENDAGES

Form

Location

Decoration

RIM PROFILE:



CUT

RIMSHERD

CAT. # 279

Temper SHELL

Dimensions :

Lip Th. _____

Rim Hgth. _____

Diameter at Lip 210

Minimum Diameter 200

Maximum Diameter 240

Decoration:

Lip _____

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____

Motif(s) _____


None X

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



RIMSHED

CAT. # 279

Temper

Dimensions :

Lip Th. 7

Rim Hgth. 30

Diameter at Lip 200

Minimum Diameter 180

Maximum Diameter

Decoration:

Lip None X

Shoulder

Lines Intaglio

Punctuation Angle Intaglio

Motif(s)

APPENDAGES

Form Location

Decoration

RIM PROFILE:



OUT

RIMSHERD

CAT. # 279

Temper SHELL

Dimensions :

Lip Th. 3.6

Diameter at Lip 100

Rim Hgth. 16

Minimum Diameter _____

Maximum Diameter _____

Decoration:

Lip PERFORATED

None _____

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____

Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



RIMSHED

CAT. # 279

Temper SHELL

Dimensions :

Lip Th. 4.2

Rim Hgth. 11

Diameter at Lip 200

Minimum Diameter 180

Maximum Diameter _____

Decoration:

Lip _____

None X

Shoulder _____

Lines _____

Intaglio

Punctuation _____

Angle _____

Intaglio

Motif(s) _____


APPENDAGES

Form _____

Location _____

Decoration _____

RIM PROFILE:



RIMSHED

CAT. # 279

Temper SHELL

Dimensions :

Lip Th. 4.2

Rim Hgth. 22

Diameter at Lip 300

Minimum Diameter 280

Maximum Diameter _____

Decoration:

Lip NOTCHED

None _____

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____


Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



RIMSHED

CAT. # 279

Temper SHELL

Dimensions :

Lip Th. 5

Diameter at Lip 190

Rim Hgth. 40

Minimum Diameter 180

Maximum Diameter _____

Decoration:

Lip _____

None X

Shoulder _____

Lines _____ Intaglio

Punctation _____ Angle _____ Intaglio


Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



RIMSHED

CAT. # 286

Temper

Dimensions :

Lip Th. 7

Diameter at Lip 210

Rim Hgth. 54

Minimum Diameter 200

Maximum Diameter

Decoration:

Lip NOTCHED

None

Shoulder

Lines Intaglio

Punctuation Angle Intaglio

Motif(s)

APPENDAGES

Form HANDLE Location OFF LIP

Decoration

RIM PROFILE:



OUT

RIMSHERD

CAT. # 286[#]

Temper SHELL

Dimensions :

Lip Th. 6.4

Diameter at Lip 290

Rim Hgth. 41

Minimum Diameter 280

Maximum Diameter 330+

Decoration:

Lip NOTCHED None

Shoulder

Lines Intaglio

Punctuation Angle Intaglio


Motif(s)

APPENDAGES

Form Location

Decoration

RIM PROFILE:



RIMSHERD

CAT. # 285

Temper SHELL

Dimensions :

Lip Th. 5.4

Diameter at Lip 330

Rim Hgth. 50

Minimum Diameter 300

Maximum Diameter _____

Decoration:

Lip NOTCHED

None _____

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____

Motif(s) _____

APPENDAGES

Form HANDLE Location OFF LIP

Decoration _____

RIM PROFILE:



OUT

RIMSHERD

CAT. # 285

Temper SHELL

Dimensions :

Lip Th. 6

Diameter at Lip 280

Rim Hgth. 21

Minimum Diameter 250

Maximum Diameter _____

Decoration:

Lip NOTCHED

None _____

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____


Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



RIMSHERD

CAT. # 285

Temper SHELL

Dimensions :

Lip Th. 6

Diameter at Lip 140

Rim Hgth. 23

Minimum Diameter 140

Maximum Diameter _____

Decoration:

Lip NOTCHED

None

Shoulder _____

Lines _____ Intaglio

Punctation _____ Angle _____ Intaglio


Motif(s) _____

APPENDAGES

Form _____ Location _____

Decoration _____

RIM PROFILE:



RIMSHED

CAT. # 285

Temper SHELL

Dimensions :

Lip Th. 5

Diameter at Lip 140

Rim Hgth. 28

Minimum Diameter 120

Maximum Diameter _____

Decoration:

Lip _____ None X

Shoulder _____

Lines _____ Intaglio _____

Punctuation _____ Angle _____ Intaglio _____

Motif(s) _____

APPENDAGES

Form HANDLE Location 6mm FROM LIP

Decoration NONE

RIM PROFILE:



RIMSHED

CAT. # 285

Temper SHELL

Dimensions :

Lip Th. 6 mm

Diameter at Lip 280

Rim Hgth. 57 mm

Minimum Diameter 260

Maximum Diameter

Decoration:

Lip PERFORATIONS 1.5 mm DEEP None

Shoulder

Lines

Intaglio

Punctuation

Angle

Intaglio

Motif(s)

APPENDAGES

Form

Location

Decoration

RIM PROFILE:

