

SIDE (WEST) ELEVATION



REAR (NORTH) ELEVATION



SIDE (EAST) ELEVATION

ENTRANCE STAIR



FRONT (SOUTH) ELEVATION

4'-11⅝" M.O.

4'-3" M.O.

TYPE "E" WDW.

2'-0" M.O.

2'-3" M.O.

TYPE "D" WDW.

E Rake out Mortar in Shadow Brick on Bottom, & Retaining Walls Min of ¾" & Tuck point & water Proof Walls

3'-6", 14'-6" Approx Wdth

4"Slope drop

North Approx Wdth



ELEV. OF BRICKED IN WDW. (TYPICAL)
3/4" = 1'-0"

2'-8" M.O.

3'-3" M.O.

TYPE "C" WDW.



BRICKED IN WDW. JAMB
3/4" = 1'-0"

EXISTING WDW. JAMB - TYPICAL
3/4" = 1'-0"

2'-0½" M.O.

4'-2½" M.O.

TYPE "B" WDW.

4'-11¾" M.O.

4'-2½" M.O.

TYPE "A" WDW



SECTION THROUGH NEW STAIR - "B"
1/4" = 1'-0"

TEAR DOWN EXISTING BRICK WING WALLS & RELAY EXISTING SOUND BRICK. MAY BE REUSED. NEW BRICK REQ. SHALL MATCH.

REMOVE STONE CAPS, CHEMICALLY CLEAN & RESET AFTER BRICKWORK COMPLETED.

REMOVE CONCRETE STAIR & POUR NEW CONC. STAIR AS DETAILED

REMOVE PIPE HANDRAIL, DISCARD HORIZ HANDRAIL PIPE & REPLACE NEW INCLUDING NEW CENTER SUPPORT PIPE. SAND, PRIME & PAINT 2 COATS OF ENAMEL (1½" O.D. PIPE - VERIFY)

NOTE: ALL REBUILT MASONRY WORK & STONE CAPS CHEMICALLY CLEANED SHALL BE WATERPROOFED PER SPEC.



PLAN @ ENTRANCE STAIR
1/4" = 1'-0"



ELEVATION DETAIL @ ENTRANCE STAIR

REMOVE EXIST. SPALLED & BROKEN BRICK & REPLACE WITH NEW BRICK TO MATCH.

REMOVE & RESET DOORS & FRAME AS REQ. TO REMOVE FIELDSTONE STEP & POUR NEW (CUT EXIST. STONE STEP AS CLOSE TO STONE JAMB AS POSSIBLE. CAULK NEW RAGED JOINT.)

REMOVE STONE CAPS, CHEMICALLY CLEAN & RESET AFTER BRICKWORK FINISHED

REMOVE & REPLACE FENCE IF NECESSARY

TEAR DOWN EXIST. BRICK WING WALLS & RELAY. EXISTING SOUND BRICK MAY BE REUSED. NEW BRICK REQ SHALL MATCH EXISTING

REMOVE EXISTING CONC. & STONE STAIR & POUR NEW CONCRETE STAIR AS DETAILED.

REMOVE EXIST. HANDRAIL, SAND SMOOTH PRIME & PAINT 2 COATS ENAMEL TO MATCH ENTRANCE DR. COLOR. RESET

REMOVE STONE BASE & POUR NEW CONC. BASE. NSAME SHAPE. (BOTH WINGS)

REMOVE EXIST. STONE SUB BASE & POUR NEW CONC. SUB BASE (BOTH WINGS)

NOTE: ALL REBUILT MASONRY WORK & STONE CAPS CHEMICALLY CLEANED SHALL BE WATERPROOFED PER SPEC.

FRONT (NORTH) ELEVATION

CUT EXISTING STONE SILL & DOOR AS CLOSE TO STONE JAMBS AS POSSIBLE.



PLAN
1/4" = 1'-0"



WATERPROOF FOUNDATION WALL PER SPEC.

SECTION @ EXISTING STAIR - "A"
1/4" = 1'-0"



FILL WITH GRANULAR MATERIAL AS REQUIRED TO BRING SUPPORT FILL UP TO PROPER HEIGHT PRIOR TO POURING NEW CONCRETE STEPS.

LOWER TOP OF CENTER SUPPORT WALL AS REQ. TO POUR NEW CONCRETE STAIR.

FOUNDATION PLAN
1/4" = 1'-0"

NOTE: CONTRACTOR TO VERIFY ALL DIMENSIONS AT JOBSITE.

CARNEGIE LIBRARY ENTRANCEWAY

Brunner & Brunner
architects & engineers, inc.
ST. JOSEPH, MISSOURI 64501 (816) 279-0809

JOB NUMBER
DATE
DRAWN BY
CHECKED BY
REVISIONS

SHEET NUMBER
TOTAL SHEETS

07.33.3810

2007.33.3810K