

SIDE (WEST) ELEVATION



REAR (NORTH) ELEVATION



SIDE (EAST) ELEVATION



ENTRANCE STAIR



FRONT (SOUTH) ELEVATION



TYPE "E" WDW.

ALT. BID #2

IN LIEU OF BRICKING IN WINDOWS AS INDICATED IN ALT. BID #1 CONTRACTOR SHALL INSTALL ALUM. STORM WINDOWS (FIXED) IN WINDOWS TO HAVE WHITE FACTORY PAINTED FINISH. WINDOWS SHALL BE GLAZED WITH ¼" LEXAN. SEE SPEC.



TYPE "D" WDW.



ELEV. OF BRICKED IN WDW. (TYPICAL) ALT. BID #1
¾" = 1'-0"



SECTION "C-C"
¼" = 1'-0"



EXISTING RAILING - REMOVE RUST THEN PRIME & PAINT WITH TWO COATS EXTERIOR ENAMEL.

EXIST. STONE COPING, CHEMICALLY CLEAN & RESET ON TOP OF WALL EXTENSION. (ANCHOR TO WALL)

CUT BRICK JOINTS BACK ¾" & TUCKPOINT EXPOSED AREA OF STAIRWELL WALLS (STAIRWELLS ARE SQUARE) WHERE BLDG. WALL N STAIRWELL.

BUILDING WALL EXISTING DOOR

PLAN - WEST STAIRWELL

NOTE: WATERPROOF (PER SPEC) STAIRWELL WALLS, STONE CAP (INCLUDES BLDG. WALL WITHIN LIMITS OF STAIRWELL.

NORTH STAIRWELL SHALL BE TREATED SIMILARLY REGARDING TUCKPOINTING & WATERPROOFING.

NEW BRICK TO BE INSTALLED WHERE BRICK MISSING, STONE CAP SHALL BE CLEANED PRIOR TO WATERPROOFING.

THIS STAIR WELL REQUIRES A NEW BASEMENT DOOR & FRAME. SEE DETAIL @ RIGHT.

EXISTING RAILING - REMOVE RUST THEN PRIME & PAINT WITH TWO COATS OF EXT. ENAMEL.



DOOR JAMB DETAIL
3/4" = 1'-0"



DOOR ELEVATION
¼" = 1'-0"

EXTERIOR STAIRWELL ALTERATIONS - ALT. BID #3



TYPE "C" WDW.



BRICKED IN WDW. JAMB
3"/12" = 1'-0"

EXISTING WDW. JAMB - TYPICAL
3/4" = 1'-0"



TYPE "B" WDW.

TYPE "A" WDW.



STAIR DETAIL
1½" = 1'-0"



SECTION THROUGH NEW STAIR - "B" (BASE BID #1)
¼" = 1'-0"

PLAN @ ENTRANCE STAIR (BASE BID #1)
¼" = 1'-0"

WASHINGTON PARK LIBRARY



REMOVE EXIST. SPALLED & BROKEN BRICK & REPLACE WITH NEW BRICK TO MATCH.

REMOVE & RESET DOORS & FRAME AS REQ. TO REMOVE THRESHOLD STONE STEP & POUR NEW. CUT EXIST. STONE STEP AS CLOSE TO STONE JAMB AS POSSIBLE. CAULK NEW FAKED JOINT.)

REMOVE STONE CAPS, CHEMICALLY CLEAN & RESET AFTER BRICKWORK FINISHED.

REMOVE & REPLACE FENCE IF NECESSARY

TEAR DOWN EXIST. BRICK WING WALLS & RELAY. EXISTING "SOUND" BRICK MAY BE REUSED. NEW BRICK REQ. SHALL MATCH EXISTING.

REMOVE EXISTING CONC. & STONE STAIR & POUR NEW CONCRETE STAIR AS DETAILED.

REMOVE EXIST. HANDRAIL, SAND SMOOTH, PRIME & PAINT 2 COATS ENAMEL TO MATCH ENTRANCE DR. COLOR. RESET

REMOVE STONE BASE & POUR NEW CONC. BASE IN SAME SHAPE. (BOTH WINGS)

REMOVE EXIST. STONE SUB-BASE & POUR NEW CONC. SUB-BASE. (BOTH WINGS)

NOTE: ALL REBUILT MASONRY WORK & STONE CAPS CHEMICALLY CLEANED SHALL BE WATERPROOFED PER SPEC.

ELEVATION DETAIL @ ENTRANCE STAIR



SECTION THROUGH NEW STAIR - "A"

FRONT (NORTH) ELEVATION



PLAN
¼" = 1'-0"



SECTION @ EXISTING STAIR - "A"
¼" = 1'-0"



FOUNDATION PLAN
¼" = 1'-0"

NOTE: CONTRACTOR TO VERIFY ALL DIMENSIONS AT JOBSITE.

CARNEGIE LIBRARY ENTRANCEWAY (BASE BID #2)

07.33.3810

STATE OF MISSOURI
WILLIAM A. BRUNNER
NUMBER A-2030
REGISTERED ARCHITECT

Brunner & Brunner
architects & engineers, inc.
ST. JOSEPH, MISSOURI 64501 (816) 279-0809

ALTERATIONS AND REPAIRS
WASHINGTON PARK LIBRARY
THIRD & MARKET ST. JOSEPH, MO
CARNEGIE LIBRARY
316 MASSACHUSETTS ST. JOSEPH, MO.

JOB NUMBER C603
DATE 5 MAY 85
DRAWN BY R.D.P.
CHECKED BY W.A.B.
REVISIONS

SHEET NUMBER 1
TOTAL SHEETS 1

2007.33.3810L