

SECTION - LOOKING SOUTH

SCALE ½" = 1'-0"



ELEVATIONS

SCALE ½" = 1'-0"



WINDOW DETAILS



ROOF FRAMING

SECOND FLOOR FRAMING



FIRST FLOOR FRAMING

FOUNDATION AND FOOTING PLAN

STRUCTURAL FRAMING PLANS

SCALE ⅛" = 1'-0"



DOOR FRAME



ROOF VEARGE



ROOF GUTTER



TYPICAL COLUMN PLAN



COLUMN BASE

DETAILS

SCALE 1½" = 1'-0"

STRUCTURAL FRAMING PLANS

SCALE ⅛" = 1'-0"

NOTE: ALTERNATE BID NO. 3 STEEL FRAME, REQUIRES A TWO PIPE RAIL WITH SCREEN GUARD BETWEEN PIPES AT EXTERIOR RUN OF STAIR FLIGHTS, LANDINGS, AND PLATFORMS. ALTERNATE BID NO. 4 METAL ENCLOSURE WILL REQUIRE ONE PIPE WALL RAILS ONLY AT EXTERIOR RUNS OF STAIR FLIGHTS.

NOTE: CONTRACTOR TO NOTE THE SPECIFICATION CALLS FOR ALTERNATE BID NO. 4 TO INCLUDE THE OMISSION OF MASONRY SIDEWALL ENCLOSURE AND ROOF AND PROVIDES FOR STEEL FRAME TO SUPPORT FIRE ESCAPE AND ROOF DECK. ALTERNATE BID NO. 4 INCLUDES THE METAL ENCLOSURE ON SIDE WALL, STEEL FRAMES AND METAL ROOF DECK AND ROOFING.

NOTE: REFER TO BASE BID DRAWINGS AND SPECIFICATIONS FOR NEW DOORS AND BLOCKING OF WINDOWS IN MAIN BUILDING. FLOOR AND STAIR CONSTRUCTION, STAIR WELL AND WALL EANLS, ETC., WHICH WILL BE REQUIRED FOR EACH ALTERNATE, SAME AS NOTED FOR BASE BID.

NOTE ALTERNATE BIDS REQUIRE STEEL CHANNEL FRAME FOR PAIR OF DOORS TO EXTERIOR, ALSO STATIONARY ALUMINUM SASH WINDOWS IN ENCLOSURES INSTEAD OF GLASS BLOCK, STEEL SIDING ON STEEL FRAME FOR ENCLOSURES, ETC.

ALTERNATE FRAMING AND ENCLOSURE

PROJECT "D"

STATE OF MISSOURI — WILLIS J. BRUNNER — NUMBER E-9,46 — REGISTERED PROFESSIONAL ENGINEER

STATE OF MISSOURI — OTTO BRUNNER — NUMBER A-1 — REGISTERED ARCHITECT

FIRE ESCAPE — WOODSON BUILDING

MISSOURI STATE HOSPITAL Nº 2 ST. JOSEPH, MISSOURI

date	HON. JOHN M. DALTON	GOVERNOR	sheet
FEB. 10, 1964 REVSD. APR. 30 64	BRUNNER & BRUNNER 1105 CORBY BLDG.	architects & engineers ST. JOSEPH, MISSOURI	3H OF 36
	APPROVED _____ DIRECTOR DEPT. OF HEALTH & WELFARE	APPROVED _____ CHIEF PLANNING & CONSTRUCTION	