BASEMENT PLAN
1/4"=1'-0"

WALL SECTION/DETAIL
1/2"=1'-0"

NOTES

3. EXISTING FIXTURES & CONDUIT TO REMAIN. PROVIDE NEW CONDUIT & WIRE FOR HOME RUNS TO NEW PANELBOARDS.
4. TYPE B & C FIXTURES ARE CIRCUITTED WITH FIXTURES BUT ARE NOT SWITCHED.
5. ALL EXIT LIGHTS TO BE WIRED TO ONE CIRCUIT.
6. GEN. CONTRACTOR SHALL PATCH OPENINGS MADE BY ELECT. CONTR. PATCHES SHALL BE READY FOR PAINTING BY OWNER.
7. ELECT. CONTR. SHALL BE RESPONSIBLE FOR THE SELECTION OF CONDUIT SIZES & NO. OF WIRES TO ACCOMPLISH THE SWITCHING & CIRCUITING SHOWN ON THE DRAWINGS OR AS REQUIRED FOR A COMPLETE INSTALLATION.
8. CONTRACTOR MAY REUSE EXISTING CONDUIT (EXCEPT FOR HOME RUNS) WHERE IT IS IN SOUND CONDITION. ALL REUSED CONDUIT SHALL BE ACCEPTABLE TO THE ARCHITECT & CITY CODE.

200133310I

Brunner & Brunner
architects & engineers, inc.
ST. JOSEPH, MISSOURI 64501 (816) 279-0809

ELECTRICAL & WATERPROOFING ALTERATIONS TO WASHINGTON PARK LIBRARY
THIRD & MARKET ST. JOSEPH, MO

STATE OF MISSOURI WILLIAM A. BRUNNER NUMBER E-9246 REGISTERED PROFESSIONAL ENGINEER

STATE OF MISSOURI WILLIAM A. BRUNNER NUMBER A-2030 REGISTERED ARCHITECT

JOB NUMBER C 803-2
DATE 12-30-86
DRAWN BY TOPKINS / FUSTON
CHECKED BY BRUNNER
REVISIONS

SHEET NUMBER 2
TOTAL SHEETS 2