


Price List of Parts

..FOR THE..

Stanley

**Motor
Carriage**



MODEL CX

Folding Front Seat, Solid Rear Seat, Wire Wheels, 30 x 2 1/2 inch Tires, Wheel Base 78 inches, Track 32 inches, 16-inch Roller and Barner, 3 x 4 inch Engine (S. H. P.),
 Artillery Wood Wheels on above models extra, \$18.00,
 30 x 3 inch tires on above models extra, \$31.72

Price, \$725.00

1905 } model
CX }

1134

may
1905-

ORDERS FOR PARTS, UNACCOMPANIED BY CASH,
WILL BE SENT C. O. D.

ORDERS FOR SMALL PARTS, ACCOMPANIED BY
THE PRICE AND AMOUNT REQUIRED FOR POST-
AGE, MAY BE SENT BY MAIL.

This represents the parts of the Stanley Carriage as constructed
January 1, 1904. When ordering parts you should state when the
carriage was bought new, as changes are made from time to time
For instance, the distance between the front axle fork is 3½ inches,
a year ago it was 3¼ inches. When ordering No. 217 always state
the length, that is, the distance between centres of holes.

Cable address, Stanleycar Boston.

(Telegraph Code.)

CODE.

- Rabble*, Send by mail.
Racer, Send by express.
Racking, Ship by freight.
Raccoon, Ship by freight, draft with bill of lading.
Radical, Ship by next boat.
Ragman, Have sent by mail.
Rainbow, Have sent by express.
Rambler, Have sent by express C. O. D.
Ramrod, Have shipped by freight.
Ranack, Have shipped by freight draft with bill of
lading.
Rapture, Have shipped by boat.

Stanley Motor Carriage Company,
Newton, Mass.

PLATE 1. Running Gear.

CODE.			
<i>Aback,</i>	01	REAR AXLE FRAME COMPLETE.....	\$25.00
<i>Abandon,</i>	1	Rear axle frame, right half	10.00
<i>Abased,</i>	2	" " " left "	10.00
<i>Abasing,</i>	3	" " top yoke.....	1.25
<i>Abate,</i>	4	" " " " nut, right.....	.25
<i>Abatude,</i>	5	" " " " " left.....	.25
<i>Abbey,</i>	6	" " bottom yoke.....	1.25
<i>Abettor,</i>	7	" " truss rod.....	.75
<i>Abhor,</i>	8	" " " " nut.....	.25
<i>Abiding,</i>	00	REAR AXLE COMPLETE, Including Numbers 1 to 20 inclusive	53.78
<i>Abject,</i>	9	Differential gear	16.00
<i>Abjure,</i>	9c	Differential pinion.....	.30
<i>Abjectly,</i>	9d	" " stud	.15
<i>Abnormal,</i>	10	One-half driving shaft with bevel gear.....	4.00
<i>Abode,</i>	11	Rear Axle inside cup.....	.50
<i>Aboding,</i>	12	" " outside cup	.50
<i>Abolish,</i>	13	" " inside cone.....	.25
<i>Abridge,</i>	14	" " outside ball track.....	.25
<i>Abrupt,</i>	15	" " wheel nut.....	.25
<i>Abusive,</i>	16	" " inside $\frac{3}{4}$ -inch ball (16 in each)....	.015
<i>Aborb,</i>	17	" " outside $\frac{7}{8}$ -inch ball (14 in each) ..	.02
<i>Abstain,</i>	18	" " ball retainer.....	.05
<i>Absurd,</i>	19	" " felt washer.....	.01
<i>Abusive,</i>	20	" " leather washer.....	.01
<i>Abyss,</i>	21	Rear axle brace rod, R. and L. thread.....	.75
<i>Academy,</i>	22	Perch brace rod.....	.40
<i>Acetic,</i>	23	Perch.....	4.00
<i>Achieve,</i>	24	" bolt.....	.30
<i>Aching,</i>	025	REAR WHEEL COMPLETE, without tire.	7.00
<i>Acidity,</i>	25	" " hub.....	1.50
<i>Aconite,</i>	26	Wheel rim.....	2.90
<i>Acorn,</i>	27	Spoke with nipple.....	.04
<i>Babbled,</i>	028	FRONT AXLE COMPLETE, Including Numbers 28, 29, 30, 31, 32, 34, 220.....	20.80
<i>Babylon,</i>	28	Front axle frame	12.00
<i>Backing,</i>	29	" " spindle	1.50
<i>Badly,</i>	30	" " " lever.....	.75
<i>Badness,</i>	31	" " " taper pin.....	.05
<i>Bagpipe,</i>	32	Spindle lever connecting rod.....	3.50
<i>Bailiff,</i>	220	Steering gear screw and nut, nicked.....	.10

(Continued.)

PLATE 1.





PLATE 2.

CODE.		Running Gear Continued.	
<i>Baiting,</i>	33	Front wheel cup.....	\$0.25
<i>Baize,</i>	34	" " inside cone.....	.25
<i>Baker,</i>	35	" " outside cone.....	.25
<i>Balcony,</i>	36	" " knurled washer.....	.10
<i>Bald,</i>	37	" " lock nut.....	.10
<i>Balkish,</i>	038	FRONT WHEEL COMPLETE, without tire	7.00
<i>Ballad,</i>	38	" " hub.....	1.50
<i>Balmy,</i>	39	" " dust nut, nickeled.....	.15
<i>Balsam,</i>	40	" " ball retainer.....	.05
<i>Bamboo,</i>	41	" " felt washer.....	.01
<i>Bandage,</i>	42	" " dust cap, nickeled.....	.10
<i>Bandbox,</i>	16	" " $\frac{3}{4}$ -inch balls, 13 in each.....	.015
<i>Bandit,</i>	43	Brake lever.....	1.15
<i>Baneful,</i>	44	" fulcrum.....	.85
<i>Banging,</i>	45	" " pin.....	.05
<i>Banjo,</i>	46	" band.....	1.25
<i>Banner,</i>	46b	" " lining with rivets.....	.50
<i>Bannock,</i>	47	Set mud guards complete.....	12.00
<i>Banquet,</i>	48	Mud guards nut.....	.05
<i>Banter,</i>	49	Front top mud guards nut nickeled.....	.05
<i>Baptism,</i>	50	Spring 3 leaf.....	3.00
<i>Barking,</i>	51	" 4 ".....	3.50
<i>Barley,</i>	52	" 5 ".....	4.00
<i>Cabaret,</i>	53	" clip with 2 nuts.....	.10
<i>Cabbage,</i>	54	" " yoke.....	.10
<i>Cairson,</i>	55	Body hanger.....	.75
<i>Caitiff,</i>	56	" " bolt with nut.....	.02
<i>Cajole,</i>	57	" " screw.....	.01
<i>Calcine,</i>	58	Front step.....	.75
<i>Calcium,</i>	59	Tires each.....	20.20
<i>Calculus,</i>	60	Rear axle yoke shim.....	.05

PLATE 2.



<i>Caliber,</i>	100	ENGINE COMPLETE.....	\$90.00
<i>Camel,</i>	101	Engine cylinder.....	15.00
<i>Camel,</i>	102	" " top head.....	.75
<i>Campana,</i>	103	" " bottom head.....	1.00
<i>Camphor,</i>	104	Steam chest cover.....	.75
<i>Camping,</i>	105	Engine frame.....	7.50
<i>Camelion,</i>	105b	Slide valve stem guide.....	.10
<i>Camerate,</i>	105e	Engine frame screw and nut.....	.15
<i>Canary,</i>	106	Slide valve stem guide.....	.75
<i>Candle,</i>	107	Crosshead guide.....	.40
<i>Canister,</i>	107a	Crosshead guide rivet.....	.01
<i>Cannibal,</i>	107b	" " screw and nut.....	.05
<i>Canine,</i>	108	Reverse shaft.....	.75
<i>Canny,</i>	109	Reverse shaft screw.....	.10
<i>Canopy,</i>	110	Pump rocker stud.....	.30
<i>Cantata,</i>	111	Main bearing clamp.....	1.25
<i>Canter,</i>	112	" " cup.....	.75
<i>Canting,</i>	113	Frame extension rod.....	.00
<i>Cantair,</i>	114	" nut.....	.05
<i>Caper,</i>	115	Brass hanger strap.....	1.90
<i>Captias,</i>	116	Eccentric rod.....	1.50
<i>Capote,</i>	117	" " strap screw.....	.05
<i>Capaule,</i>	118	" " pin and nut.....	.05
<i>Captive,</i>	119	Slide valve.....	1.00
<i>Capture,</i>	120	" " stem.....	.25
<i>Capulet,</i>	121	" " lock nut.....	.05
<i>Caput,</i>	122	" " stuffing box.....	.25
<i>Dabbler,</i>	123	" " " " gland.....	.05
<i>Dactyl,</i>	124	" " " " nut.....	.15
<i>Dagger,</i>	125	" " " jaw.....	.50
<i>Daklia,</i>	126	Link block pin and nut.....	.10
<i>Dainty,</i>	127	Link.....	1.00
<i>Dairy,</i>	128	" pin.....	.10
<i>Damask,</i>	129	" block.....	.25
<i>Damper,</i>	130	" hanger rod.....	.30
<i>Damsel,</i>	131	" " pin.....	.05
<i>Dancing,</i>	132	Piston with rings.....	3.00
<i>Dapper,</i>	133	" rod stuffing box gland.....	.15
<i>Daring,</i>	134	" " " " nut.....	.25
<i>Darken,</i>	135	" " " " spring.....	.01
<i>Darkly,</i>	136	Wrist pin, right, long.....	.10
<i>Dashing,</i>	137	" " left, short.....	.10
<i>Dastard,</i>	138	" " nut.....	.05
<i>Dative,</i>	139	Crosshead and piston rod.....	1.50

(Continued.)

PLATE 3.




PLATE 4.

CODE.	Engine Continued.		
<i>Daubing</i> , 140	Connecting rod.....	\$2.00	
<i>Dawning</i> , 141	Crank shaft with spline.....	.85	
<i>Dazzle</i> , 142a	Engine gear, 32 teeth.....	3.00	
<i>Deadly</i> , 142b	" " 40 ".....	3.00	
<i>Deacoury</i> , 142c	" " 28 ".....	3.00	
<i>Deafen</i> , 143	Eccentric.....	.40	
<i>Dealing</i> , 144	Crank.....	1.25	
<i>Deanery</i> , 145	Ball track.....	.50	
<i>Dearly</i> , 146	Crank inside cone.....	.25	
<i>Debate</i> , 147	" outside ".....	.25	
<i>Debauch</i> , 148	" knurled washer.....	.15	
<i>Decamp</i> , 149	" lock nut.....	.15	
<i>Decimal</i> , 160	3-8 inch balls crank in each 10.....	.015	
<i>Decking</i> , 170	7-16 inch balls crosshead in each 2.....	.02	
<i>Eaglet</i> , 180	1-2 " " main in each 12.....	.025	
<i>Earning</i> , 151	Pump rocker.....	1.50	
<i>Earthy</i> , 152	" " inside link.....	.25	
<i>Earwig</i> , 153	" " outside ".....	.25	
<i>Easeful</i> , 154	" " link, screw and nut.....	.02	
<i>Ebony</i> , 146	" " inside cone.....	.25	
<i>Eclipse</i> , 147	" " outside ".....	.25	
<i>Ecstasy</i> , 148	" " knurled washer.....	.15	
<i>Edible</i> , 149	" " lock nut.....	.15	
<i>Edict</i> , 150	1-4 inch balls ends in each 8.....	.005	
<i>Edifice</i> , 160	3-8 " " centre in each 10.....	.015	
<i>Educate</i> , 155	Exhaust fitting.....	1.00	
<i>Effigy</i> , 156	" " screw.....	.05	
<i>Egotism</i> , 157	" " gasket.....	.05	
<i>Elastic</i> , 158	" " nipple.....	.25	
<i>Elation</i> , 159	" elbow.....	.25	
<i>Elderly</i> , 161	" hose nipple.....	.25	
<i>Elegiac</i> , 162	Steam swivel joint.....	1.50	
<i>Elevate</i> , 163	" elbow.....	.10	
<i>Elixir</i> , 164	Steam chest nipple.....	.25	
<i>Elusive</i> , 165	Engine hanger strap.....	.50	

PLATE 4.





PLATE 5.

<i>Elyrian</i> , 166	ENGINE AND GEAR CASE COMPLETE	9.00
<i>Emanate</i> , 167	" cylinder case, 2 pieces.....	2.60
<i>Embalma</i> , 168	" " " screw and nut.....	.01
<i>Embassy</i> , 169	" centre case.....	2.25
<i>Embed</i> , 171	" " " screw.....	.03
<i>Embrace</i> , 172	" rear "	1.30
<i>Embroid</i> , 173	Front gear case.....	1.30
<i>Emerald</i> , 174	Rear " "	1.30
<i>Emetic</i> , 175	" " " screw and nut.....	.02
<i>Faculty</i> , 177	Hairfelt.....	.10

PLATE 5.



CODE.

PLATE 6.

<i>Faded,</i>	200	BODY COMPLETE WITH STICK SEAT	\$100.00
<i>Fading,</i>	200a	Stick seat with cushion.....	30.00
<i>Fagot,</i>	200b	Cushion.....	10.00
<i>Faint,</i>	201	BODY COMPLETE WITH PANEL SEAT	120.00
<i>Fairly,</i>	201a	Panel seat with cushion.....	50.00
<i>Fairy,</i>	201b	Cushion.....	10.00
<i>Falcon,</i>	202	BODY COMPLETE WITH PANEL SEAT AND FOLDING FRONT.....	145.00

Body Fittings, etc.

<i>Falsely,</i>	204	Boiler lug front and back	.10
<i>Falsify,</i>	204a	" " side	.10
<i>Falter,</i>	204b	" " screw	.01
<i>Famine,</i>	205	Burner hanger bolt, two nuts and washer....	.05
<i>Famish,</i>	206	Engine hanger	.25
<i>Fanatic,</i>	207a	" " nut	.05
<i>Fancy,</i>	207b	" " washer	.01
<i>Fangled,</i>	208	" " bolt and nut.....	.02
<i>Fanning,</i>	209	Steering head	1.25
<i>Fantasy,</i>	210	" " screw	.03
<i>Farce,</i>	211	" " bolt and nut	.02
<i>Farina,</i>	212	" handle bar and post	4.50
<i>Farrago,</i>	213	" " grip	.01
<i>Farrier,</i>	214	" drop	2.50
<i>Farrow,</i>	215	" " bolt and nut	.02
<i>Fascet,</i>	216	" " screw	.01
<i>Fashion,</i>	217	" handle bar connecting rod.....	2.00
<i>Fateful,</i>	218	" " " " " screw and nut	.02
<i>Fatigue,</i>	219	Steering drop connecting rod, nickeled.....	2.50
<i>Fatling,</i>	220	" gear screw and nut, nickeled.....	.10
<i>Gablock,</i>	221	" knuckle, nickeled.....	.40

(Continued.)

PLATE 6.




PLATE 7.

CODE.		Body Fittings Continued.		
<i>Gadfly,</i>	222	Brake rocker.....		\$3.25
<i>Gallery,</i>	223	" pedal		.40
<i>Gallop,</i>	224	" " hanger, with nut and washer ...		.25
<i>Gambado,</i>	225	" " " screw		.01
<i>Gamboge,</i>	226	" " connecting rod.....		.05
<i>Gambol,</i>	227	" " " " jaw		.15
<i>Gammon,</i>	228	" " " " " pin		.05
<i>Gamut,</i>	229	Cotter pin, doz.....		.05
<i>Gaping,</i>	230	Brake pedal spring		.10
<i>Garbage,</i>	231	" " " screw eye		.01
<i>Garbled,</i>	232	" lever rod		.25
<i>Garlic,</i>	227	" " " jaw		.15
<i>Garment,</i>	228	" " " " pin		.05
<i>Garnish,</i>	233	" " " support		.10
<i>Garrote,</i>	234	Reverse pedal		1.25
<i>Gasping,</i>	235	" " bracket, pair		.20
<i>Gastric,</i>	236	" " " bolt and nut		.02
<i>Gateway,</i>	237	" " rod		.10
<i>Gazeftul,</i>	238	" " " jaw		.15
<i>Gazelle,</i>	228	" " " " pin		.05
<i>Gearing,</i>	239	" " " spring		.15
<i>Gemshok,</i>	239a	" " " " screw eye		.01
<i>Generic,</i>	240	" " " nipple		.10
<i>Genette,</i>	241	Rear step		.75
<i>Genial,</i>	242	" " screw		.01
<i>Genteel,</i>	243	Front seat spring catch, nickeled		.30
<i>Gentian,</i>	243a	" " " " screw		.01
<i>Gentry,</i>	244	" " " " " and nut		.05
<i>Genus,</i>	245	Throttle lever catch		.40
<i>Hacking,</i>	246	" " " screw		.01
<i>Hackney,</i>	247	Safety valve support		.10
<i>Haddock,</i>	248	" " " screw		.01

(Continued.)

PLATE 7.




PLATE 8.

CODE.		Body Fittings Continued.	
<i>Hades,</i>	240	Pump rocker connecting rod.....	\$2.00
<i>Haggard,</i>	250	" " " " screw and nut...	.02
<i>Hairy,</i>	251	Slip sleeve.....	.35
<i>Halberd,</i>	252	" " screw.....	.03
<i>Haleyon,</i>	253	Pump rocker shaft.....	2.50
<i>Halibut,</i>	254	" " " bracket pair.....	1.50
<i>Hallise,</i>	255	" " " " cap screw hex...	.03
<i>Halter,</i>	256	" " " " " square,	.02
<i>Hammer,</i>	257	" " " " screw and nut....	.02
<i>Hammoe,</i>	528	" links, pair	.35
<i>Hamper,</i>	529	" " screw and nut.....	.02
<i>Hamulose,</i>	260	Oil pump pawl	.10
<i>Handcuff,</i>	261	" " " spring and screw.....	.02
<i>Handfast,</i>	262	Water suction hose.....	.25
<i>Handful,</i>	263	" " nipple.....	.10
<i>Handicap,</i>	264	" by-pass hose.....	.25
<i>Handrail,</i>	265	" " clip.....	.02
<i>Handy,</i>	266	" " " screw.....	.01
<i>Hanging,</i>	267	Dead end nipple.....	.10
<i>Haugnail,</i>	268	Air check.....	.25
<i>Hapless,</i>	269	Steam pressure gauge.....	3.00
<i>Happily,</i>	270	Fuel pressure gauge.....	3.00
<i>Harass,</i>	271	Safety valve.....	2.50
<i>Harden,</i>	272	Siphon with hose nipple.....	3.00
<i>Hardish,</i>	273	" hose	1.00
<i>Harem,</i>	274	" " strainer.....	.50
<i>Harmful,</i>	275	" " screw hooks.....	.02
<i>Lambie,</i>	276	" pipe.....	.26
<i>Icarian,</i>	277	" elbow.....	.15
<i>Icterus,</i>	278	" nipple.....	.15
<i>Idiocy,</i>	279	Rear body boot.....	1.00
<i>Idiom,</i>	280	" " " screw.....	.01
<i>Idiotic,</i>	281	Automatic valve support.....	.10
<i>Idolize,</i>	282	" " " screw.....	.01

PLATE 8.




PLATE 9.

CODE.			
<i>Idyllic</i> ,	300	BURNER WITH VAPORIZER COMPLETE	\$15.00
<i>Ignited</i> ,	301	Burner casing.....	1.50
<i>Iliad</i> ,	302	" casting.....	10.10
<i>Illusion</i> ,	303	Main mixing tube.....	.25
<i>Image</i> ,	304	Pilot " "	.10
<i>Imagery</i> ,	305	Vaporizer	2.50
<i>Imbecile</i> ,	307	" screw.....	.10
<i>Imbibe</i> ,	306	Pilot light " with wire.....	.10
<i>Imbrue</i> ,	308	Wire cable for main tube.....	.10
<i>Immane</i> ,	309	" " pilot "	.05
<i>Immerge</i> ,	310	BOILER COMPLETE WITH FUSIBLE PLUG.....	80.00
<i>Impaencl</i> ,	310b	Boiler covering with bands.....	2.00
<i>Impart</i> ,	311	" tube.....	.15
<i>Impearl</i> ,	312	" superheatter tube	.15
<i>Imperial</i> ,	313	Fusible plug fitting.....	1.50
<i>Impetus</i> ,	314	" " " short tube.....	.06
<i>Impinge</i> ,	315	" " " long "	.12
<i>Impious</i> ,	316	" tube.....	.15
<i>Implant</i> ,	317	" lead plug.....	.01

Boiler Fittings.

<i>Impost</i> ,	318	Exhaust hose.....	\$0.50
<i>Impotent</i> ,	319	Muffler complete covered.....	2.50
<i>Impound</i> ,	320	" exhaust elbow.....	.15
<i>Impress</i> ,	321	Exhaust pipe.....	.40
<i>Jabber</i> ,	322	" " nozzle.....	.15
<i>Jackal</i> ,	323	Smoke bonnet.....	1.00
<i>Jackdaws</i> ,	324	" flue.....	.85
<i>Jacobin</i> ,	325	" " screw and nut.....	.01
<i>Jagged</i> ,	326	Torch shield.....	.10
<i>Jargon</i> ,	327	Burner shield.....	.10
<i>Jasper</i> ,	328	Gasolene pressure tank.....	3.00
<i>Janelide</i> ,	329	" " " tee.....	.06
<i>Janffret</i> ,	330	" " " cock.....	.30
<i>Janfre</i> ,	331	Water tank complete.....	15.00
<i>Janla</i> ,	332	" " cover.....	.50
<i>Janlilla</i> ,	333	Gasolene tank complete.....	9.00

(Continued.)

PLATE 9.





PLATE 10.

CODE.		Boiler Fittings Continued.	
<i>Jaundice,</i>	334	Steam boiler nipple.....	\$0.20
<i>Jaunir,</i>	335	" " elbow.....	.00
<i>Jaunotte,</i>	336	" " nipple.....	.15
<i>Jauntily,</i>	337	THROTTLE VALVE COMPLETE.....	2.50
<i>Jaurias,</i>	338	" " body.....	1.00
<i>Javali,</i>	339	" " stem.....	1.00
<i>Javan,</i>	340	" " " nut.....	.03
<i>Javardo,</i>	341	" " " jaw.....	.15
<i>Javeira,</i>	342	" " " " pin.....	.05
<i>Javeleur,</i>	343	" " " stuffing box gland.....	.05
<i>Jatofall,</i>	344	Throttle valve stem stuffing box nut.....	.15
<i>Jatonnd,</i>	345	" brace rod.....	.05
<i>Jatwehl,</i>	346	" valve brace rod nut and washer....	.02
<i>Jawort,</i>	347	" lever.....	2.50
<i>Jayet,</i>	348	" " bracket.....	.25
<i>Jazedor,</i>	349	" " " screw.....	.01
<i>Jazerao,</i>	350	Brass union.....	.30
<i>Kabook,</i>	351	Nipple.....	.15
<i>Kaffer,</i>	352	Auxiliary throttle.....	1.50
<i>Kaiser,</i>	353a	Superheater elbow.....	.35
<i>Kaland,</i>	353b	" " ".....	.35
<i>Kalif,</i>	353c	" " ".....	.35
<i>Kedge,</i>	354	Inside bottom superheater.....	1.50
<i>Keelhaul,</i>	355	Outside " ".....	1.50
<i>Keelrake,</i>	356	Top connecting ".....	1.25
<i>Keelage,</i>	357	" " ".....	1.25
<i>Keelman,</i>	358	Union.....	.30
<i>Keelson,</i>	359	Main steam pipe, covered.....	1.30
<i>Keenly,</i>	360	Oiler check complete.....	.75
<i>Kelpy,</i>	361	Boiler elbow.....	.25
<i>Kennel,</i>	362	Main steam pipe covering.....	.30

PLATE 10.



PLATES 11, 12.

CODE.				
<i>Keystone</i> , 400		WATER INDICATOR COMPLETE.....	\$10.00	
<i>Keyhole</i> , 401	"	" " body	5.25	
<i>Keynote</i> , 402	"	" " bottom cap.....	.75	
<i>Kindle</i> , 403	"	" " left nut	.30	
<i>Kindly</i> , 404	"	" " right nut.....	.40	
<i>Kindred</i> , 405	"	" " spindle	.45	
<i>Kingdom</i> , 406	"	" " spring	.02	
<i>Kingpost</i> , 407	"	" " " block	.02	
<i>Kinsman</i> , 408	"	" " wheel segment....	.35	
<i>Kitchen</i> , 409	"	" " chain	.05	
<i>Kitten</i> , 410	"	" " float	.45	
<i>Knave</i> , 411	"	" " pet cock	.25	
<i>Knaveish</i> , 412	"	" " wheel	.40	
<i>Kneel</i> , 413	"	" " " screw.....	.01	
<i>Knife</i> , 414	"	" " pointer.....	.20	
<i>Knob</i> , 415	"	" " " bearing ..	.25	
<i>Knoll</i> , 416	"	" " " " screw	.01	
<i>Knotted</i> , 417	"	" " lead weight.....	.25	
<i>Knotty</i> , 418	"	" " " " case ..	.30	
<i>Labent</i> , 419	"	" " " " " "		
		screw	.01	
<i>Labial</i> , 420		Water indicator screw eye.....	.01	
<i>Labium</i> , 421	"	" " wire link	.01	
<i>Lacing</i> , 430		AUTOMATIC VALVE COMPLETE.....	5.00	
<i>Lackey</i> , 431		Body.....	1.00	
<i>Laconic</i> , 432		Base	.75	
<i>Lacquer</i> , 433		Screw	.03	
<i>Lactary</i> , 434		Adjusting screw.....	.35	
<i>Lacteal</i> , 435		Diaphragm	.15	
<i>Lactine</i> , 436		Stuffing box	.25	
<i>Lactory</i> , 437		Lock nut	.20	
<i>Ladkin</i> , 438		Stuffing box gland.....	.05	
<i>Lagoon</i> , 439	"	" " nut.....	.10	
<i>Lairy</i> , 440		Top button	.20	
<i>Lakelet</i> , 441		Bottom button.....	.20	
<i>Lamb</i> , 442		Head	.40	
<i>Lambkin</i> , 443		Spring	.75	
<i>Lament</i> , 444		Valve stem	.10	
<i>Lampon</i> , 445	"	" " point.....	.15	
<i>Lamprey</i> , 446		Nipple	.10	

PLATES 11, 12.





PLATE 13.

CDOL.

<i>Lancet</i> , 480	CYLINDER OIL PUMP COMPLETE ...	\$3.50
<i>Landon</i> , 481a	Screw and nut	.02
<i>Languid</i> , 481b	"	.01
<i>Languor</i> , 481c	"	.01
<i>Laniary</i> , 482	Oil box	1.00
<i>Laniate</i> , 483	Body, two pieces	.50
<i>Lankly</i> , 484	Stand	.75
<i>Lantern</i> , 485	Plunger	.15
<i>Lanyard</i> , 486	Spring	.07
<i>Mackerel</i> , 487	" plug	.10
<i>Macecap</i> , 488	Ratchet	.25
<i>Madden</i> , 489	Cam	.30
<i>Madman</i> , 490	Dog	.05
<i>Madness</i> , 491	Ball check	.01
<i>Madonna</i> , 492	" " spring	.01
<i>Maggot</i> , 493	" " " lug	.01
<i>Maiden</i> , 494	Ratchet spring, stop and screw	.02
<i>Mainly</i> , 495	Dog stop	.05
<i>Malady</i> , 496	" " screw	.01
<i>Malign</i> , 497	Stuffing box gland	.05
<i>Mallard</i> , 498	" " nut	.10
<i>Malison</i> , 499	Top screw	.02
<i>Malmsey</i> , 499	GASOLINE RELIEF VALVE COM- PLETE	4.00
<i>Malted</i> , 461	Body	1.00
<i>Malting</i> , 462	Base	1.00
<i>Manchet</i> , 463	Screw	.03
<i>Mandate</i> , 464	Adjusting screw	.35
<i>Mandrel</i> , 465	Diaphragm with valve stem	.50
<i>Manful</i> , 466	Spring	.40
<i>Mangle</i> , 467	Top button	.20
<i>Mango</i> , 468	Bottom button	.20

PLATE 13.




PLATE 14.

CODE.			
<i>Manhood</i> , 500	HAND GASOLENE PUMP COMPLETE	\$3.50	
<i>Manikin</i> , 501	Bracket screw.....	.01	
<i>Mankind</i> , 502	Body.....	1.15	
<i>Manlike</i> , 503	Bracket.....	.20	
<i>Manly</i> , 504	Hand gasoline pump links pair.....	.35	
<i>Nabob</i> , 520	" " " " screw and nut...	.02	
<i>Nadir</i> , 505	" " " " plunger.....	.35	
<i>Naked</i> , 506	" " " " stuffing box gland....	.20	
<i>Namely</i> , 507	" " " " " " nut.....	.50	
<i>Nankeen</i> , 508	" " " " lever.....	.35	
<i>Napkin</i> , 509	" " " " " fulcrum.....	.30	
<i>Napping</i> , 510	" " " " " " screw....	.01	
<i>Nation</i> , 511	" " " " " " pin.....	.05	
<i>Native</i> , 512	" " " " " packing rings.....	.015	
<i>Natural</i> , 520	HAND WATER PUMP COMPLETE ...	3.50	
<i>Naught</i> , 521	" " " " " screw and nut....	.02	
<i>Nausea</i> , 522	" " " " " body.....	1.25	
<i>Nebula</i> , 523	" " " " " plunger.....	.50	
<i>Necktie</i> , 524	" " " " " stuffing box gland	.15	
<i>Nectar</i> , 525	" " " " " " " nut...	.35	
<i>Needful</i> , 526	" " " " " fulcrum.....	.20	
<i>Needily</i> , 527	" " " " " " bolt and nut	.02	
<i>Neglect</i> , 528	Pump links pair.....	.35	
<i>Negro</i> , 529	" " " " " screw and nut.....	.02	
<i>Negress</i> , 530	Hand water pump lever.....	.60	

PLATE 14.





PLATE 15.

CODE.			
<i>Nephew,</i>	540	GASOLENE PUMP COMPLETE.....	\$2.50
<i>Nerve,</i>	541	" " screw and nut.....	.02
<i>Netting,</i>	542	" " body.....	1.55
<i>Network,</i>	543	" " plunger.....	.25
<i>Neuter,</i>	544	" " stuffing box gland....	.05
<i>Neutral,</i>	545	" " " " nut.....	.15
<i>Newborn,</i>	546	" " " " " spring	
		stop.....	.01
<i>Nickel,</i>	547	Gasolene pump ball check.....	.01
<i>Niggard,</i>	548	" " " cap.....	.20
<i>Nightly,</i>	549	" " packing ring.....	.015
<i>Oculosi,</i>	550	" " leather washer.....	.01
<i>Oddity,</i>	550	WATER PUMP COMPLETE.....	3.50
<i>Oddness,</i>	541	" " screw and nut.....	.02
<i>Odeion,</i>	561	" " body.....	1.95
<i>Odezic,</i>	562	" " plunger.....	.35
<i>Odious,</i>	563	" " stuffing box gland.....	.15
<i>Odists,</i>	564	" " " " nut.....	.35
<i>Odium,</i>	565	" " " " " spring stop	.01
<i>Odmyle,</i>	566	" " " " " " " "	
		screw.....	.01
<i>Odor,</i>	567	Water pump ball check.....	.05
<i>Oderous,</i>	568	" " " cap.....	.25
<i>Odorome,</i>	569	" " packing ring.....	.015

PLATE 15.




1-8 Brass Pipe Valves and Fittings.

CODE.			
<i>Odyner,</i>	600	$\frac{1}{2}$ Brass nipple.....	.05
<i>Ogler,</i>	601	" " elbow.....	.05
<i>Ogling,</i>	602	" " tee.....	.06
<i>Ogress,</i>	603	" " cross.....	.07
<i>Oldish,</i>	604	" " coupling.....	.04
<i>Olive,</i>	605	" " plug.....	.01
<i>Omega,</i>	606	" " union.....	.13
<i>Ominous,</i>	607	" " check valve Mason.....	.65
<i>Omnibus,</i>	608	" " valve.....	.65
<i>Onerous,</i>	609	" " pipe per ft.....	.12
<i>Onset,</i>	610	" " ball check valve.....	.65
<i>Onyx,</i>	611	Automatic valve tube.....	.30
<i>Opaline,</i>	612	Steam gauge ".....	.30
<i>Opaque,</i>	613	Cylinder oiler ".....	.25
<i>Opened,</i>	614	Hand gasolene pump tube.....	.20
<i>Optics,</i>	615	Gasolene line ".....	.20
<i>Orbit,</i>	616	" return ".....	.50
<i>Pacer,</i>	617	Pressure tank ".....	.50
<i>Pacing,</i>	618	Fuel pressure gauge ".....	.40
<i>Package,</i>	619	Pilot burner ".....	.35
<i>Packing,</i>	620	Main burner ".....	.35
<i>Packman,</i>	621	Vaporizing coil.....	1.50
<i>Padded,</i>	622	Plug end for tube.....	.05

Tools and Equipments furnished with a Carriage.

<i>Padding,</i>	630	TORCH COMPLETE.....	\$2.00
<i>Paddle,</i>	631	" less barrel and pump.....	1.50
<i>Paddock,</i>	632	" air valve screw.....	.10
<i>Padlock,</i>	633	Oil can.....	.35
<i>Pagan,</i>	634	Screwdriver.....	.25
<i>Pagoda,</i>	635	Eight inch Stillson wrench.....	1.00
<i>Pailful,</i>	636	Bicycle wrench.....	.25
<i>Painful,</i>	637	Air pump.....	2.00
<i>Painter,</i>	638	Dunlop tire repair kit.....	2.50
<i>Salad,</i>	650	Runabout carriage with stick seat.....	650.00
<i>Saline,</i>	651	" " " panel seat.....	670.00
<i>Salvo,</i>	652	" " " " " and fold- ing front.....	695.00



Type B. Runabout with Solid Seat.

Length of wheel base, 78 inches. Width of wheel base, 52 inches.
Approximate weight, 720 pounds. Price, \$670.

The Bartlett Press, Boston.