



1969 AERO CRAFT

# GALAXY cuddy cabin


I/O DEEP-VEE FIBERGLASS

The convenience of a cabin added to complete rough water competence and dependability.

**SPECIFICATIONS:**  
L.O.A. 21'  
Beam 95½"

Molded depth 62"  
Transom width 86½"

Approx. wt. 3070 lbs.  
Wt. capacity 3000 lbs.



**STANDARD EQUIPMENT:**

Safety glass walk-thru windshield  
Mechanical steering  
Vee bunks forward  
Chemical toilet  
Back-to-back laydown seats  
Pal seats aft

Two twelve-gallon saddle tanks  
Cabin hatch  
International lights  
Cleats  
Bow and stern eyes  
Bilge blower  
Bilge pump

Carpeting  
Storage compartments  
Deluxe motor hood  
Bow and stern rails  
Speedometer and compass  
End grain balsa bottom  
Air compartment flotation

OPTIONAL EQUIPMENT: See price list.

MOTOR OPTIONS: Mercury 160 Power Trim; OMC 155 Power Tilt; Chrysler 175 Power Tilt.

COLOR: Ermine White.



# GALAXY day cruiser


I/O DEEP-VEE FIBERGLASS

Designed and built for cruising comfort and performance on inland or coastal waters.

**SPECIFICATIONS:**  
L.O.A. 21'  
Beam 95½"

Molded depth 57"  
Transom width 87"

Approx. wt. 2915 lbs.  
Wt. capacity 3050 lbs.



**STANDARD EQUIPMENT:**

Safety glass walk-thru windshield  
Mechanical steering  
Back-to-back laydown seats  
Pal seats aft  
Two twelve-gallon saddle tanks

International lights  
Cleats  
Bow and stern eyes  
Bilge blower  
Bilge pump  
Carpeting

Storage compartments  
Deluxe motor hood  
Bow and stern rails  
Speedometer and compass  
End grain balsa bottom  
Air compartment flotation

OPTIONAL EQUIPMENT: See price list.

MOTOR OPTIONS: Mercury 160 Power Trim; OMC 155 Power Tilt; Chrysler 175 Power Tilt.

COLOR: Ermine White




## ATLANTIC I/O DEEP-VEE FIBERGLASS

*Luxury in styling, luxury in ride, luxury in every aspect of high-speed performance.*

**SPECIFICATIONS:**  
L.O.A. 18'7"  
Beam 84"

Molded depth 48"  
Transom width 82"

Approx. wt. 2000 lbs.  
Wt. capacity 1870 lbs.



### STANDARD EQUIPMENT:

Safety glass vented windshield  
Mechanical steering  
Back-to-back laydown seats  
Pal seats aft  
Twenty-four gallon tank  
International lights

Cleats  
Bow and stern eyes  
Bilge blower  
Bilge pump  
Carpeting  
Storage compartments

Deluxe motor hood  
Bow and stern rails  
Speedometer and compass  
End grain balsa bottom  
Air compartment flotation

OPTIONAL EQUIPMENT: See price list.

MOTOR OPTIONS: Mercury 160 Power Trim or 120 Power Trim; OMC 155 Power Tilt or 120 Power Tilt; Chrysler 175 Power Tilt.

COLOR: Ermine White

## CARIBBEAN


I/O DEEP-VEE FIBERGLASS (For data on Outboard Version, see price list.)

*The stability and size for a family boat . . . plus appearance and performance that are tops!*

**SPECIFICATIONS:**  
L.O.A. 17'2"  
Beam 82"

Molded depth 50"  
Transom width 78"

Approx. wt. 1632 lbs.  
Wt. capacity 1460 lbs.



### STANDARD EQUIPMENT:

Safety glass vented windshield  
Mechanical steering  
Back-to-back laydown seats  
Pal seats aft  
Eighteen-gallon tank

Bow and stern lights  
Cleats  
Bow and stern eyes  
Bilge blower  
Bilge pump

Carpeting  
Storage compartments  
Deluxe motor hood  
End grain balsa bottom  
Air compartment flotation

OPTIONAL EQUIPMENT: See price list.

MOTOR OPTIONS: Mercury 120 Power Trim; OMC 120 Power Tilt.

COLORS: Ermine White, Sky Blue




## SHARK I/O ACROFOIL HULL FIBERGLASS

Call it a sports model or call it the hot one, it can do everything its sleek lines imply!

**SPECIFICATIONS:**  
L.O.A. 15'2"  
Beam 79"

Molded depth 39"  
Transom width 63"

Approx. wt. 1500 lbs.  
Wt. capacity 900 lbs.



### STANDARD EQUIPMENT:

Skiff-type windshield  
Mechanical steering  
Deluxe combo seats  
Eighteen-gallon tank  
Bow and stern lights

Cleats  
Bow and stern eyes  
Bilge blower  
Bilge pump  
Carpeting

Storage compartments  
Deluxe motor hood  
End grain balsa bottom  
Air compartment flotation

OPTIONAL EQUIPMENT: See price list.

MOTOR OPTIONS: Mercury 120 Power Trim; OMC 120 Power Tilt

COLOR: Dawn Gold



## BAHAMA I/O TRI-HULL FIBERGLASS

An outstanding application of trihedral hull design for smooth ride and exciting maneuverability.

**SPECIFICATIONS:**  
L.O.A. 18'8"  
Beam 86"

Molded depth 46"  
Transom width 82"

Approx. wt. 2180 lbs.  
Wt. capacity 1900 lbs.



### STANDARD EQUIPMENT:

Walk-thru windshield  
Mechanical steering  
Back-to-back laydown seats  
Pal seats aft  
Two twelve-gallon tanks  
Bow and stern lights

Cleats  
Bow and stern eyes  
Bilge blower  
Bilge pump  
Carpeting  
Storage compartments

Deluxe motor hood  
Bow rail  
Speedometer and compass  
End grain balsa bottom  
Air compartment flotation

OPTIONAL EQUIPMENT: See price list.

MOTOR OPTIONS: Mercury 160 Power Trim or 120 Power Trim; OMC 155 Power Tilt or 120 Power Tilt; Chrysler 175 Power Tilt.

COLORS: Ermine White, Sky Blue




## NASSAU I/O TRI-HULL FIBERGLASS

Delivers your choice of boating pleasure . . . skiing, cruising, or all-around fun on the water.

**SPECIFICATIONS:**  
L.O.A. 16'5"  
Beam 78"

Molded depth 44"  
Transom width 72"

Approx. wt. 1630 lbs.  
Wt. capacity 1480 lbs.



### STANDARD EQUIPMENT:

Walk-thru windshield  
Mechanical steering  
Back-to-back laydown seats  
Eighteen-gallon tank  
Bow and stern lights

Cleats  
Bow and stern eyes  
Bilge blower  
Bilge pump  
Carpeting

Storage compartments  
Deluxe motor hood  
Bow rail  
End grain balsa bottom  
Air compartment flotation

OPTIONAL EQUIPMENT: See price list.

MOTOR OPTIONS: Mercury 120 Power Trim; OMC 120 Power Tilt.

COLOR: Ermine White, Sky Blue


## BIMINI I/O TRI-HULL FIBERGLASS

Ease of handling and a jet smooth ride put this trim performer in a class all by itself.

**SPECIFICATIONS:**  
L.O.A. 15'2"  
Beam 70"

Molded depth 34"  
Transom width 62"

Approx. wt. 1124 lbs.  
Wt. capacity 1105 lbs.



### STANDARD EQUIPMENT:

Walk-thru windshield  
Mechanical steering  
Back-to-back laydown seats  
Twelve-gallon tank  
Bow and stern lights

Cleats  
Bow and stern eyes  
Bilge blower  
Bilge pump  
Carpeting

Storage compartments  
Deluxe motor hood  
Bow rail  
End grain balsa bottom  
Air compartment flotation

OPTIONAL EQUIPMENT: See price list.

MOTOR OPTIONS: Mercury 80 Power Tilt; OMC 80 Power Tilt

COLORS: Sky Blue, Dawn Gold




## COHO® I/O CONVENTIONAL HULL ALUMINUM

Features to meet the rough-water fisherman's requirements . . .  
and to double as a family runabout!

**SPECIFICATIONS:**  
L.O.A. 17'  
Beam 82"

Depth 39"  
Transom width 71½"

Approx. wt. 1120 lbs.  
Wt. capacity 1420 lbs.



### STANDARD EQUIPMENT:

Panoramic windshield  
Mechanical steering  
Back-to-back laydown seats  
Twelve-gallon tank  
Bow and stern lights

Cleats  
Bow and stern eyes  
Bilge blower  
Bilge pump  
Carpeting

Storage compartments  
Deluxe motor hood  
Foamed-in-place flotation

OPTIONAL EQUIPMENT: See price list.

MOTOR OPTIONS: Mercury 80 Power Tilt; OMC 80 Power Tilt

COLOR: Turquoise




## STARFLITE I/O CONVENTIONAL HULL FIBERGLASS

A favorite with action-minded boaters seeking strong performance  
plus exceptional cruising economy.

**SPECIFICATIONS:**  
L.O.A. 15'5"  
Beam 72"

Molded depth 35"  
Transom width 62"

Approx. wt. 1090 lbs.  
Wt. capacity 1060 lbs.



### STANDARD EQUIPMENT:

Panoramic vented windshield  
Mechanical steering  
Back-to-back laydown seats  
Twelve-gallon tank  
Bow and stern lights

Cleats  
Bow and stern eyes  
Bilge blower  
Bilge pump  
Carpeting

Storage compartments  
Deluxe motor hood  
Air compartment flotation

OPTIONAL EQUIPMENT: See price list.

MOTOR OPTIONS: Mercury 80 Power Tilt; OMC 80 Power Tilt

COLORS: Ermine White, Sky Blue




## NASSAU TRI-HULL FIBERGLASS

Take it cruising or skiing, this versatile model handles and performs as smoothly as it looks!

**SPECIFICATIONS:**  
L.O.A. 16'5"  
Beam 78"  
Molded depth 44"

Transom width 72"  
Approx. wt. 785 lbs.

Wt. capacity 1915 lbs.  
Recommended H.P. 110



### STANDARD EQUIPMENT:

Walk-thru windshield  
Mechanical steering  
Back-to-back laydown seats  
Bow and stern lights  
Cleats

Bow and stern eyes  
Carpeting  
Vinyl transom curtain  
Storage compartments  
Bow rail

End grain balsa bottom  
Air compartment flotation  
Water return 20" transom

OPTIONAL EQUIPMENT: See price list.

COLORS: Ermine White, Sky Blue


## BIMINI TRI-HULL FIBERGLASS

Easy trailing, launching, retrieving . . . jet-smooth ride, sweet handling, top performance on the water.

**SPECIFICATIONS:**  
L.O.A. 15'2"  
Beam 70"  
Molded depth 34"

Transom width 62"  
Approx. wt. 655 lbs.

Wt. capacity 1594 lbs.  
Recommended H.P. 70



### STANDARD EQUIPMENT:

Walk-thru windshield  
Mechanical steering  
Back-to-back laydown seats  
Bow and stern lights  
Cleats

Bow and stern eyes  
Carpeting  
Vinyl transom curtain  
Storage compartments  
Bow rail

End grain balsa bottom  
Air compartment flotation  
Water return 20" transom

OPTIONAL EQUIPMENT: See price list.

COLORS: Sky Blue, Dawn Gold




# STARFLITE CONVENTIONAL HULL FIBERGLASS

Hull lapstrakes add to the cat-quick reflexes that let this boat deliver a maximum of water-borne fun.

**SPECIFICATIONS:**  
L.O.A. 15'5"  
Beam 72"  
Molded depth 35"

Transom width 62"  
Approx. wt. 700 lbs.

Wt. capacity 1480 lbs.  
Recommended H.P. 80



**STANDARD EQUIPMENT:**

Panoramic vented windshield  
Mechanical steering  
Back-to-back laydown seats  
Bow and stern lights

Cleats  
Bow and stern eyes  
Carpeting  
Vinyl transom curtain

Storage compartments  
Air compartment flotation  
Water return 20" transom

OPTIONAL EQUIPMENT: See price list.

COLORS: Sky Blue, Dawn Gold




# COHO<sup>®</sup> CONVENTIONAL HULL ALUMINUM

Here's the depth, the beam, the room, the durability and stability for rough-water fishing or family boating.

**SPECIFICATIONS:**  
L.O.A. 17'  
Beam 82"  
Depth 39"

Transom width 71½"  
Approx. wt. 655 lbs.

Wt. capacity 1850 lbs.  
Recommended H.P. 110



**STANDARD EQUIPMENT:**

Panoramic windshield  
Mechanical steering  
Back-to-back laydown seats  
Bow and stern lights

Cleats  
Bow and stern eyes  
Carpeting

Storage compartments  
Foamed-in-place flotation  
Water return 20" transom


OPTIONAL EQUIPMENT: See price list.

COLOR: Turquoise



## LARK

CONVENTIONAL HULL  
FIBERGLASS



*Speed and maneuverability earn Lark acclaim as one of the best all-around ski boats on the nation's waters.*

**SPECIFICATIONS:**  
L.O.A. 14' 4"      Transom width 55"      Wt. capacity 1080 lbs.  
Beam 67"      Approx. wt. 525 lbs.      Recommended H.P. 55  
Molded depth 32"

**STANDARD EQUIPMENT:**  
Panoramic 20" windshield      Cleats      Storage compartments  
Complete steering      Bow and stern eyes      Air compartment flotation  
Back-to-back laydown seats      Carpeting      Water return 20" transom  
Bow and stern lights      (15" transom is optional.)

OPTIONAL EQUIPMENT: See price list.  
COLORS: Sky Blue, Dawn Gold



## CUTLAS

CONVENTIONAL HULL  
FIBERGLASS



*Neat, sleek, nimble... styled for looks and comfort, engineered for speed and superb handling.*

**SPECIFICATIONS:**  
L.O.A. 13' 10"      Transom width 58"      Wt. capacity 960 lbs.  
Beam 62"      Approx. wt. 460 lbs.      Recommended H.P. 45  
Molded depth 29"


**STANDARD EQUIPMENT:**  
Panoramic windshield      Bow and stern lights      Storage compartment  
Complete steering      Cleats      Air compartment flotation  
Back-to-back seats      Bow and stern eyes      Water return 15" transom

OPTIONAL EQUIPMENT: See price list.  
COLOR: Sky Blue



## TARPON *Deluxe*

TRI-HULL FIBERGLASS



*This agile hull provides minute response and eager performance with motors in the small to medium range.*

**SPECIFICATIONS:**  
L.O.A. 14' 7"      Transom width 56"      Wt. capacity 1180 lbs.  
Beam 66"      Approx. wt. 460 lbs.      Recommended H.P. 45  
Molded depth 25"


**STANDARD EQUIPMENT:**  
Center station console      Storage under seats      End grain balsa bottom  
Mechanical steering      Bow and stern eyes      Air compartment flotation  
Bow rail      Gunwale guard      Water return 15" transom  
Carpeting

OPTIONAL EQUIPMENT: See price list.  
COLOR: Avocado



## CHINOOK

CONVENTIONAL HULL FIBERGLASS




*All the features that make a boat popular with fishermen... in fiberglass for easiest upkeep.*

**SPECIFICATIONS:**  
L.O.A. 14'      Transom width 54"      Wt. capacity 810 lbs.  
Beam 61"      Approx. wt. 240 lbs.      Recommended H.P. 25  
Molded depth 24"


**STANDARD EQUIPMENT:**  
Forward deck      Stern handles      Automatic bailer  
Stern castings      Oarlock sockets      Expanded foam flotation  
Bow eye

COLOR: Sky Blue



SIDE WHEEL MOUNT

T-15 ALUMINUM FISHERMAN ILLUSTRATED ABOVE



**T-15 and R-16 Aluminum**


The king-size lapstrake design that assures safety, stability, and frisky performance with motors to 35 hp.

**STANDARD EQUIPMENT:**

- Bow and stern handles
- Cushioned oarlock sockets with brass inserts
- Automatic bailer
- Bow eye
- Non-skid bottom paint
- Power thrust transom
- Expanded foam flotation

**SPECIFICATIONS:**

<p><b>T-15</b>          Gunwale length 14'9"          L.O.A. 14'          Beam 64"          Depth 25"          Transom width 54"</p>	<p><b>T-15</b>          Approx. wt. 170 lbs.          Wt. capacity 868 lbs.          Four seats          Max. rating 30 H.P.</p>
--	--



**P-12 and Q-14 Aluminum**

Excellent cartoppers, both sizes of this model are time proven for outstanding service in fishing or family fun.


**STANDARD EQUIPMENT:**

- Bow and stern handles
- Cushioned oarlock sockets with brass inserts
- Automatic bailer
- Bow eye
- Non-skid bottom paint
- Power thrust transom
- Expanded foam flotation

**SPECIFICATIONS:**

<p><b>P-12</b>          Gunwale length 12'7"          L.O.A. 12'          Beam 56"          Depth 24"          Transom width 50"</p>	<p><b>P-12</b>          Approx. wt. 129 lbs.          Wt. capacity 624 lbs.          Three seats          Max. rating 20 H.P.</p>
--	---

<p><b>Q-14</b>          Gunwale length 14'7"          L.O.A. 14'          Beam 56"          Depth 24"          Transom width 50"</p>	<p><b>Q-14</b>          Approx. wt. 154 lbs.          Wt. capacity 765 lbs.          Three seats          Max. rating 25 H.P.</p>
--	---



**Z-12 and Y-14 Aluminum**

Boating satisfaction and value built into this model have meant sales, and happy owners, by the thousands!


**STANDARD EQUIPMENT:**

- Deck with bow handle
- Stern handles
- Oarlock sockets
- Non-skid bottom paint
- Expanded foam flotation

**SPECIFICATIONS:**

<p><b>Z-12</b>          Gunwale length 12'4"          L.O.A. 12'          Beam 52"          Depth 20"          Transom width 44"</p>	<p><b>Z-12</b>          Approx. wt. 86 lbs.          Wt. capacity 562 lbs.          Three seats          Max. rating 7½ H.P.</p>
--	--

<p><b>Y-14</b>          Gunwale length 14'4"          L.O.A. 14'          Beam 54"          Depth 22"          Transom width 44"</p>	<p><b>Y-14</b>          Approx. wt. 102 lbs.          Wt. capacity 696 lbs.          Three seats          Max. rating 10 H.P.</p>
--	---



**D-12 Aluminum**

Features the stretch-formed hull that puts a new dimension in speed, performance and maneuverability for fishing boats.


**STANDARD EQUIPMENT:**

- Bow casting
- Stern handles
- Oarlock sockets
- Non-skid bottom paint
- Power thrust transom
- Expanded foam flotation

**SPECIFICATIONS:**

- L.O.A. 12'
- Beam 52"
- Depth 21"
- Transom width 52"

Approx. wt. 95 lbs.  
Wt. capacity 575 lbs.  
Max. rating 10 H.P.



**K-12 (Jumbo Flat) Aluminum**

This lightweight utility boat won't slow you down . . . when you cartop, or when you launch it on your favorite fishing water.


**STANDARD EQUIPMENT:**

- Deck with bow handles
- Stern eyes
- Oarlock sockets
- Non-skid bottom paint
- Expanded foam flotation

**SPECIFICATIONS:**

- Gunwale length 12'
- L.O.A. 11'3"
- Beam 52"
- Depth 17"
- Transom width 49"

Approx. wt 82 lbs.  
Wt. capacity 555 lbs.  
Three seats  
Max. rating 7 1/2 H.P.



**G-12 and S-14 (Jumbo Flats) Aluminum**

Sled-type bow and flat bottom mean plenty of leg and tackle room . . . rugged construction means years of dependable service.

**STANDARD EQUIPMENT:**

- Bow eye
- Stern handles
- Oarlock sockets
- Non-skid bottom paint
- Expanded foam flotation


**SPECIFICATIONS:**

- G-12
- Gunwale length 11'8"
  - L.O.A. 11'4"
  - Beam 50"
  - Depth 17"
  - Transom width 49"

Approx. wt. 86 lbs.  
Wt. capacity 600 lbs.  
Four seats  
Max. rating 7 1/2 H.P.

- S-14
- Gunwale length 13'8"
  - L.O.A. 13'4"
  - Beam 50"
  - Depth 17"
  - Transom width 49"

Approx. wt. 97 lbs.  
Wt. capacity 697 lbs.  
Four seats  
Max. rating 12 H.P.



**V-10 (Jumbo Flat) Aluminum**

East to portage, trail, cartop, stow . . . great for those lakes and streams that are 'way back . . . and great for youngsters, too!


**STANDARD EQUIPMENT:**

- Bow eye
- Stern handles
- Oarlock sockets
- Non-skid bottom point
- Expanded foam flotation

**SPECIFICATIONS:**

- Gunwale length 9'8"
- L.O.A. 9'4"
- Beam 50"
- Depth 17"
- Transom width 49"

Approx. wt. 70 lbs.  
Wt. capacity 505 lbs.  
Three seats  
Max. rating 5 H.P.



**W-12 (Regular Flat) Aluminum**

Here's fishing economy at its best in a model featuring one-piece hull with bulkheaded seats . . . and makes an ideal second boat.


**STANDARD EQUIPMENT:**

- Bow and stern eyes
- Oarlock sockets
- Non-skid bottom paint
- Expanded foam flotation

**SPECIFICATIONS:**

- Gunwale length 11'8"
- L.O.A. 11'6"
- Beam 42"
- Depth 14"
- Transom width 40"

Approx. wt. 70 lbs.  
Wt. capacity 452 lbs.  
Four seats  
Max. rating 5 H.P.



**F-8 and H-10 (Regular Flats) Aluminum**

The lowest-price, highest-value aluminum lapstrake prams on today's market . . . the ideal tender, playmate or fish-finder for small lakes.

**STANDARD EQUIPMENT:**

- Bow and stern eyes
- Oarlock sockets
- Non-skid bottom paint
- Expanded foam flotation

**SPECIFICATIONS:**

- F-8
- Gunwale length 8'2"
  - L.O.A. 8'
  - Beam 42"
  - Depth 14"
  - Transom width 40"

Approx. wt. 56 lbs.  
Wt. capacity 316 lbs.  
Three seats  
Max. rating 4 H.P.

- H-10
- Gunwale length 9'8"
  - L.O.A. 9'6"
  - Beam 42"
  - Depth 14"
  - Transom width 40"

Approx. wt. 63 lbs.  
Wt. capacity 370 lbs.  
Three seats  
Max. rating 5 H.P.

## Aero Craft's Time Proven, Exclusive Sta-Foil® Design

### HIGHLIGHTS OF AERO CRAFT CANOES


- Heat treated aircraft aluminum
- Heavier and stronger stem pieces, keels and gunwales
- Additional cross members for added strength and greater rigidity
- Expanded polystyrene flotation foam in excess of BIA standards
- Velon web seats for comfort, lower center of gravity and extreme strength
- Brazier head rivets with over twice the holding power of countersunk rivets
- 5/32-inch diameter rivets which are more than 50 percent stronger than 1/8-inch rivets (See table at right)

STA-FOIL represents a smashing advance in aluminum canoe design, scored by Aero Craft. The most revolutionary concept in canoe design since Hiawatha, the STA-FOIL is a rib pressed into the side of the canoe during stretch forming operations. This STA-FOIL adds tremendous strength to both the side and bottom of the canoe. Located just above the normal waterline, this exclusive Aero Craft design feature has a definite sponson effect when the canoe is tipped in either direction, thus substantially increasing stability. The STA-FOIL also decreases the amount of draft on the canoe, which results in easier paddling and a pronounced increase in speed.

Load, in pounds, required to produce failure of one rivet in single shear

1/8" rivet, 61 S-T6	Used in other makes	389 lbs.
5/32" rivet, 61 S-T6	Used in Aero Craft	596 lbs.

Shear testing proves conclusively that 5/32-inch rivets have over 50 percent more strength than 1/8-inch rivets.



#### C-13 Aluminum

Rugged and durable for tough going . . . light for handling response and portaging . . . ideal for those inaccessible waters.

#### STANDARD EQUIPMENT:

Bow and stern castings with eyes  
Web seats  
Expanded foam flotation  
COLOR OPTIONS: Deadgrass  
Green, White, Turquoise, Red.  
See price list.

#### SPECIFICATIONS:

L.O.A. 13'4"  
Beam 36"  
Depth 13"

Approx. wt. 57 lbs.  
Wt. capacity 750 lbs.  
Max. rating 3 H.P.



#### C-15 Aluminum

Specifically engineered for the canoe enthusiast . . . a swift, stable, highly maneuverable craft that's very easy to portage.


#### STANDARD EQUIPMENT:

Bow and stern castings with eyes  
Web seats  
Expanded foam flotation  
COLOR OPTIONS: Deadgrass  
Green, White, Turquoise, Red.  
See price list.

#### SPECIFICATIONS:

L.O.A. 15'  
Beam 36"  
Depth 13"

Approx. wt. 69 lbs.  
Wt. capacity 900 lbs.  
Max. rating 3 H.P.



#### C-17 Aluminum

Extra length and extra beam add to the comfort and stability provided in this extra-strength design . . . and it handles nimbly!


#### STANDARD EQUIPMENT:

Bow and stern castings with eyes  
Web seats  
Expanded foam flotation  
COLOR OPTIONS: Deadgrass  
Green, White, Turquoise, Red.  
See price list.

#### SPECIFICATIONS:

L.O.A. 17'  
Beam 37"  
Depth 13"

Approx. wt. 78 lbs.  
Wt. capacity 1060 lbs.  
Max. rating 5 H.P.



### CS-16 Aluminum

The square stern model preferred by many veteran guides and woodsmen . . . performs beautifully with motors up to 5 hp.


#### STANDARD EQUIPMENT:

Bow eye casting  
Stern eye  
Expanded foam flotation  
COLOR OPTIONS: Deadgrass  
Green, White, Turquoise, Red.  
See price list.

#### SPECIFICATIONS:

L.O.A. 16'  
Beam 37"  
Depth 13"  
Transom width 15"

Approx. wt. 76 lbs.  
Wt. capacity 1000 lbs.  
Max. rating 5 H.P.



### CG-16 Fiberglass

A beauty in any color . . . it's rugged, stable, can handle plenty of cargo . . . and weighs out at about 99 lbs. for portaging ease.


#### STANDARD EQUIPMENT:

Bow and stern castings with eyes  
Web seats  
Expanded foam flotation  
COLORS: Ermine White, Sky Blue, Dawn Gold, Avocado.

#### SPECIFICATIONS:

L.O.A. 16'  
Beam 36"  
Depth 13"

Approx. wt. 99 lbs.  
Wt. capacity 925 lbs.  
Max. rating 5 H.P.



### CGL-14 Fiberglass

This attractive, rugged, dependable model has sold in record numbers . . . it's ideal for fishing or hunting those remote waters.


#### STANDARD EQUIPMENT:

Bow and stern castings with eyes  
Web seats  
Expanded foam flotation  
COLORS: Ermine White, Sky Blue, Dawn Gold, Avocado.

#### SPECIFICATIONS:

L.O.A. 14'  
Beam 34"  
Depth 12"

Approx. wt. 89 lbs.  
Wt. capacity 825 lbs.  
Max. rating 3 H.P.



### CGS-15 Fiberglass

Put a motor up to 5 hp. on this handsome square stern model and it handles and performs like a dream!

#### STANDARD EQUIPMENT:

Bow casting with eye  
Web seat  
Expanded foam flotation  
COLORS: Ermine White, Sky Blue, Dawn Gold, Avocado.

#### SPECIFICATIONS:

L.O.A. 15'11"  
Beam 36"  
Depth 13"

Approx. wt. 95 lbs.  
Wt. capacity 875 lbs.  
Max. rating 5 H.P.


## Aero Craft's Sail Kit



All-season sailing is made easy with the Aero Craft sail kit. The kit, adaptable to any model in the Aero Craft canoe line, features a 45-square foot lateen-type nylon sail. No hull alterations are needed—just the drilling of four location holes for the mast thwart. Convenient, too—it can be completely installed or dismantled in a matter of minutes.


Aluminum components consist of: mast step and thwart; mast; gaff and boom spars; leeboard thwart; foam-filled leeboards; foam-filled rudder; tiller assembly for both double-end and square stern models. Kit is complete with all running rigging and fasteners.

## Canoe Accessories



#### SIDE MOTOR MOUNT

Adapts easily and quickly to most canoes. Light weight, compact, sturdy. Recommended for motors up to 5 hp.



#### CARRYING YOKE

Aero Craft's new padded carrying yoke takes a lot of work out of portaging. Light weight, rugged, easily installed.

*Aero Craft...first name in canoes*

# AERO CRAFT

**America's first manufacturer of production aluminum boats**

## Celebrating Our 23rd Anniversary

Twenty-three years of boat building experience and know-how go into every boat and canoe produced by Aero Craft. The result: a product of unsurpassed dependability.

Aero Craft's steady, continuing growth and position of eminence in the marine industry is your assurance of a time-tested quality product that will give you years of carefree service.

You buy with confidence when you select an Aero Craft boat or canoe. Each model in the Aero Craft line is thoroughly tested under the most adverse conditions for satisfaction of high standards of quality, dependability, and long life. The old adage, "Ask the man who owns one," holds true for Aero Craft boats and canoes . . . for there are over 200,000 satisfied Aero Craft owners throughout the country. And on resale or trade-in, Aero Craft products enjoy one of the highest values in the marine industry today.

All Aero Craft boats are backed by these written warranties. Years and years of hard usage, coupled with countless testimonials, provide substantial proof of the distinctive Aero Craft quality in manufacture and engineering.



AERO CRAFT  
DIVISION OF HARWILL, INC.  
ST. CHARLES, MICHIGAN



BIA CERTIFICATION PENDING

Litho in U.S.A.

## AERO CRAFT ALUMINUM WARRANTY

All registered AERO CRAFT aluminum boats are warranted to the original purchaser for as long as he lives against hull punctures in normal use on water, and for one full year from date of purchase against defects in materials and workmanship. Repairs necessary during the warranty periods, from normal use on water, will be made free of charge.

Transportation to and from the factory shall be paid by the boat owner. Repairs necessary as the result of abuse or negligence will be made at cost. This warranty does not apply to damage sustained while boats are in transit, nor does it apply to windshield breakage, upholstery damage, accessory damage or physical paint damage. It does not apply to engines, outdrives, controls, and propellers (appropriate adjustments on these being provided by their respective manufacturers).

To put the warranty into effect, the warranty card must be filled out and mailed to the main office in St. Charles. Harwill, Inc., will not be held liable for dealer misrepresentation of this warranty.

HARWILL, INC.,

ST. CHARLES, MICHIGAN

## AERO CRAFT FIBERGLASS WARRANTY

All registered AERO CRAFT fiberglass boats are warranted to the original purchaser for a period of one full year from date of purchase against defects in material and workmanship. Repairs necessary during the warranty period, from normal use on water, will be made free of charge.

Transportation to and from the factory shall be paid by the boat owner. Repairs necessary as the result of abuse or negligence will be made at cost. This warranty does not apply to damage sustained while boats are in transit, nor does it apply to windshield breakage, upholstery damage or accessory damage. It does not apply to engines, outdrives, controls, and propellers (appropriate adjustments on these being provided by their respective manufacturers).

To put the warranty into effect, the warranty card must be filled out and mailed to the main office in St. Charles. Water Wonderland Boat Co., Inc., will not be held liable for dealer misrepresentation of this warranty.

WATER WONDERLAND BOAT CO.

ST. CHARLES, MICHIGAN



Large modern facilities enable Aero Craft to maintain substantial inventories on a wide range of models throughout the year.

You'll find Aero Craft offers a widely diversified line of aluminum and fiberglass boats and canoes for 1969.

Every boat and canoe made by Aero Craft must satisfy rigid inspection standards at numerous check points before it can be shipped from the plant.

For a complete listing of accessories—including convertible tops, side curtains, aft curtains, custom boat covers, speedometers and compass sets, etc.—see price list.

See your authorized Aero Craft dealer for dependable service and customer satisfaction.

## AERO CRAFT CONSTRUCTION FEATURES

### ALUMINUM

- Corrosion resistant, performance proved aluminum alloys for long life and minimum maintenance in salt and fresh water.
- Aluminum that meets aircraft quality standards.
- Continuous design and development program.
- Constant quality control.
- Aircraft type riveted seams and joints.
- Transverse and longitudinal bottom bracing.
- Heavy duty extruded aluminum gunwales.
- Rugged extruded protective keels.
- Sturdy bulkheaded aluminum seats, reinforcing sides and bottom.
- Power thrust transoms for maximum strength and rigidity.

### FIBERGLASS

- Generous use of materials, so that Aero Craft fiberglass boats are about 25 to 30 percent heavier than many competitive boats of the same specifications.
- Continuous research and development program.
- Fortified double bottoms reinforced with heavy duty internal stringers.
- Constant quality control.
- Permanent molded-in colors.
- High strength isophalic gelkotes.
- Boat reinforcement of high strength end grain balsa.
- One piece molded hulls and decks permanently fastened together.



**AERO CRAFT BOATS**

DIV. OF HARWILL, INC.

ST. CHARLES, MICH. 48655

PHONE (517) 865-3011

SCHNEIDER SPORTING GOODS  
WARREN, MICHIGAN 49435  
PHONE 677-1086